1872.

QUEENSLAND.



TWELFTH ANNUAL REPORT

FROM

THE REGISTRAR-GENERAL

ON

VITAL STATISTICS.

Presented to both Houses of Parliament by Command.

TO THE HONORABLE THE COLONIAL SECRETARY.

General Registry Office, Brisbane, 31 August, 1872.

SIR,

Herewith I have the honor to forward you tables embodying the Vital Statistics of this Colony for the year 1871, and to submit the following Report thereon.

A general Index immediately precedes the tables.

The tables have, for the sake of uniformity, been arranged as nearly as possible in the same order as in previous similar publications, and similarly divided into two groups; Appendix A referring to Statistics of the Population, and Appendix B to Meteorology.

Taking the first group,

POPULATION,

Table No. 1, as in previous years, contains a synopsis of the principal Vital Statistics of the Colony by successive years from its commencement, and brought down to the end of 1871.

The total population on the 31st December, 1871, was estimated at 125,146, consisting of 74,622 males and 50,524 females.

This has been arrived at by taking the totals according to the Census on the 1st September, 1871, allowing a margin of $2\frac{1}{2}$ per cent. for numbers not collected, and adding, for the remainder of the year, the increase by births over deaths, and immigration over emigration obtained from official returns in the usual manner.

The following table explains the calculation in detail:—

ESTIMATED POPULATION, taking the Census as a basis.

- GERRERAD GERRERAD O	Males.	Females.	Persons.
Month of September. Population on 1st September, as per census	71,767 1,794 80 215	48,337 1,208 160 109	120,104 3,002 240 324
Population on 30th September	73,856	49,814	123,670
FOURTH QUARTER. Population on 1st October Increase by excess of Births over Deaths Increase by excess of Immigration over Emigration by Sea	73,856 401 365	49,814 492 218	123,670 893 583
Population on 31st December	74,622	50,524	125,146
Increase of Population from 2nd September to 31st December	2,855	2,187	5,042

Independently of the Census the numbers have been calculated as in previous

years, taking the estimated population at the end of the year 1870 and adding the returns of increase for each quarter obtained from the ordinary returns.

This process detailed below gives a total of 122,346, or 73,343 males and 49,003 females—numbers approaching so nearly to those obtained from the census basis as to confirm the general accuracy of the census, on the one hand, and on the other, of the ordinary returns.

POPULATION INCREASE OR DECREASE IN EACH QUARTER.

RETURN showing the INCREASE or DECREASE of the POPULATION of QUEENSLAND, during each of the Four Quarters of the Year 1871.

				Males.	Females.	Persons
		 		 -		
FIRST QUARTER.						
Population on 1st January Increase by excess of Births over Deaths Increase by excess of Immigration over Emigration by Sea		 		 69,629 336 418	45,938 460 309	115,567 796 727
POPULATION ON 31st MARCH		 		 70,383	46,707	117,090
INCREASE OF POPULATION DUBING THE QUARTER		 		 754	769	1,523
SECOND QUARTEE.						
Population on 1st April	***	 		 70,383 378	46,707 473	117,090
Increase by excess of Births over Deaths Increase by excess of Immigration over Emigration by Sea		 		 557	44	851 601
Population on 30th June		 ,		 71,318	47,224	118,545
INCREASE OF POPULATION DUBING THE QUARTER		 		 935	517	1,452
						d Adding
Population on 1st July Third QUARTER.				71,318	47,224	118,542
Increase by excess of Births over Deaths		 ***		 369	511	880
Increase by excess of Immigration over Emigration by Sea		 	•••	 890	558	1,448
Population on 30th September	ER	 		 72,577	48,293	120,870
INCREASE OF POPULATION DURING THE QUARTER		 		 1,259	1,069	2,328
FOURTH QUARTER.						
Population on 1st October		 		 72,577	48,293	120,870
Increase by excess of Births over Deaths		 		 401	492	893
increase by excess of Immigration over Emigration by Sea		 		 365	218	583
POPULATION ON 31ST DECEMBER		 		 73,343	49,003	122,346
INCREASE OF POPULATION DURING THE QUARTER		 		 766	710	1,476
INCREASE OF POPULATION DURING THE YEAR		 		 3,714	3,065	6,779

The totals arrived at by the first of the above tables will be adopted as the basis for future calculations from the end of 1871; but the figures of the second table are valuable as returns of the increase recorded in each quarter during that year.

Table No. II. in Appendix, gives at a glance the totals of births, marriages, and deaths respectively; and the estimated population at the end of the year, as also the estimated mean population for the year. Of the two causes of increase, that by immigration over emigration hardly belongs to Vital Statistics, but the increase by births over deaths does so strictly, and leads to the general subject of

BIRTHS.

The total number of Births registered in 1871 was 5,205, consisting of 2,676 males and 2,529 females—an increase of 300 over the number in 1870, and amounting to a birth rate of 43.2 per 1,000 of the estimated mean population.

This, though slightly less than the apparent birth rate in 1870, is still so high as to warrant a suspicion that the mean population is, to some extent, under

estimated.*

In table No. III., Appendix, will be found detailed, the number of births, distinguishing the sexes in each quarter and in each district—an increase obtained in each quarter over the immediately preceding one, the greatest difference being between the 1st and 2nd quarter; and the following table compares the results of the years 1870 and 1871, giving the increase or decrease, as the case may be, and the proportion of females to each 100 males born in each district, and in the whole Colony.

REGISTRATION D	ISTRICT			1870.			1871.		Total Increase* or Decrease†	Total Increase* or Decrease†	Females born to every 100	Females born to every 100
			Males.	Females.	Persons.	Males.	Females.	Persons.	in the latter year.	per cent. in the latter year.	Males born in 1870.	Males born in 1871.
Banana			12	7	19	10	9	19			58.33	90.00
Bowen			36	43	79	29	36	65	+14	+17.72	119.44	124.14
Brisbane			723	639	1,362	735	704	1,439	*77	*5.65	88.38	94.42
Burke			6	2	8	1	7	8			33.33	700.00
Cape River			10	7	17	4	9	13	+ 4	+ 23.53	70.00	225.00
Cardwell			6	4	10	2	7	9	+1	+ 10.00	66.66	350.00
Condamine			10	13	23	13	11	24	* 1	* 4.35	130.00	84.61
Dalby			108	93	201	95	80	175	+26	+ 12.43	86.11	84.21
Drayton and Too		ha.	279	251	530	273	264	537	* 7	* 1.32	89.96	96.70
Gayndah		100 DO 100 P	55	50	105	59	42	101	+ 4	+ 3.81	90.90	71.18
Gilbert River			4	1	5	7	4	11	* 6	*120.00	25.00	57.14
Gladstone			29	31	60	35	30	65	* 5	* 8.33	106.89	85.71
Goondiwindi			14	10	24	11	13	24			71.42	118.18
			304	283	587	349	281	630	*43	* 7.32	93.09	80.51
			14	19	33	17	25	42	* 9	* 27.29	135.71	147.06
Leyburn			17	14	31	63	39	102	*71	*229.03	82.35	61.90
Mackay			273	259	532	324	291	615	*83	* 15.60	94.87	89.81
Maryborough	•••			13	27	9	14	23	+ 4	+ 14.81	92.85	155.55
Nanango			14				6	9	+1	+ 10.00	233.33	200.00
Nebo			3	7	10	3 2	0	2	* 2	7 1000	200 00	200 00
Paroo		:	***					101	*17	* 20.24	104.87	114.89
Peak Downs	***		41	43	84	47	54		+ 8	+ 66.66	71.42	11400
Princhester			7	5	12	2	2	4			96.10	98.23
Rockhampton			257	247	504	226	222	448	†56	† 11·11 * 3·22		90.20
Roma			52	41	93	48	48	96	* 3	* 3.22	78.84	
Somerset			1		1		1	1	w 0	* 9.09	100.00	00.47
Springsure			15	18	33	19	17	36	* 3	000	120.00	89.47
St. George			17	14	31	14	19	33	* 2	* 6.45	82.35	135.71
St. Lawrence			10	7	17	8	9	17			70.00	112.50
Surat			8	11	19	6	7	13	† 6	† 31.60	137.50	116.66
Tambo			10	8	18	8	8	16	+ 2	† 11.11	80.00	20 50
Taroom			10	16	26	16	11	27	* 1	* 3.85	160.00	68.75
Townsville			32	30	62	57	59	116	*54	* 87.09	93.75	103.51
Warrego North			9	11	20	9	8	17	+ 3	† 15.00	122.22	88.88
Warrego South						1	3	4	* 4			300.00
Warwick			155	140	295	137	151	288	+7	+ 2.37	90.32	110.21
Woogaroo			14	13	27	37	38	75	*48	*177.77	92.85	102.70
TOTAL			2,555	2,350	4,905	2,676	2,529	5,205	*300	* 6.12	91.97	94.50

The general proportion of the sexes born was slightly over 94.5 females to 100 males, as against 91.98 per cent. in 1870.

The following table of such proportion annually from 1866, may be of interest:—

	1866.	1867.	1868.	1869.	1870.	1871.
The centesimal ratio of Females born to every 100 Males born	93.07	96.75	96.74	92.95	91.97	94.50

^{*} It may be noted, here, that the average birth rate in England, compared with the mean population, for the decennia period 1861-1870, was 37 per 1,000, and for the year 1871 was 35.

The following short table gives a summary of the births during 1871, arranged according to principal divisions of the Colony, as adopted for deaths in 1870. *Vide* Appendix to Report on Vital Statistics for that year, table No. XVI.

			bites:				BIRTHS.						hs.	OVE
	DIVISI	ONS.	Total Number in each			ring the				Twins.	Triplets	ates.	of Deaths.	f Births over
erdin.	Thursday Thursday		Division of the Colony.	March.	June.	Sept.	Dec.	Males.	Females.	Cases of Twins.	Cases of Triplets	Illegitimates.	Number of	Excess of Deaths.
Division No. 1	Metropolitan Districts	Brisbane, Ipswich, and Woogaroo (be- ing East and West Moreton inclusive)	2,144	480	540	534	590	1,121	1,023	28		70	711	1,433
Division No. 2	South - West- ern and South - Mid- land Dis- tricts	Surat, Roma, Warrego North, Warrego South, St. George, Paroo, Condamine, and Goondiwindi	213	56	52	63	42	104	109	5		2	59	154
Division No. 3	South - East- ern Districts	Drayton and Too- woomba, Dalby, Gayndah, Warwick, Leyburn, Nanango, and Maryborough	1,781	416	421	461	483	914	867	21	10	30	511	1,270
Division No. 4	North - West- ern and North Mid- land Dis- tricts	Cape River, Gilbert River, Springsure, Peak Downs, Ta- room, and Tambo (or Mitchell)	204	51	51	56	46	101	103	3	 0 4	7	143	61
No. 5	North - East- ern Districts	East Isaacs, St. Law- rence, Princhester, Banana, Gladstone, and Rockhampton	562	121	143	152	146	284	278	2		13	198	364
No. 6	Northern Dis- tricts	Somerset, Cardwell, Burke, Townsville, Bowen, and Mackay	301	86	78	64	73	152	149	1		9	163	138
	TOTA	L	5,205	1,210	1,285	1,330	1,380	2,676	2,529	60		131	1,785	3,420

It is not possible to draw any very exact comparison between town and country populations, as the Registration Districts in which towns occur, invariably include a considerable amount of the country districts.

The number of illegitimate births registered in the year was 131, one less than the number registered in 1870, bearing a centesimal proportion to the total births of 2.51 against 2.7.

The proportion for 1871 within the Brisbane district was, however, much higher, there having been 58 illegitimate out of 1,439, or 4.03 per cent., whilst in all other parts of the Colony, out of 3,766 total births, only 73, or less than 2 per cent., were registered as illegitimate.

These figures contrast not unfavorably with the New South Wales returns for the same year, from which it appears that in Sydney, out of 2,980 births, 206, or 6.9 per cent., in the suburbs of 2,601 births, 61 or 2.3 per cent., and in the country districts, out of 14,562 births, 515, or over 3.5 per cent., were illegitimate.

In Victoria, during the year 1870, of the whole number of births, 27,151, there were 756, or 2.78 per cent. illegitimate. In Melbourne and suburbs, out of 7,546, there were 344, or 4.55 per cent.

In the coast districts, exclusive of Melbourne and suburbs, of 1,878 there were 46, or nearly 2.45 per cent. In the rural districts, of 6,607, only 109, or nearly 1.65 per cent.; and on the gold fields, out of 11,120 births, 257, or 2.3 per cent.

TWINS.

Amongst the births there were 60 cases of twins, consisting of 61 males and 59 females, but not a case of triplets.

MARRIAGES.

Table IV. in Appendix gives the Marriages registered during the year 1871, detailed by Registration Districts and denominations.

Denominations from which returns were not received have been omitted from this table.

The total, 970, presents an increase of 91, or over 10 per cent. as against the marriages of 1870.

This is satisfactory, for there is no doubt as to the correctness of the general rule, that the proportion of marriages in a community varies directly with its prosperity; although in districts where the numbers of the sexes are very disproportionate, the rule, to a great extent, ceases to apply.

The following table gives the number of marriages in each district and by each denomination, and contrasting in each case and for each district the numbers for 1871 with similar results for 1870.

COMPARATIVE TABLE showing the MARRIAGES CELEBRATED in 1870 and 1871.

REGIST	RATION DI	STRICT.		YEAR.	England.	Rome.	Presbyterian and United Presbyterian Church.	Methodist Church.	Methodist Church.	United Methodist Free Church.	onal Church.	urch.	Baptist Church.	Jhurch.	Church,	Independent Church.	tians.	n Act.	1870.	1871.	or Decrease.
				No section 1	Church of	Church of 1	Presbyteria Presbyter	Wesleyan 1	Primitive N	United Met	Congregational	Baptist Church.	Particular	Lutheran Church	Hebrew Ch	German In	Bible Christians	Registration	Total in 18	Total in 18	Increase
anana			{	1870							 1									"ï	* 1
owen			{	1871	8	4												3 2	15	16	* 1
risbane		10.1	{	1871	13 60	67	63	21 25	12 17	4	12 11	6 9	2 6	22 22			2	24 14	295	294	† 1
urke			{	1871	77	42	71													:::	139
ape River		91	{	1871	2	:::												1 1	3	2	+1
ardwell		Ħ.,	{	1871 1870	1												:::	1	1	3	* 2
ondamine			{	1871			2											2 2	2	2	1
alby			(1871 1870	4	16	ï				10 2					1			32	17	+18
rayton and		0.	{	1871 1870	6 14	35	3 7	3			4			15 15		···		7 7	85	79	1 6
ayndah		a	{	1871	6	33 2	9	4			3	4						1	13	ii	+ 2
Direct Direct			,	1871	7	2												7		7	* 7
adstone			}	1871			3											6 7	9	11	* 2
			{	1871 1870			4			:::								2	2	2	::
ondiwindi			{	1871	1 17	31	iï	19	4		ï	6		7				8 10	104	115	*1
swich				1871	11	35	13	12	3		8	8		15					ï	2	*
yburn				1871	1	1 5	:::												6	25	*19
aekay				1871 1870	12 15	13 17	15	iii	3	:::	ï	18	:::	6				4	90	135	44
			(1871 1870	35 1	25	13	9	1		3	21		20				8	4	133	+
anango			{	1871 1870	1	1					•••							1	2	2	1:
ebo			5	1871 1870									:::					2		ï	*
aroo				1871 1870		2					2			:::			:::	8	12	22	*1
eak Downs				1871 1870	ï	1		6										14			:
rinchester				1871 1870		36	23	8	18		3			ï	:::		:::	ï	98	119	*1
ockhampton	٠			1871 1870	14 16	26	17	6	40		4							5 5	22	112	+
oma			{	1871	7						1						:::	5			1
omerset				1871 1870		 1	4											3	8		1
pringsure			}	1871 1870			5											3	3	8 2	†
George			{	1871							1				:::	1::		1			*
. Lawrence				1871											:::			2	ï	2	
ırat			/	1871		ï												1	2		1
ambo				1870			:::		***	1		ï			:::	:::	:::	1 2	3	1	*
room			{	1870	6	1											:::	3 10	17	4	1
ownsville			{	1870	15	15		:::										1 2	2	31	*1
arrego Nort	th			1870														3		3	*
arrego Sout	h		{	1870			111									1		ï	45		1:
arwick				$\begin{cases} 1870 \\ 1871 \end{cases}$	12 10	19 13	11 8	3		1:::	2		:::	ï	:::			4	2	39	1
oogaroo				{ 1870 1871		ï	:::		1	:::	3							1		6	*
Total	in the yea	ır		1870	171	240	139	64	37	4	35	35	2	51		1	2	98	879		
	in the yea			1871	219	215	145	65	62		37	39	6	73		1		108		970	*9

The following table compares the numbers of marriages celebrated by each donomination in 1870 and 1871 respectively, and gives the numerical and centesimal increase and decrease respectively as to each:—

Denomination,			Marriages in 1870.	Marriages in 1871.	Numerical Increase* or Decrease† in 1870.	Centesimal Increase or Decrease† in 1871.
Church of England	 		171	219	* 48	* 28.07
Church of Rome	 		240	215	+ 25	† 10.41
Presbyterians	 		139	145	* 6	* 4.31
Wesleyan Methodists	 		64	65	* 1	* 1.56
Primitive Methodists	 		37	62	* 25	* 67.57
United Methodist Free Church	 		4		† 4 * 2	† 100.00
Congregationalists	 		35	37		* 5.71
Baptists	 		35	39	* 4	* 11.43
Particular Baptists	 		2	6	* 4	* 200.00
Lutherans	 	***	51	73	* 22	* 43.14
erman Independent Church	 		1	1		
Bible Christians	 		2		† 2	† 100·00
District Registrars	 		98	108	* 10	* 10.20
Totals	 		879	970	* 91	* 10.35

For the first time since the foundation of the Colony, the Church of England returns the largest number of marriages.

The Church of Rome comes second on the list, with a decrease from 1870.

Presbyterians come next with a slight increase, and then the Methodists.

In marriages by Registrars there was an increase of over 10 per cent.

There was not a Hebrew marriage returned in either year.

Table V. in Appendix gives the nationalities of husbands and wives respectively.

A very large majority of both come from Europe, and chiefly from the British Isles; Germany coming next as to husbands only, and then Australasia, which as to wives exceeds Germany.

The disproportion in the cases of England and Ireland may be noticed—the husbands in the former, and the wives in the latter, largely predominating.

There were 11 Chinese men married—the same number as in 1870; and in spite of the popular belief that they generally marry Irish girls, 5 of the wives were English to 4 Irish, the same proportion as in 1870.

Two Polynesian marriages were recorded, but confined to natives of both sexes. Table VI. in Appendix gives the numbers at each age of wives and husbands

respectively.

It appears that girls begin to marry earlier than boys, there being two cases returned of girls under 15, whilst the youngest husband is over 17, and the numbers continue for several successive years to give a great preponderance of young wives; but, on the whole, the women appear also to leave off marrying earlier.

One thing is rather curious, that at 21 precisely, the number of women married is far greater than at any other age, rising from 43 at 20 to 127 at 21, and sinking again to 85 at 22. Persons under 21 cannot get married without consent of parents or other protectors.

The social condition of persons married in 1871, and the proportion of each

class to the total number of marriages, are given in the following table.

	(Condition	l.			Number.	Proportion.
Bachelors to Spinsters Bachelors to Widows Widowers to Spinsters Widowers to Widows Widower to Divorced	 	:::		 	 	 777 91 75 26	80·10 9·38 7·73 2·68
	Тот	'AL		 	 	 970	

These numbers and proportions vary but little from corresponding ones in previous years, except that widowers marrying spinsters have increased nearly 50 per cent., and widowers to widows have fallen off.

The number of persons married as minors in 1871 were, in all, 269—viz., 15 males and 254 females, or 1.55 and 26.18 per cent. respectively of the totals of each

sex

The following table gives the number of marriages by each denomination in each quarter of the year.

		Church of England,	Church of Rome.	Presbyterian Church.	Wesleyan Methodist Church.	United Methodist Free Church.	Primitive Methodist Church.	Congregational Church.	Baptist Church.	Particular Baptist Church,	Lutheran Church.	Hebrew Church.	German Indepen- dent Church.	Bible Christians.	District Regis- trars.	Total Registered each Quarter.
1871. First Quarter Second Quarter Third Quarter Fourth Quarter	 	72 48 47 52 219	63 49 54 49 215	44 28 40 33 145	13 18 15 19		5 15 25 17 62	11 7 14 5	13 8 8 10	3 2 1	19 11 19 24 73		 1		35 22 30 21	278 206 254 232

The numbers in the first quarter are by far the highest, and in the second least—a result rather different from that of the preceding year, in which, although the first quarter was the highest, there was a steady decrease in each successive quarter.

DEATHS.

Tables in Appendix A, VII., VIII., IX., and X. to XLV., comprise the returns now to be dealt with.

The total number of Deaths registered in 1871 was 1,785, consisting of 1,192 males and 593 females. Compared with the mean population of the year, this gives a total death rate of 1.48 per cent., as against 1.46 in 1870.

There was a slight proportionate increase in the number of male deaths over

female.

The death rate above quoted compares favorably with that of England, where the average annual death rate per 1,000, during the decennial period 1861–1870, was 22.6—a rate that obtained again in 1871, with an inappreciable difference.

Our low death rate may, to a certain extent, be attributed to a comparative

absence of aged people.

Table No. VII. details the numbers of deaths in each Registration District, and in each quarter; and also gives the corresponding totals in each district for the year 1870, and the increase or decrease in 1871.

The general mortality appears to have increased in each successive quarter,

being highest in the fourth.

The increases and decreases in the several districts are arranged according to order of numbers in the following table:—

INCREASE OR DECREASE OF DEATHS AS COMPARED WITH 1870.

	Regist	ration D	istrict.		Increase.*	Regist	ration 1	District.		Decrease.
11382										ensiente , cuasité
Maryborough	1			 	80	Dalby				 29
Brisbane				 	75	Ipswich				 19
Mackay				 	37	Warwick				 16
Gilbert				 	25	Roma				 12
Rockhampton	n.			 	13	Banana				 9
Woogaroo				 	10	Cape River				 7
Gayndah				 	8	Peak Downs				 7
Fladstone				 	8 .	Drayton and				 6
Cardwell					5	Leyburn				6
Nanango			•••	 	4	Princhester				 5
Springsure				 	3	Burke				 4
Fambo				 	3	Goondiwindi			•••	 1.
Faroom				 	3	Warrego			•••	 4
Condamine				 	2	Daman	•••	•••		 3
			•••	 	1	Bowen				 3
Paroo				 	1	St. George			•••	 3
						Townsville				 2
						Surat				 1

INFANTILE MORTALITY.

Table No. VIII. gives the numbers of deaths under two and five years respectively, in the several Registration Districts.

Out of the total number of deaths in the year, 1785, there were 792, or 44.37 per cent., under five years; 653, or 36.58 per cent., under two; and 516, or 28.9 per cent., under one, year.

The following table gives more minute details of these deaths, particularly as to the heaviest proportion, those under twelve months:—

	Motel	DEA.	THS UNDI	ER ONE Y	EAR.		Per	Per		Per	Per		Per	Per
	Total Number of Deaths in 1871.	Under one month.	One month and under three months.	Three months and under six months.	Six months and under twelve months.	Total Deaths under one years.	centage to total Deaths in the District.	centage to total Deaths in the Colony.	Total Deaths under two years.	centage to total Deaths in the District.	to total Deaths in the	Total Deaths under five years.	centage to total Deaths in the District.	centage to total Deaths in the Colony.
Brisbane Males Females	318 191	33 49	19 15	16 16	28 27	96 77	30·19 40·31	5·37 4·31	113 98	35·53 51·30	6·33 5·49	139 113	43.71 59.16	7·78 6·33
Country Males Females	874 402	84 67	43 24	31 26	38 30	196 147	22·42 36·56	10·98 8·23	243 199	27·84 49·50	13·61 11·15	303 237	34·66 58·95	16·97 13·28
TOTAL	1,785	203	101	89	123	516		28.90	653		36.58	792		44:37

And the next below presents a comparison between the deaths under two and five respectively during the years 1870 and 1871 :-

			1870.	3 3 3 2 7		1871.		Increase*	Increase*	Total Increase*	Percentage	Percentage
REGISTRATION DIS	STRICT.	Under two years,	Two and under five years.	Total under five years.	Under two years.	Two and under five years.	Total under five years.	Decreaset in the Deaths of Children under two years of age.	Decreaset in the Deaths of Children, two years and under five years.	or Decreaset in the Deaths of Children under five years of age.	of Deaths of Children under two years to the total Deaths in the District.	of Deaths under five years to the total Deaths in each Dis- trict.
(47) 2 T 175							766					
Banana Bowen Brisbane Burke		1 7 216 1	1 30	1 8 246 1	9 211 1	4 41	13 252 1	† 1 * 2 † 5	* 3 *11	† 1 * 5 * 6	32:14 41:45 11:11	46.43 49.5 11.11
Cape River Cardwell Condamine		2 2	2	2 2 2	1 2	2	1 2 2	†1		†1	16.66	16.66 16.60 25.00
Dalby Drayton and woomba	Too-	29 66	5 11	34 77	13 53	7	14 60	†16 †13	† 4 † 4	†20 †17	41·93 38·97	45·16 44·11
Gayndah Gilbert River Gladstone		7 1 3	2	9 1 3	10 4 8	3 2	13 4 10	* 3 * 3 * 5	* 1 * 2	* 4 * 3 * 7	33·33 6·89 38·09	43·33 6·89 47·77
Goondiwindi Ipswich Leyburn		4 ₁ 81 6	25 1	106 7	2 75 3	22	2 97 3	† 2 † 6 † 3	+ 3 + 1	† 2 † 9 † 4	20·00 42·61 27·27	20·00 55·11 27·27
Maryborough cluding Gym	(in-	5 61	6	5 67	10 97	8 19	18 116	* 5 *36	* 8 *13	*13	18·18 40·41	- 32·72 48·33
Nanango Nebo Paroo		1 2	300	1 2	2 2		2 2	* 1	***	* 1	28·57 40·00	28·57 40·00
Peak Downs Princhester Rockhampton		5 1 59	3 1 9	8 2 68	14 73	15	18 88	* 9 † 1 *14	* 1 + 1 * 6	*10 † 2 *20	37·84 43·97	48.65
Roma Somerset Springsure St. George		17 3 5	1 1	19 4 6	6 3 2	2	7 5 2	†11 † 3	† 1 * 1 † 1	†12 * 1 † 4	27·27 23·08 33·33	31·80 38·61 33·33
St. Lawrence Surat Tambo Taroom Townsville		2 1 3 4 18	2 3	2 1 5 4 21	1 2 2 18		1 2 2 2 20	† 2 ;; † 1 † 2	† 2 † 1	† 2 † 3 † 2 † 1	25·00 11·76 16·66 30·51	25·00 11·76 16·66 33·89
Warrego North Warrego South		2		2	{ 1 	1	2	} †1	* 1		12.50	25.00
Warwick Woogaroo	***	33 7	/ 6	39	20 8	1	9	†13 * 1	† 2 * 1	†15 * 2	35·71 30·77	42·85 34·61
TOTAL		655	111	766	653	139	792	† 2	*28	*26		

Comparing these tables with similar ones in the Report on "Vital Statistics" for the year 1870, it will be observed that although the proportion of infant to total deaths is still distressingly high, there is a decided although small decrease in the percentages nearly throughout.

The general remarks made in Report referred to might be truthfully repeated with slight variations; but with regard to districts the order of heaviest loss is not quite the same. Ipswich now heads the list, and Rockhampton next;—Brisbane, third; and then the scale gradually decreases. But it must be remembered that in the districts where comparatively very small numbers obtain, the calculation of averages is a very uncertain guide, as the addition or subtraction of a few units, or even of one, seriously disarranges ratios.

In the following table will be found a comparison of the percentages of general deaths and of those under five years throughout the Colony, from 1860 to

1871.

	Year		Total Deaths of the Year.	Percentage of Total Deaths to Mean Population of each Year.	Total Deaths under Five Years.	Percentage of Total Deaths under Five Years to Total Deaths of the Year
1860	 	 ·	478	1.77	208 188	43.51
1861	 ***	 	 500	1.56	362	45.42
1862	 	 	 797	1.96	623	49.25
1863	 	 	 1,275	2:36	639	44.19
1864	 	 	 1,446	2·13 2·14	903	55.10
1865	 	 ***	 1,733	2:56	1,182	50.04
1866	 	 •••	 2,362		947	54.21
1867	 	 	 1,745	1.78	895	49.74
1868	 ***	 	 1,799	1.73		46.96
1869	 	 	 1,761	1.62	827	
1870	 	 	 1,645	1.46	766	46.56
1871	 	 	 1,785	1.48	792	44:37

Average rate per cent. during Twelve Years, 47.24.

It will be noticed that the general rate for 1871 is very slightly in excess of that for 1870, but the rate of infantile deaths is two per cent. lower.

NATIONALITIES.

Table No. IX. details the nationalities of the various persons whose deaths were registered in each district during 1871.

The number of Chinese deaths was considerably higher than in 1870, amounting to 65 in all, or, taking the Census returns as a basis, at the rate of 1.96 per cent.

The Polynesians lost far more heavily, as by the Census returns on the 1st September there were 2,336 of them enumerated, and from that date to the end of the year 271 more are stated to have been introduced into the Colony.

Taking the sum of these 2,607 as the total Polynesians in the Colony during the year, there were 99 deaths recorded, giving an average death rate of 3.79 per

cent. nearly.

Nearly 40 deaths of Polynesians appear to have occurred within six weeks

on plantations about Maryborough.

Many of these deaths were of quite new arrivals, on whom the change of food from what they have been accustomed to, has often a very bad effect.

PROPORTION OF DEATHS TO SEXES.

As observed in previous years, the disproportion of sexes in the deaths is greater than in the population; for whilst the proportion of males to females in the mean population is very nearly 3 to 2, the proportion of male deaths to females was as nearly as possible 2 to 1.

Again, comparing the total deaths of males with the total mean male population, and making a similar comparison of the females, the male death rate was 2.47

per cent., and the female 1.22 per cent.

The following short table of the ratio of female deaths per 100 male is of interest, particularly as there appears to be a steady reduction in the disproportion.

1865	 			75.58	per cent.
1866	 			63.39	,,
1867	 	*		60.39	,,
1868	 			54.42	,,,
1869	 			53.26	99
1870	 			55.19	9.9
1871	 244		444	49.74	99

The various causes which lead to this disproportion may be traced by studying the tables in the Appendix; but beyond that caused by the inequality of the sexes living, it seems to prove that the risk of life to males, particularly in the remote parts of the Colony, is much greater than that to females, and the disproportion of the living sexes being greatest in those remote parts, the effect of the greater risk is there intensified.

It must be remembered also, that Chinese and Polynesian deaths are almost

exclusively of males.

The arrangement of the remaining tables in Appendix A is so similar to that adopted in previous annual reports, that, except on a few points, very little need be said about them, and for general reference the index will be found a sufficient guide.

CAUSES OF DEATH.

A centesimal comparison of the various causes of death with the total numbers in each year, from 1864 to 1871, will be found below, and seems to indicate some more or less regular change in the comparative mortality of various classes of disease.

Table contrasting the Percentage which the several Causes of Death bear to the Total Deaths in each Year, from 1864 to 1871, both inclusive.

	Causes of Death.	1864.	1865.	1866.	1867.	1868.	1869.	1870.	1871.
	I.—Zymotic Diseases.								
1	Miasmatic Diseases	28.70	29.54	36.33	25.73	26.35	23.17	23.83	22.12
	T-41-4'- D'	 0.21	.40	.42	.06	2000	68	23 03	•44
	D'. 4'. D'	 1.80	1.44	1.61	*86	1.61	1.07	1.09	1.28
	Parasitic Diseases	 .55	1.04	.51	.75	.28	•45	.12	.66
		31.26	32.42	38.87	27.40	28.46	25:37	25.28	24.50
	II.—Constitutional Diseases.				AMPRICATION PROPERTY.				
1	Diathetic Diseases	2.14	1.73	1.91	2.80	3.28	2.21	2.80	0.10
	Tubercular Diseases	 6.92	7.70	7.41	8.25	9.00	8.98	8.63	2·18 9·02
		 elementalisment and a second			-				
		9.06	9.43	9.32	11.05	12.28	11.19	11.43	11.20
	III.—Local Diseases.								
1	Diseases of the Nervous System	 9.41	8.66	10.46	13.87	13.00	14.31	15.08	15.91
2	Diseases of the Organs of Circulation	 2.97	3.06	2.92	3.38	3.28	4.05	4.26	4.31
3	Diseases of the Respiratory System	 4.36	4.27	3.64	5.79	5.23	5.39	7.11	7.78
4	Diseases of the Digestive Organs	 4.15	3.92	4.10	5.04	4.50	4:49	5.47	.5.26
0	Diseases of the Urinary Organs Diseases of the Organs of Generation	 .69	23	.51	.40	·61 ·22	:61	.67	1.28
7		 ·14	11 23	13	17	.06	11	.10	.22
8	Diseases of the Joints Diseases of the Integumentary System	 .07		17	.23	.17	·06 ·11	·16 ·12	·27 ·16
		21.79	20.48	22.06	28.99	27.07	29.13	32.87	35.19
	IV.—Developmental Diseases.			- Airm	100 miles				
1	Dia C C1 '11	5.05	7.33	4.01	5.33	F.F0	7.04	4.00	0.00
2	Discourse of A Julta	 *82	1.15	4.61	92	5.50	5·34 1·59	4·62 1·34	3.86
3	Diseases of Old People	 1.87	.69	1.19	1.72	2.22	1.47	1.64	2.35
4	Diseases of Nutrition	 4.63	8.89	8.21	7.39	8.45	8.40	7.36	7.95
		12:37	18.06	14:77	15.36	16.89	16.80	14.96	15:39
	V.—Violence.				SCOT SECTION	27.77 (1.79)			3777
1.	Accident or Negligence	12.03	9.35	6.64	9.80	9.67	10.62	11:30	9.30
	Homicide	 1.31	.98	.63	34	61	51	•79	.78
3.	Suicide	 1.24	•40	.82	•46	.45	.51	.55	.44
4	Execution	 .07		04		.06	.17	·24	
		14.65	10.73	8.13	10.60	10.79	11.81	12.88	10.52
17	Solont Dooths, not observed								
V C	iolent Deaths, not classed udden Deaths, cause not ascertained	 	1.00	.177					.11
D	eaths, cause unspecified and ill-defined	 10.65	1·33 7·73	6.69	5.79	·11 4·40	.06 5.05	°18 2°49	2.91
	No. of the contract of the con	10.86	9.06	6.86	6.08	4:51	5.11	2.67	3.07

It will be noted that "Zymotic" diseases, formerly the heaviest of all, and notably so in 1866, have pretty steadily diminished since that time, and for 1871 stand lower than in any previous year.

stand lower than in any previous year.

"Constitutional" diseases suddenly increased in 1866-67, but from that

period the percentage has remained tolerably even.

The third class, "Local diseases," present a regular and serious increase, especially in diseases of the nervous system, the rates for 1871 being more than 50 per cent. in advance of 1864. Developmental diseases appear to have fluctuated more than those of any other class, but the rate for 1871 approaches very closely to the average of rates for the whole eight years.

Deaths "from violence" average nearly 10.53 per cent. of total deaths; lower, certainly, than in the year 1870, but still a high rate. The disproportion as to sexes is great; for, amongst males, the proportion of violent to total deaths was 12.58

per cent., but with females only 6.40.

A disproportion of the same kind appears to rule in other places; for in Sydney, during 1871, the violent deaths were at the rate of 9.48 per cent. of total deaths; the males at the rate of 12.62 per cent., but the females only 4.75.

Even in England the average proportion of violent deaths to totals appears to be more than three times as great amongst males as amongst females.

The various causes of violent deaths are very unevenly distributed.

Drowning is, as usual, the heaviest cause, showing sixty males and eight females.

Poison figures for six females, but of these five were children, and probably owing to want of being looked after. Sucking matches is a not uncommon trick amongst children, often attended with dangerous consequences, although not always fatal.

Of the causes of death, which in England are held out as bugbears against this Colony, it may be noticed that snake-bite only numbers four cases, lightning five, and sunstroke six, of which only one was a male and two female children.

The deaths "cause not ascertained or ill-defined" have materially decreased in proportion, no doubt from greater care in obtaining returns; but in a large number of cases, especially where medical men have not been in attendance, the cause is put down hap-hazard, and valuable information thereby lost.

More particularly in the case of infants, returns constantly occur, such as convulsions, atrophy, and others, having reference merely to the symptoms immediately preceding death without any information as to the fatal causes leading to such symptoms, whilst the more obscure the cause of any death the more important it is to obtain accurate information.

One cause of disease, though not necessarily a fatal one, may be specially worthy the attention of medical men from its frequency, the variety and complexity of the symptoms produced, and the possibility of their being overlooked or incorrectly diagnosed.

There is hardly a class of animals in Australia, whether indigenous or introduced from other countries, but suffers more or less from entozoa.

Human beings are not exempt in other countries any more than other animals from the attacks of these parasites, and it is only reasonable to suppose that no special exemption from them will favor the human race in this Colony.

It certainly does appear that, amongst sheep in this Colony, there has been an alarming amount of disease and even of death arising from worms, and that this evil has increased and is increasing, although under control if taken in time and treated with ascertained medicines.

It is known that in other parts of the world, some of the entozoa attack human beings as well as the lower animals, and may be communicated from the one to the other, a notable instance of which is the trichina spiralis sometimes found in pork.

But it moreover appears probable that the germs of some of these entozoa may be introduced into the animal, and presumably into the human system, by the use of impure water, and the water ordinarily available in this Colony for domestic purposes is but too often tainted with organic impurities.

It is therefore but reasonable to watch carefully whether or not a cause which has already done so much damage to sheep threatens any similar mischief to human beings.

BIRTHS COMPARED WITH DEATHS.

In 1871, the Births exceeded the Deaths by 3,420, giving a net increase on the estimated population at the end of the preceding year of very nearly 2.96 per cent., the same rate that obtained in 1870.

The subjoined table contrasts the births with the deaths (distinguishing the sexes) in the several districts of the Colony.

In four districts only—Burke, Gilbert, Cardwell, and Mitchell—do the deaths appear to have exceeded the births.

The exceptional nature of the population in these districts sufficiently accounts for these small decreases. It is not owing to the population having left the Colony, but the mushroom character common to digging towns, or rather camps, all over the world, is strikingly exemplified on our Northern gold fields.

COMPARISON of the Number of Births and Deaths, Males and Females, registered in each Registration District, throughout the Year 1871.

grange eta Granduila					BIRTHS.			DEATHS.		EXCESS OF BIRTHS	EXCESS OF DEATHS
REGIST	RATIO.	N DISTR	icr.	Males.	Females.	Persons.	Males.	Females.	Persons.	OVER DEATHS.	OVER BIRTHS.
		1		11 11 6							
Banana				 10	9	19	2		2	17	
Bowen	• • •			 29	36	65	22	6	28	37	
Brisbane				 735	704	1,439	318	191	509	930	-
urke				 1	7	8	7	2	9,		1
ape River				 4	9	13	6		6	7	
ardwell				 2	7	9	9	3	12		3
ondamine				 13	11	24	7	1	8	16	
alby				 95	80	175	16	15	31	144	
Prayton and T	oowo	omba		 273	264	537	89	47	136	401	0 0 1 8 1
layndah		***		 59	42	101	22	8	30	71	
Hilbert River				 7	4	11	53	5	- 58		47
Hadstone				 35	30	65	10	11	21	44	Section 1995
doondiwindi				 11	13	24	6	4	10	14	
pswich				 349	281	630	110	66	176	454	
eyburn				 17	25	42	7	4	11	31	
Iackay				 63	39	102	42	13	55	47	
Maryborough				 324	291	615	171	69	240	375	
Vanango				 9	14	23	6	1	7	16	
Vebo				 3	6	9	5		5	4	
Paroo				 2		2	1		1	1	
Peak Downs				 47	54	101	21	16	37	64	
Princhester		1.2.		 2	2	4			1	4	
Rockhampton				 226	222	448	101	65	166	282	
Roma				 48	48	96	18	4	22	. 74	
omerset				 	1	1				1	
pringsure				 19	. 17	36	10	3	13	23	
t. George				 14	19	33	4	2	6	27	1000
St. Lawrence				 8	9	17	3	1	4	13	100.150
Surat				 6	7	. 13	3	1	4	9	
Cambo				 8	8	16	16	1	17		1
Taroom				 16	11	27	11	1	12	15	
Cownsy ille	•••			 57	59	116	44	15	59	57	
Warrego Nort				 9	8	17	5	- 2	7	10	
Warrego Sout				 1	3	4	1		1	3	
Varwick				 137	151	288	30	26	56	232	
Voogaroo				 37	38	75	16	10	26	49	
				2,676	2,529	5,205	1,192	593	1,785	3,472	52
					Less Eve	ess of Des	ths in so	ome Distri	ets	52	
					22000 2220						·
						Тота	L INCREA	ASE		3,420	

MARINE BIRTHS AND DEATHS.

The following table gives a return of Births and Deaths that occurred during the year 1871 on board ships coming to the Colony.

The numbers are so small that it is impossible to draw any conclusions of importance from them.

	BIRTHS.			DEATHS.	
Males.	Females.	Persons.	Males.	Females.	Persons
10	7	17	19	9	28
Exagge	of Deaths over Birth	S	9	2	11

METEOROLOGY.

The tables in Appendix B, compiled by the Government Meteorological Observer, and his report thereon, speak for themselves.

Appendix C contains the usual list of District Registrars for Births, &c., throughout the Colony.

I have the honor to be,

Sir,

Your most obedient Servant,

HENRY SCOTT,

Registrar-General.

INDEX TO TABLES.

Hea	id.		Particulars given in Table.	Table.	Page.
Births			N		
			Number registered during each quarter	3	3
Marriages			showing the denominations	4	4
"			Showing the nationality of the parties married	5	5
"			" various ages of the parties married	6	6
Deaths,			Showing number registered during each quarter, according to Districts	7	7
"			" number of Children, Male and Female, under 5 years	8	7
22	***		,, Nationality of persons whose deaths were registered	9	8
>>			" number of Males in the Colony, according to ages	10	9 and 10
"			,, Females in the Colony, according to ages	11	11 and 12
"			,, Males and Females, according to ages	12 13	13 and 14
"			D1 C 1'60 ' 1' 1' ' 1' ' 1'	14	15, 16, and 17, 18, 19, and 20
"			Malagand Famalag from different according	TÆ	10, 10, and 20
"			divisions of the Colony	15	21, 22, and 2
"			,, Causes of death, arranged in the order of degree of mortality	16	24
"			Summary of Males and Females registered in the Colony during each	20	Z 1:
			month	17	25, 26, and 2
,,			Showing number of Males registered in Brisbane according to ages	18	28 and 29
"			Females registered in Brisbane, according to ages	19	30 and 31
"			Summary of Males and Females registered in Brisbane	20	32
22		***	Showing number of Males and Females registered in Brisbane during each		
			month	21	33 and 34
23			,, ,, Males in Maryborough, according to ages	22	35
22			,, Females in Maryborough, ditto	23	36
>>			Summary Males and Females, ditto	24	37
"			" Males in Rockhampton, ditto	25	38
37		•••	" Females in Rockhampton, ditto	26	39
"			" Males and Females in Rockhampton, ditto	27	40
"			" Males in Mackay, ditto	128	41
27		•••	,, Females in Mackay, ditto	29	42
"			M-1 : m : : : : : : : : : : : : : : : : :	30	43
"			Fomeles in Townsville ditte	31 32	44 45
"			Males and Females in Townsville ditte	33	46
"			, Males in Gilberton, ditto	34	47
"			" Females in Gilberton, ditto	35	48
"			" Males and Females in Gilberton, ditto	36	49
"			,, Males in Ipswich, ditto	37	50
"			" Females in Ipswich, ditto	38	51
"			" Males and Females in Ipswich, ditto	39	52
>>			,, Males in Drayton and Toowoomba, ditto	40	53
"			" Females in Drayton and Toowoomba, ditto	41	54
" "			" Males and Females in Drayton and Toowoomba, ditto	42	55
33			" Males in Warwick, ditto	43	- 56
>>			,, Females in Warwick, ditto	44	57
"			" Males and Females in Warwick, ditto	45	58
D. 1.4.			C		
Population			Synoptical Table from 1856 to 1871	1	1
"			Estimated for 1870 and 1871. Mean for 1871	2	3
Meteorolog			Meteorological Observer's Report		FO . 100
~			Index to Meteovological Tables	* ***	59 and 60
22	***		Meteorological Tables		60
27			Meteorological Tables	***	61 to 70
		's	List of, for 1872		

INDEX TO TABLES.

			and the second second	NO. OF THE PARTY OF	
Page					
					Marriage
4	7				
7					
		· " number of Males in the Colony, according to ages			
		" Females in the Colony, according to ages			
18 and 14	12				
25, 26, and 2					
28 and 29					
		"Foundes in Muckay, ditto			
		Males in Ipswich, ditto			
		Females in Ipswiel, ditto			
		Males and Demales in Inswich ditto			
		bemales in Drayton and Toowoomba, ditto			
	8 ,	Dstimated for 1870 and 1871. Mean for 1871			
08		Meteorological Tables			
	3.44				

APPENDIX TO REGISTRAR-GENERAL'S REPORT ON THE VITAL STATISTICS OF QUEENSLAND FOR THE YEAR 1871.

APPENDIX A.

Table No. I.

SYNOPSIS of the VITAL STATISTICS of QUEENSJAND, from the Year 1856 to 1871 inclusive.

- 0. POST CONTRACTOR DESCRIPTION DESCRIPTION DESCRIPTION DE CONTRACTOR D	1871	1870	1869	1868	1867	1866	1865	1864	1863	1862	1861	1860	1859	ocor	0 0	100 00 00 00 00 00 00 00 00 00 00 00 00	A SO JR D	AACOMPONICESCOOPS ASSESSMENT N.C. NCOVER MARIANTA	YEAR.			1971	1070	1868	1867	1866	1865	1864	1863	1862	1861	1860	1059	1858	1857	1856	archenete uno rischnekensk kenetastrekhest	YEAR.	arangan kangan katalangan n
A	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:		CONTRACT OF THE PROPERTY OF TH	•			:	:	÷	:	:	:	:	:	:	:	:	:	:	:	:		•	
The state of the s	1,192	1,060	1,149	1,165	1,088	1,446	987	900	798	516	357	321	220	6/2	0 1	200		Male Deaths reg	istered each	DEATH AP	a EyCaria	620,00	60,671	65,843	59,836	57,307	53,316	45,516	37,579	27,186	20,811	16,817	13,854	13,276	12,462	11,254	Males.	POPULATION	PO
WATER STONE OF STREET	593	585	612	634	657	1,916	746	546	477	281	143	157	j j	103	5 6	98 :		Female Deaths each year.	registered	DEATHS, THEIR PROPORTION TO MEAN POPULATION, THEIR ANNUAL, NUMERICAL, AND CENTESIMAL INCREASE.	00,00	50594	43,326	41,584	40,013	38,894	34,488	28,520	24,061	17,891	13,556	11,239	9,666	9,029	8,190	7,290	Females.	ON THE 31st	POPULATION ON
PROPERTY OF THE PROPERTY OF TH	1,785	1,645	1,761	1,799	1,745	2,362	1,733	1,446	1,275	797	500	478	331	3/8	2 10	998	4	Total Deaths each year.	registered	MERICAL,	120,120		705,897			96,201	87,804	74,036	61,640			28,056	23,520	22,305	20,652	18,544	Persons.	T DECEMBER	THE
THE PERSON NAMED OF THE PE	*140	†116	38	* 57.4	+617	*629	*287	*171	*478	*297	* 22	*147	+ 47		:	:		Numerical Inc Decrease† in each year.	rease* or Deaths of	AND CENT	3,000			6	9 2,529	1 3,991	4 7,800	6 7,937	0 10,393	7 6,375	7 3,994	10	0 578	814	2 1,208	:	Males.		31st DECEMBER
	*8.51	16.58	† 2:11	* 3.09	+26.12	*36.29	*19.85	*13.41	*60.22	*59.40	* 4.60	*44.41	112.43	*26.84	:	:		Centesimal Inc Decrease† in each year.		ESIMAL I	H,000	2,014	1,742	1,571	1,119	4,406	5,968	4,459	6,170	4,335	2,317	1,573	637	839	900	:	Females.	NUMERICAL INCREASE POPULATION OF 31ST DECEMBER.	ÃO.
THE RESIDENCE AND ADDRESS OF THE PERSON NAMED ADDRESS OF THE PERSON NAMED AND ADDRESS OF THE P	1.48	1.46	1.62	1.73	1.78	2.56	2.14	2.13	2.39	2.02	1.60	1.77	1.39	1.76	, F	1.59		Centesimal Propo Deaths bear Population of e	to Mean	ATION, TH	0,070	0.79,6	2,470	7,578	3,648	8,397	13,768	12,396	16,563	10,710	6,311		1,215	1,653	2,108	:	Persons.	IN	EACH YEAR
Management Belgy	49.74	55.19	53.26	54.42	60:39	63:39	75.58	60.66	50.89	54.45	40.05	48.91	50.45	37.45	1 00 of	40.00		Number of Fem- to each 100 Ma	ale Deaths.	BIR					4.41	7.48 1	17.14 2	21.12 1	38.23	30.63 3	23.75 1	21.46 1	4.35	6.53 1	10.73 15	:	Males.	CENTESIM INCREASE I OF 31ST	YEAR, ITS INCREASE OF THE SEXES.
	653	655	727	746	806	1,008	786	520	488	296	169	179	:	:	:	:		Below 2 years of	age.	INFANTIN	040				2.88 3.79	12.79 9.56	20-93 15-68	18-53 20-11	34.48 36.74	31.97 31.16	17.09 22.09	16.27 19.29	7.06 5.44	10.24 8.00	12.34 11.31	:	Females.	CENTESINAL RATIO OF INCREASE IN POPULATION OF 31ST DECEMBER.	REASE NU XES.
	139	111	100	149	140	174	117	119	140	66	19	29	:	:	:	:		2 and under 5 ye	ars of age.	E MORTA	07.40				79 66:87	66 67.87	38 64.69	11 62.66	74 64.03	6 62.14	9 65.09	9 66.83	4 69.77	0 68.01	1 65.73	:	Proportion of each 100 M population		NUMERICAL
	792	766	827	895	947	1,182	903	639	623	362	188	208	:	:	:	:		Total below 5 yes	ars of age.	OR DECRI	L,TOE	1,490	1,263	1,102	1,187	692	807	575	296	387	383	325	327	212	181	:	each year	s to Popula- December of rising from Births over	AND CENTESIMAL,
	* 26	+ 61	+ 68	F 52	†235	*179	*264	* 11	*266	*174	† 20	:	:	:	:	:		Numerical Incr Decrease† in Children below age.	Deaths of	INFANTINE MORTALITY, AND ITS PROPORTION INCREASE OR DECREASE, NUMERICAL	1,000	1,760	1,630	1,559	1,544	1,073	992	865	650	518	. 541	433	411	385	276	:	Female additi lation of 31 of each y from exces	st December ear, arising s of Births	
The state of the s	*3.39	+ 7.38	† 7.59	† 5.49	†19.97	*19.82	*41.31	* 1.75	*73.48	*92.55	† 9·61	:	:	:	:	:		Centesimal Inc Decrease† in Children below age.	Deaths of	ERICAL AN	-				2,731	1,765	1,799	1,440	946	905	924	758	738	597	457	:	Total addition tion of 31s of each y from exces	t December ear, arising s of Eirths	AND PROPORTION
	44 37	46.56	46.96	49.74	54.21	50.04	55.10	44.19	49.25	45.42	37.60	43.51	:	:	:	:		Centesimal Deaths of Child 5 years of age I total Deaths of	bear to the	TO MEAN POPULATION, AND CENTESIMAL.	5				2.85	2.01	2.43	2.34	3 2.09	2.63	3.29		3-30	2.69	2.47	:	December of	ncrease to of 31st of each year s of Births	NOIL
	0.65	0.68	0.76	0.86	0.97	1.28	1:11	0.94	1.16	0.89	0.59	0.77	:	;	:	:	9	Centesimal Deaths of Child 5 years of ag Mean Populatio year.	ge bear to	L.	0		66,207 42		58,572 39	55,312 36	49,416 31	41,548 26	32,382 20	23,998 15	18,814 12		13,565 9	12,869 8	11,858 7	:	Males.	EAC POE	λ
CT-Land Section Control Section Sectio	219	171	146	135	134	184	158	154	153	141	80	57	Ditto	Ditto	DIVID	Returns	4	Church of Eng-		MARR	40,481 140,800	44,532 112,732			39,453 98,025	36,691 92,003	31,504 80,920	26,290 67,838	20,976 53,358	15,724 39,722	12,397 31,211		9,347 22,912	8,609 21,478	7,740 19,598	:	Females. Persons.	MEAN POPULATION OF EACH YEAR,	MEAN POPULATION OF EACH YEAR, ITS NUMERICAL
or an additional state of	215	240	230	244	261	311	320	237	166	104	61	47	:	:	:	:		Church of Rome.		MARRIAGES, T															98	•		1	LATION
MONEY STREET,	145	139	160	161	141	161	204	194	171	000	47	48	:	:	:	:		Presbyterians.		THEIR INCREASE	4,028	1,893	3000	4,267	3,260	5,896	7,868	9,166	8,384	5,184	3,479	1,770	696	1,011	:	: ,,	Males.	NUMERICAL INCRI POPULATION OF	ов васн
and production of the	65	64	65	53	87	73	61	67	43	41]	27	30	:	:	:	:		Wesleyan Methodist.		REASE OR	0,000	2,177	1,656	1,346	2,762	5,187	5,214	5,314	5,252	3,327	1,944	1,106	738	869	:	:	Females.	INCREASE IN MEA	YEAR, IT
CONCECUOUSCOCOCOCOCOCOCOCOCOCOCOCOCOCOCOCOCOC	62	37	33 1	23 3	40 3	36 2	39	28 12	7	13	.:	:	:	:	:	:		Methodist. United Methodist.		DECREAS	EB0()	4,070	5,024	5,613	6,022	11,083	13,082	14,480	13,636	8,511	5,423	2,876	1,434	1,880	:	i	Persons.	N MEAN YEAR.	S NUMERI
SEPTIME SALES CONTRACTORS	37	35	50	53	54	58	56	48	52	61	30	24	:	:	:	:		Congregational.	DENOMINATION	DECREASE, NUMERICAL AND CENTESIMAL,	0 01	2.01	0.00	7.28	5.89	11.93	18.94	28.81	34.94	27.55	22.69	13.04	5.41	8.53	:	:	Males.	CENTES	AND
	39	35	40	36	23	ಲ್ <u>ಲ</u>	53	48	40	31	16	12	:	:	:	:		Baptist.	ATION.	ICAL ANI		50.00 F 00 F	4.00	3.41	7.53	16.46	19.83	25.33	33.40	26.84	18.59	11.83	8.57	11.23	:	:	Females.	CENTESIMAL RATIO OF INCREASE IN MEAN POPULATION OF EACH YEAR.	GENTESIMAL INCREASE
THE RESERVE THE PERSON NAMED IN COLUMN 1	6	120	ಲು	10	OT.	00	:	:	:	:	:	:	:	:	:	:		Particular Baptist.		O CENTES																4		YEAR,	AL INCR
	73	51	51	43	55	61 .	56 .	40 .	-	25		දා	:	:	:			Lutheran.	1	IMAL, Al		0.77.0				13.69 6	19.28 6	27.14 6	34.33 6	27.27 6	21.03 6	12.55 6	6.68 6	9.59 6	6	:	Proportion of		EASE.
			•	4	15	9	:	:	:	:	•	:	:	:	:	THE PERSON NAMED IN COLUMN		German Independent.		AND THEIR PROPORTI	1	00 00 00				66.33 2,	63.75 1,	63.27 1,	64.78 1,	65.26	65.89		68-90	65.27	65.23	:	each 100 M population	ales in mean of each year.	1
Compact for policies	:		9	7 1	<u>ي</u> ق	:	:	•	·	-:	:	:		:	:			Bible Christians.		PROPO		9 676 9				2,138 1,	1,794 1,	1,472 1,	1,094 1,	903	739	646	547	487	381	:	Male Births each year.		BIRTHS, OF
and the second of the second o	. 108	2 98	1114	1 90	3 114	132	. 124	. 123	. 106	. 68	57	۳ 00	:	:-				Registration Act.		RTION TO		9 590 5 905				1,989 4,127	1,738 3,532	1,411 2,883	1,127 2,221	799 1,702	684 1,423	590 1,236	522 1,069	488 9	374 7	:	Female Birth each year.		F EACH I
RESERVED STATEMENT OF THE PROPERTY OF THE PROP	970	879	903	863	935	1,068	1,074	951	774	570	320	278	214	201	0 10	161		Total Marriages.	,	MEAN			04 *9E1		*	27 *595	32 *649	83 *662	21 *519	02 *279	23 *187	36 *167	*	975 *220	755	: ,	each year.		PROPOR! EAR, AN CENTES
Contraction and Contraction	0 * 91	9 + 24	3 * 40	3 + 72	5 †123	8 + 6	*123	*177	1 *204	*250		*	*	k 4	*	:		Numerical Inc Decrease† Marriages.	crease* or in Total			*	* *	¢ -}-	*	95 *16.85	49 *22.51	62 *29.80	19 *30.49	79 *19.60	87 *15·13	67 *15.62	94 * 9.64	20 *29·13	:		each year. Centesimal Decreaset	· · · · · · · · · · · · · · · · · · ·	TION TO
The Selection of the Se	*10.35	+ 2.66	* 4.64	†-7.70	+-13.16	1-0.56	*12.93	*22.86						k	% O C	:		Centesimal Inc Decrease† Marriages.	crease* or in Total	0			4.20			85 4.48	51 4.36	80 4.25	49 4.16	60 4.29	13 4.56	62 4.57	64 4.50	13 4.53	3.05	:	centesimal total Birt Mean Pop	ACT THE PROPERTY OF	THEIR PROPORTION TO MEAN POPULATION EACH YEAR, AND THEIR NUMERICAL AND CENTESIMAL INCREASE.
	0.81	0.78	0.83	0.83	0.95	1.16	1.33	1.46	1.45	1.43	1.02	1.03	08.0	000	0.00	0.82		Centesimal prop Marriages bea Population of	ar to Mean	M	-		01.08			8 93.07	88.96	95.86	6 103.02	9 88.48	6 92.56	7 91.61	0 95.43	3 100.20	5 98.16	;	each year.		ULATION CAL

MPPENDIX A.

I alde I

														STREET GA				nd zer a				
		To minute to the second of the					2 122 2 122				TO THE PERSON NAMED IN COLUMN											
				March Adel	The indicators and the same of																	
																						81
		81-00F (EQ#								CAT, T. 1868												
																						Ų,
		aso t acia asu [®] qui																				
	1. 57													. 4								
		18									1											
1																						
			•																			
										201			59 392							807	- 1000 40 Mg	
															esa	08-08				608		
																				788		
																		*6239				
						2 (3)														1880,1		
									42 321				- Sil •									
												132										
									12 13													
	35014																					

POPULATION.

Table No. II.

BIRTHS, MARRIAGES, and DEATHS REGISTERED in the Colony of QUEENSLAND, during the Year 1871, and the ESTIMATED POPULATION on the last day of that year.

	ed Populati ecember, 18		Bir	ths in 1	871.	ages in I.	Dea	aths in 1	871.		ed Populati			l Mean Pop he year 187	
Males.	Females.	Persons.	Males.	Females	Persons.	Marri 187	Males.	Females	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.
69,629	45,938	115,567	2,676	2,529	5,205	970	1,192	593	1,785	74,622	50,524	125,146	72,125	48,231	120,356

Table No. III.
Showing the Number of Births Registered in each Quarter of the Year 1871.

				FIRST Q	UARTER.	SECOND (QUARTER.	THIRD G	UARTER.	FOURTH (QUARTER.	TOTAL OF	EACH SEX.	GRAND
REGISTRATION	DISTR	ICT.		Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	TOTAL.
Banana				3	3	2	3	2		3	3	10	9	19
				7	10	8	11	5	7.	.9	8	29	36	65
				155	150	195	177	167	170	218	207	735	704	1,439
					3		2			1	2	1	7	8
			-		2	3	2	1	2		3	4	. 9	13
ape River					3	1	2	1	2			2	7	9
				5	3	1	1	6	3	1	4	13	11	24
				23	21	25	13	26	20	21	26	95	80	175
Dalby	ombo			50	78	62	73	89	55	72	58	273	264	537
Drayton and Toowo				18		10	7	11	12	20	12	59	42	101
Gayndah					11	3	2	2	1			7	4	11
Gilbert				2	1		7	11	12	11	6	35	30	65
Gladstone				5	5	8			2	3	3	11	13	24
Goondiwindi				. 2	2	5	6	1					281	630
Ipswich		•••		80	73	85	63	97	82	87	63	349	25	
Leyburn			****	7	4	5	7	4	8	1	6	17		45
Mackay				27	15	10	10	14	8	12	6	63	39	109
Maryborough				76	52	81	71	76	82	91	86	324	291	61
Nanango				4	3	4	6			1	5	9	14	2:
Nebo				1	2	1		1	1		3	3	6	
Paroo						1				1		2		
Peak Downs		•••		10	10	12	13	14	11	11	20	47	54	10
Princhester							1	1	1	1		2	2	
Rockhampton			***	51	47	60	57	60	61	55	57	226	222	44
Roma				15	12	10	15	18	11	5	10	48	48	9
Somerset									1				1	
Springsure				8	5	3	4	3	6	. 5	2	19	17	3
St. George				4	4	3	2	6	7	1	6	14	19	3
St. Lawrence				3	1	1	3		2	4	3	8	9	1
Surat				1	4			2	2	3	1	6	7	1
Tambo				3	1	2	2	2	4	1	1	8	8]
Taroom				5	4	2	3	7	3	2	1	16	11	2
Townsville			٠.,	11	10	13	21	11	15	22	13	57	59	1
Warrego North				2	2	3	3	2	1	2	2		8	
Warrego South							2	1	1			1	. 3	
Warwick				35	34	29	28	38	40	35	49	137	151	2
Woogaroo				10	1	10	10	8	10	9	6	37	38	
TOTAL				623	587	658	627	687	643	708	672	2,670	3 2,529	5,2
Total Births dur	ing ea	ch Qu	ıarter	entricum de la companya de la compan	1,210		1,285		1,330	name unglestantelists none	1,380		5,205	

POPULATION—continued.

Table No. IV.
Showing the Number of Marriages Registered during the Year 1871.

•	I	legistration	ı Distric	t.	1	Chunch of England.	Church of Rome.	Presbyterians and United Presbyterians.	Wesleyan Methodist.	Primitive Methodist.	United Methodist Free Church,	Congregational Church.	Baptist Church.	Particular Baptist.	Lutheran Church.	Hebrew Church.	German Independent Church.	Bible_Christians,	Registration Act.	Total,
Banana Bowen Burke Burke Cape River Cardwell Condamine Dalby Drayton and T Gayndah Gilbert Gilbert Gladstone Goondiwindi Ipswich Leyburn Mackay Maryborough Nanango Nebo Paroo Peak Downs Princhester Rockhampton Roma Somerset Springsure St. George St. Lawrence St. Lawrence Surat Tambo Taroom Townsville Warrego North Warrego South Warwick Woogaroo						133 77 1 6 7 7 1 11 12 35 1	1 42 6 33 2 6 33 2	71 2 3 9 13	25 25 4 12 9 6 6 3			1 11 2 3 23 3	9 1 8 21	6 	22				2 14 1 1 2 7 1 7 1 10 8 2 1 14 5 5 3 1 2 1 1 3 1 3 1 3 4 1	1 16 294 0 2 3 2 17 79 111 7 115 2 25 135 1 2 1 2 1 1 2 2 1 1 3 2 1 1 1 3 2 1 1 1 1
		TOTAL			 	 219	215	145	65	62	***	37	39	6	73		1		108	970

Table V
Showing the Nationality of 970 Husbands and 970 Wives Married in Queensland, during the Year 1871.

Queensland																	NA	TIONA	LITY	OF W	IVES.													
The state of the				Δ	USTRA	LASTA					ING-						EURO	PE.				1	AMERIC					(THER	COUNT	TRIES.			
The state of the					-	.										1						obe.			India	h.	Chin	18.	Afri	ca	Polynes	sia.	ed.	
New South Wales		NATIONALITY OF HUSBANDS.	Queensland.	South	Victoria.	South Australia.	Tasmania.	New Zealand.	and	Scotland.	Ireland.	Germany.	France.	Norway.	Sweden.	Denmark.	Belgium,	Switzerland.	Austria.	Poland.	Portugal.	sessions in	British America.	6 68		1	JO I		Jo		of Europea	Natives.	Countries not	Country unspecified.
	asia United Kingdon Europe America	New South Wales Victoria South Australia Tasmania New Zealand (England and Wales Scotland Ireland (Germany France Norway Sweden Denmark Belgium Switzerland Austria Poland Portugal Greece British Possessions in Europe Services India Bornthere of European parent Natives China Bornthere of European parent Natives Africa Bornthere of European parent Natives Poly- Bornthere of European parent Natives Bornthere of European parent	12	10 2 1 32 8 4 4 1 1 1 1 	 	1			20 2 1 2 1 169 20 13 1	1	18 2 1 88 21 151 8 2 2 11 1 12 1 14 44	2											2	11	1 1 2 1 1 1									3 3

This Table may be read thus:—Following the first line horizontally across the table, it appears that 20 men natives of Queensland were married during the year, of whom 3 were married to Queensland women, 2 to women natives of New South Wales, 7 to English women, and so on. Following the first column downwards, it appears that 66 women, natives of Queensland, were married to men natives of the colony, 12 to natives of New South Wales. 26 to Englishmen, and so on.

				No.				
SHOWING	the	VARIOUS	AGES	of the	PARTIES	MARRIED	in	1871

AGE.	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35 3	6 37	38 5	9/1	0 41 45	1/12	111	15 1	elan	1/10/	10	EO E1	1 50	53	154	r r	-01	1
	_	_				-	-	-		-								01		.00	9.7	00 0	0 37	90	9 4	0 41 4	45	44	45 4	0 47	48	49	90 91	52	53	54	55	56	Ann
17				1		2							,																							1			
18						2																				0.000		1				200			l	1			•
19					1		1		2						1																								ĺ
20		1:			3	1		1		3			1	1			1																			1			
21	1	1	2	3	7	4	7	12	3	3	1	2								2																		44.	
22			2	5	5	5	2	4	6	4	3	3	1	1			1																	1					
23			2	9	6	2	3	9	9	3	5	6	2	2			1																	1		1		0.00	
24			6	8	3	6	2	6	7		8	2	8	2	1																					1			
25	1		1	4	5	4	4	9	9	6	6	4	5	5	1	1	2		1		3		1													1			
26	1		5	5	2	7	1	13	6	4	5	4	7	3	***	2	3		2																	1		20.00	
27		1	3	2	6	6	4	20	2	11	9	8	5	4	4	1		3	1	1		1 .														1			
28		2	2	1	8	8	2	- 11	9	6	8	5	2	9			2		1									919						1			1000		
29		0	4	1	8	3	2	7	9	7	5	2	5	3	5	3		3																				11.	
30		2		2	3	5	5	7	10	6	4	7	3	2	2	1	1			1					2 .														
31		1	1	2	3	3	4	9	4	3	3	4	4	3	2	2	1	1			1																	-505	
32		1	1		3	1	1	4	4		4	3	5	1		1	4				1	1 .																200	
33		1				1	2	1	1	3	3		3	2	4	1	3	1	2	2	1				:	1										11		2000	
34		1		1	2	1		4	1		3	1	2	1	4			1	1	2																			
35			1			3		2 2		2	1	2	3		1	1		1	1	1			1		1 .											1			
36	1					2		2	1	2		2	1	3	3		2	1	2	***			1						1										
37						1	1			1	1			4		1	1	1			1							1	1								10000	10.10	
38							1				1				1	•••		1	1		1																	100	
39					1					1	2		2	1	2			1		1	1		2			1 1													
40					1			3	1	1			1		1		1	1	1			1	1	1		l													
41 42					***			1	1		1 "	3			1		2					1		1															
43							1				1				1	**1		1			1			1	1 .			1											
44							1				7				1																								
45		1000					1				1		1				1			1								1	1										
46					***			1		-1		****				1	1		***			-	1				. 1	11					!						
47													1		***																					1 [!		
48													1			***			1_			1	1			L				. 1									
49								1				2									1										. 1		1						
50		1							1									1		• • • •						l													1
51	1								1200									1		•••			1			L													
52	1						1			1													1									1	1						
53	1				1		1		•••																			***											
54	1						1			1													· · · · ·												1				
55		1		1	1	1	1	1				1			1					1																	1000000	-	
56	1					1	1	1	1				1					***																	1				•••
57	1						1	1	1	1						1																			1				
58	1							1	1												1							1											
59									1	1									1		1													ï				922	
60	1				1		1	1		1						1											-	1:::											
61						1			1																			1											
62															1									1				1::			1:"						2000		
63																												1	1										•••
64																																							• •
65	1									1																					1								•••
66										1												1000									""								
67	1															l											1												
68																												1			1								• •
69																																			i			37	•••
70							1							1												100000		10.										1000	•••
4-7 >	-	-			-	-	-	1		-						-	-	Carrent Annual Printers									• • • •	•••				••••		1		***			
tal ?	2	9	29		66	64	43	127	85	73	75	61			35				14																				

REGISTRATION DISTRICT.	FII	RST QUARTER	second	QUARTER .	THIRD 6	UARTER.	FOURTH	QUARTER.		OF EACH	GRAND TOTAL, 1871.	TOTAL DEATHS IN	TOTAL * IN- CREASE OR † DECREASE INTHELATTER YEAR.
	М	Iales Female	s Males	Females	Males	Females	Males	Females	Males	Females	1071.	1870.	TOTA CRE † I
Bowen Brisbane Burke Cape River Cardwell Condamine Dalby Drayton and Toowoomba Gayndah Gilbert Gladstone Goondiwindi Ipswich Leyburn Mackay Maryborough Nanango Nebo Paroo Peak Downs Princhester Rockhampton Roma Somerset Springsure St. George St. Lawrence Surat Tambo Taroom Townsville Warrego North		6 1 1 81 43 1 3 2 2 2 2 7 21 6 2 23 3 2 2 18 14 4 17 7 4 17 7 4 17 7 7 3 3 28 12 7 3 3 28 12 7 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	66 69 4 1 1 2 1 3 3 2 4 4 9 9 1 5 5 2 1 2 6	2 46 1 15 3 4 9 17 14 15 4 15 4 21 1 1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 3 84 3 3 2 3 3 1 1 5 24 4 4 4 8 1 1 2 366 74	1 37 1 1 5 8 4 4 2 2 3 3 2 18 1 1 3 3 16 6 6 9 1 1 1 4	17 78 84 2 1 1 6 200 77 73 3 1 300 2 2 16 444 1 2 1 1 4 4 29 9 4 2 2 1 1 1 5 5 5 9 2 2	2 65 2 11 2 18 1 17 2 2 2 11 3 3 3 3	2 2 22 318 7 6 6 9 7 7 16 89 2 2 533 100 6 6 110 7 42 1711 18 101 18 101 4 4 3 3 3 16 11 1 4 4 4 5 5 1	66 191 2 3 11 16 47 8 8 5 11 14 66 64 13 69 1 65 4 3 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	28 28 509 9 6 6 12 8 31 136 30 58 21 11 0 176 22 20 20 20 20 20 20 20 20 20 20 20 20	11 31 434 13 13 7 6 60 142 22 22 22 23 33 13 14 195 17 18 160 3 5 5 5 5 5 5 15 34 44 44 45 46 46 47 48 48 48 48 48 48 48 48 48 48	† 9 † 3 † 75 † 4 † 7 † 8 * 25 † 8 * 25 * 8 * 4 † 19 † 6 * 37 * 8 * 4 * 17 † 7 † 13 † 12 * 3 † 12 * 3 † 12 * 4 * 4 * 4 * 4 * 4 * 4 * 4 * 4 * 4 * 4
Warwick		8 7 4 2	7 4	3 3	8 4	6 4	7 4	10	30 16	26 10	56 26	72 16	† 16 * 10
	-	287 127	280	154	318	132	307	180	1,192	593	1,785		
		414		434	4	150	4	187	1,7	785			

^{*} This Registration District was subdivided in 1871.

Table No. VIII.

Showing the Number of Deaths of Children, Male and Female, under Five Years of Age, during the Year 1871.

			RFC	ISTR A	TION D	ISTRIC	т.				UNDER TO	WO YEARS.		ARS AND VE YEARS.		IDER FIVE	NUMBER OF S IN EACH CT UNDER
			RESC	TOTAL	IION D	151 1110	••				Males.	Females.	Males.	Females.	Males.	Females.	TOTAL NUI DEATHS DISTRICT
Banana										 	6	3	3	1	9	4	13
Bowen		***		***				***		 	113	98	26	15	139	113	252
Brisbane		***					•••	***		 		1				1	1
Burke										 	1			***	1		î
ape River			***							 	-			2		2	
ardwell		***		***	***					 	2				2		9
ondamine					***					 	5	8		1	5	9	14
alby				***	***					 	31	22	4	3	35	25	60
rayton and	Toow	oomba	***					***		 	5	5	2	1	7	6	1
ayndah							***		***	 	3	1			3	1	
ilbert							***		***	 	3	5		1	4	6	1
ladstone										 		2	1			2	
				***						 	48	27	12	10	60	37	9
pswich									***	 	2		12	17 - 18 - 18 - 18 - 18 - 18 - 18 - 18 -	2	1	
eyburn										 	7	1 3			11	7	1
lackay					****					 			4	4	67	49	110
laryborough										 	52	45	15	100000000000000000000000000000000000000	1	1	11
anango										 	1	1			2	Was Park Tra	
Tebo								,		 	2				2		
aroo										 	7			2	9	9	111
eak Downs										 	1	7	2	2	9	9	10
rinchester										 					49	39	8
ockhampton	1									 	40.	33	9	6		4	0
oma										 	2	4	1		3	4	
omerset										 						2	
pringsure										 	2	1	1	1	3		
. George										 	2			/	2		
t. Lawrence										 						1	***
arat										 		1				1	
ambo										 	2				2	7	
aroom										 	1	1			1	1	2
ownsville										 	9	9	2		11	9	2
arrego Nort										 		1	1		1	1	
Tarrego Sout										 						***	
arwick										 	5	15	2	2	7	17	2
Toogaroo		,								 	5	3	1		6	3	
		1										-					
						TOTA					356	297	86	53	442	350	79

Table No. 1X.
Showing the Nationality of Males and Females who Died in Queensland, during the Year 1871.

REGISTRATION DISTRICT.		Queensland.	Now South Weles		Wietewie	Victoria.	South Australia,	Tasmania.		New Zealand.	F	- England,		Scotland,	Twolong	Ireland.	The state of the s	- vermany.	France.	Norway and Sweden.		Denmark.	Other Foreign Countries		British America,		United States, America.	India (and other British	Dominions) not specified.	China.		Polynesia.		Country not Specified,		TOTAL	.
	м.	F.	м.	F.	м.	F.	м, ғ.	м. г.	м.	F.	м.	F.	м.	F.	м.	F.	м.	F.	м. г.	м, г	м.	F.	м.	F.	М.	F.	M. F.	м.	F.	м.	F. M.	F.	M.	F.	M.	F.	Persons
Burke Cape River Cardwell Condamine Dalby Drayton and Toowoomba	9 144 1 3 6	4 114 1 2 8 25	3 1	5 2 2	 1 	4				 1 	57 1 1 2 1 3 14	1 23 1 2 9	1 24 1 1 	 11 1	 2 39 2 18	 1 20 1 1 8	10 1 13	 5 1 2 3			1		 1 1 				3 2 1	 		2	1 22 2		1 6 13 1 1 2 2 4	··· 7 ···	2 22 318 7 6 9 7 16 89	 6 191 2 3 1 15 47	2 28 509 9 6 12 8 31 136
Gayntan Gilbert Gladstone Goondiwindi Ipswich Leyburn Mackay Maryborough Nanango Nebo Paroo Peak Downs Princhester Rockhampton Roma Somerset Springsure St. George St. Lawrence Tambo Tambo Taroom Townsville Warrego North Warrego South Warvick Woogaroo	64	5 1 6 3 3 9 1 7 50 1 39 4 2 1 1 10 1 10 10 11 10 10 10 10 10 10 10	1	1							6 3 2 2 16 1 5 12 3 1 2 11 4 1 1 1 1 2 2 1 9 2 2 9 1	2 1 	1 3 1 3 4 2 2 4 1 1 2 1 1 2 1	1 1 2 1	2 3 1 1 1 1 2 4 1 5 1 1 1 2 1 1 1 1 1 1 7 2 2	1 2 1 1 7 3 7 8 1 1 1 1 2 1	1	3					2		3 3					2 399 1 1 2 2 1 2 2 2 2 4 2 2 2 1 2 1 2 1			2		22 53 10 6 110 7 42 171 6 5 1 21 101 18 10 4 3 3 16 11 14 4 5 11 11 11 11 11 11 11 11 11 11 11 11 1	8 5 111 4 4 66 66 4 13 69 1 16 3 2 1 1 1 1 1 1 1 5 2 26 10	30 58 21 10 176 11 55 240 7 7 5 1 37 166 22 13 6 4 4 4 17 12 59 7 7

Table No. X.

Causes of Deaths of Males, at different periods of Life, Registered during the Year 1871.

											MAL	es.		ay system				ECT MARKE		********			
CLASS, ORDER, AND DISEASE,	Under 1 year.	1 to 2.	2 to 3.t	3 to 4.	4 to 5.	Total under 5 years.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 and upwards	Age unspecified	Total deaths from each cause
Class I.—Order I. 3a. Diphtheria 4. Quinsey 5. Croup 6. Whooping Cough 7. Typhus and Infantile Fever 8. Erysipelas. 11. Influenza, Coryza, Catarrh 12. Dysentery 13. Diarrheea 14. Cholera 15. Ague 16. Remittent Fever, Fever, &c. 17. Rheumatism 18. Others	2 5 9 6 6 4 21 	3 1 6 3 4 	6 6 1 2 1 1	4 6 1 1 1	"1 6 "1 "1 	15 22 29 14 11 6 8 25 1 1	1 3 1 	 1 1 1 	 1 1 1 2	 3 4 1 5 1 2	 9 1 1 1 1 6 	1 4 3 1 2 6 1	44 1 1 1 10	 4. 1. 1. 7	3 1 2	 	1 1 	 1 1 2 	2 1			10 46 6 13	18 3 32 14 52 2 8 23 42 3 5 56 4 4
Class I.—Order II. 1. Syphilis 2. Gonorrhœa, Stricture of Urethra 5. Others						 				1 			 'ï				1 	ï	 1				3 2 1
Class I.—Order III. 1. Privation	₇	1				1 7 							2 2		2			ïi					3 7 1 9
Class I.—Order IV. 1. Thrush Total, Class No. I	8	22	17	12	<u></u>	8 129	8	3	5	18	21	19	22	14				6	4			33	8 298
Class II.—Order I. 1. Gout 2. Dropsy 3. Cancer, Tumor, and Polypus	2					2			 2 			' 1 1		3	3 2	3 1	 1 1	1 2 5					1 17 10
Class II.—Order II. 1. Scrofula	1 2 	2 3	 2	 ïi	"i … …	13	 1	1 "i "i	 5 	6	 10 	19	 10 	1 5 	5	3	 2 	2	 'i			 iii 	3 5 80 14 1
Total, Class No. II Class III.—Order I. 1. Cephalitis 2. Apoplexy 3. Paralysis 4 Insanity 6. Epilepsy 7. Convulsions 8. Brain pisease	2 5	1 15 1	1 8	1 3	1 1 1	5 1 102 6	3 1 2	3 1 1	1	3 1 1	2 1 1	21 1 1 2 	2 3 1 2	9 "1 1 2	 1 1 1 1	 6 3 1	1 1	1 1	3 3			11 1 1 1	19 19 19 9 2 6 104 19
Class III.—Order II. 1. Pericarditis				2		2	 "ï	 'ï	1 2	2	1 4	1 1 4	5	 1 8	3	 1 4	5	6	 ï		3	3	2 4 57
Class III.—Order III. 1. Laryngitis	2 4 1 	1 1 2 	 2 2 	1	 ïi 	4 7 6 1	ï		1 4	 8 1	 1 3 2 1	 4 	 1 4 1	2 5 1 	 1 2 1 1	 4 	1 2 1 	ïi 		1 2 	 2 1	 1 1 3 1 1 5	4 18 3 46 6 9
Class III.—Order IV. 1. Gastritis	6 3 2 1 1 1 1 1	 1 	"i "i … … … … …	. 1		1 6 5 2 1 1	"i	 'i 	1 1 2	"i		1 2 2	1 1 1 	"i i i i i		 1 1 1 2	1 1 1 	"i "i … … … … … … …				3 1 1 	3 16 9 1 6 1 5 2 3 2
Class III.—Order V. 1. Nephritis	105	22	14		3			 1 5	 1 		 2 20	 1 1 24	1 1 	"i "· … … 27	 2 15	1 2 29	"i "i … … 17	1 1 	7	6	 1 1 1 9	24	1 5 2 2 4 5 415

Table No. X.—continued.

Causes of Deaths of Males at different periods of life Registered during the Year 1871—continued.

Causes of Deaths	of M.	ALES	at	diff	eren	t per	iods	of :	life	REC	ISTI	EREI	du	ring	the the	e Y	ear	187	1—c	onti	rued	•	
											М	ALES											
CLASS, ORDER, AND DISEASE.	Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years,	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30,	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 and upwards	Age unspecified.	Total Deaths of Males from
Class III.—Brought forward	105	22	14	8	3	152	10	5	14	17	20	24	26	27	15	29	17	13	7	6	9	24	415
Class III.—Order VI.—Nil.										>													
Class III.—Order VII. 2. Joint Disease			1	1		2					1												3
Class III.—Order VIII. 2. Ulcer							1																1
Total Class III	105	22	15	9	3	154	11	5	14	17	21	24	26	27	15	29	17	13	7	6	9	24	419
Class IV.—Order I. 1. Premature Birth 2. Cyanosis 4. Other Malformations 5. Teething	12 2 4 10	9		:::	:::	12 2 4 19											:::						12 2 4 19
Class IV.—Order II.—Nil.																							
Class IV.—Order III. 1. Old Age 2. Senile Decay																ï	2	6	2 2	3 3	11		16 14
Class IV.—Order IV.	19	3	3			25	2					1											28
2. Debility Total Class IV	89	13	1 4			106	2		2 2	-::		1 2	"i ————————————————————————————————————	1 1		 1	2	6	4	6	11		49
			-	8	-		-		_			_		_		_	-	-	-	-			
Class V.—Order I. 1: Fractures			 1 	1		1 ₁ 	ï 	1	1	1	2 1 	 2 	1 1 1 1	2	2	 1						"i "i …	11 2 5 1 4
Insect 9. Drowning 1. Injuries to Spine 2. Killed by a fall from a horse	₂	"i 	1 2 	2	3	1 10 	 8 1	 3 1	 4 1	 4 1 2	2 8 1	iii ii	2	5	"i …			ï				3	3 60 1 9
3. Killed by a fall of earth 4. Killed by Lightning 5. Killed by the Upsetting of a	:::							ï	ï	ï	1	ï		:::		:::			:::			1	4
Vehicle									 ï	2	 1	2	1			 1	1 1						1 9
0. Killed by kick of a cow 1. Killed by Concussion of the Brain 2. Killed by kick of a horse				 ï							1	2 1		 ï	1	 ï							4 4
3. Killed by falling down a Well 4. Killed from being gored by a Bullock		:::								2		1											1 2
5. From Injuries received during Birth	1					1,																	1
Class V.—Order III 1. Murder 2. Manslaughter						:::		:::			1 1	2 1	2 2		:::					1		2 1	9 5
Class V.—Order IV.																							
$\begin{array}{cccccccccccccccccccccccccccccccccccc$:::		:::	:::		:::	:::			"i	 ,	1	1	ï 			ï					3 3
Class V.—Order V.—Nil.							X																
Total Class V	4	1	4	5	3	17	10	6	10	13	20	24	14	11	5	3	2	3		1		11	150
riolent Deaths not classed eaths, cause ill-defined eaths, cause unspecified	 9 4	 "ï	::			10 5				 "ï	"i	1 1 2	 ïi	2	"i 	 "ï	 2 	2	2			1 4 12	2 23 25
TOTAL DEATHS OF MALES FROM ALL CAUSES	292	64	42	28	16	442	32	17	38	55	73	94	74	65	39	43	32	40	18	13	21	96	1,192

Table No. XI.

Causes of Deaths of Females, at different periods of Life, Registered during the Year 1871.

						1				FEM.	ALES												
CLASS, ORDER, AND DISEASE.	Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 and upwards	Age unspecified	Total Deaths of Females from
Class I.—Order I. 3A. Diphtheria 4. Quinsey	 3 6 4 1 3 24 1 1	1 6 1 2 2 13 	3 5 1 1 1 1	2 4 1 1	1 	7 19 8 7 1 6 38 1 3 1	2 1 1 1 1 	 1 1 1	1 1 1 1	 2 1 	 1 2 2	 1 1 1 	 1 1	 1 2 	::: ::: ::: ::: :::		 i 	 	::: ::: ::: ::: :::	::: ::: ::: ::: ::: :::	 1 	::: ::: ::: ::: :::	10 2 19 8 15 4 1 11 39 1 1 14 4 2
Class I.—Order II. 1. Syphilis												1		1									2
Class I.—Order III. 2. Want of Breast Milk 3. Purpura and Scurvy	 1	1 1				1 2																	1 2
Class I.—Order IV. 1. Thrush 2. Worms						3		 1															3
Total Class I	47	27	12	8	3	97	6	5	4	.3	5	4	3	4	1		1	1	1	2	1	2	140
Class II.—Order I. 2. Dropsy 3. Cancer, Tumor, and Polypus		1				1						 1	1	1 1	2	ï	1 1						
Class II.—Order II. 1. Scrofula 2. Tabes Mesenterica 3. Fhthisis and Hœmoptysis 4. Hydrocephalus 5. Others	₂ ₆ 1	" " " 2 …	ï	 ï		4 9 1		 1 	4	5	1 13	1 4 	 2 1	5	 'i 	 1 1	 2 		 2 				44(
Total Class II	9	4	1	1		15		1	4	5	14	6	4	7	3	3	4	1	2				6
Class III.— Order I. 1. Cephalitis	3 54	 18	6	 1 2 1	 1	3 1 81 1	 1	1 1	1		"i … …	2 1		 1 2 	ïi ïi 	"i 	3	 1 	:::			 1 	8
Class III.—Order II. 3. Heart Disease										1	3	4	1	2	1	1						1	1
Class III.—Order III. 2. Bronchitis 3. Pleurisy 4. Pneumonia 5. Pulmonary Apoplexy, Congestion of the Lungs 6. Lung Disease	8 1 1 2 	2 2 1	1 1			11 1 4 4	1		 1		 1 1		 2 1	1 1 1	 ïi 1	1 "i	1 "i 	1 			:::		1 1 1
Class III.—Order IV. 1. Gastritis	2 4 1	1 3	 1 		"i	3 4 1 4 1	"i			1 2	"i ii	"i	2	 'i 	 2			 	 1				
Class III.—carried forward	77	27	9	4	3	120	4	3	4	7	.8	10	8	9	7	4	7	3	2			2	19

Table No. XI.—continued.

Causes of Deaths of Females, at different periods of Life, Registered during the Year 1871—continued.

	1		C SACRES COMM	-	************			NO. 100 C 100			FEI	IALE	s.										
CLASS, ORDER, AND DISEASE.	Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 and upwards	Age unspecified.	Total Deaths of Females from each cause.
Class III.—Brought forward	77	27	9	4	3	120	4	3	4	7	8	10	8	9	7	4	7	3	2			2	198
Class III.—Order V. 6. Cystitis 7. Kidney Disease		:::					:::		:::	ï	:::					 1		:::		:::	:::		2 2
Class III.—Order VI. 2. Uterus Disease									2	1			<u></u>			1						<u></u>	4
Class III.—Order VII. 1A. Ostitis, Periostitis, &c 2. Joint Disease	:::	:::				:::	1			"ï	:::	 	<u></u>	:::							:::		1
Class III.—Order VIII. 2. Ulcer 3. Skin Disease, &c Total, Class No. III	77	"i 28	9	4	3	₁	5	3	6	10	9	::: 11		9	7	6	8	3	2		:::	2	1 210
Class IV.—Order I. 1. Premature Birth 4. Other Malformations 5. Teething	· 11 5 9	7				11 5 16							:::'										11 5 16
Class IV.—Order II.										3	4	4	7	2								2	22
Class IV.—Order III. 1. Old Age 2. Senile Decay																ï		1	2	3	2 2	:::	3 9
Class IV.—Order IV. 1. Atrophy 2. Debility Total, Class No. IV	22 31 78	5	1 1 2	1		29 32 93					4	4	2 9	1 1 4		1		2	2	3	4	2	30 35 131
Class V.—Order I. 1. Fractures, Contusions 4. Burns 5. Scalds 6. Sunstroke 7. Poison 9. Drowning 10. Suffocation 12. Killed by a Fall from a Horse 14. Killed by Lightning 12. Killed by Kick from a Horse 15. Injuries received during Birth 16. Run over by a Cart 17. Umbilical cord not properly tied		1	 1 	"i "i 1 	 1 1 1 	1 2 2 2 2 5 5 2 2 	"i 2 1 	::: ::: ::: ::: :::	 	1 1 1 1	 1 1 		"i"		"i								1 5 2 5 6 8 2 2 1 1 1 1
Class V.—Order III.—Nil.																							
Class V.—Order IV. Suicide—Hanging												_1											1
Class V.—Order V.—Nil.																							
Total, Class No. V	9	2	1	4	4	20	4	2	1	4	2	1	3		1							-	38
Sudden Deaths (cause not ascertained) Deaths, cause ill-defined Deaths, cause unspecified	1 2 1					1 2 1				 1							:::						1 2 2
TOTAL DEATHS OF FEMALES FROM ALL CAUSES	224	73	25	18	10	350	15	11	15	26	34	26	27	24	12	10	13	7	7	5	5	6	593

Table No. XII.

Causes of Deaths of Males and Females, at different periods of Life, Registered during the Year 1871.

										MALI	ES AN	ND F	EMAL	ES.										
CLASS, ORDER, AND DISEASE.	Under 1 year.	1 to 2.	2 to 3.5	3 to 4.	4 to 5.	Total under 5 years.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	10	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 and upwards	Age unspecified	Total deaths from each cause	Percentage to Total Deaths.
Class I.—Order I. 3A. Diphtheria 4. Quinsey 5. Croup 6. Whooping Cough 7. Typhus and Infantile Fever 8. Erysipelas 9. Metria 11. Influenza, Coryza, Catarrh 12. Dysentery 13. Diarrhœa 14. Cholera 15. Ague 16. Remittent Fever, Fever, &c. 17. Rheumatism 18. Othèrs	2 8 15 10 7 7 45 1 1	44 1 12 44 6 2 17 	9 11 1 1 3 1 1 2	6 10 2 1 1 1 1 1	1 7 1 	22 2 48 22 18 7 14 63 1 1 4 	3 1 3 2 1 2 	1 2 1 1	1 2 1 1 3 1	3 2 4 1 1 6 1 2	 9 1 1 3 1 1 8	1 5 4 1 2 7 1	 4 1 1 2 11 	5 5 1 1 9	 4 1 2 	 	1 2 2	 1 1 2 1	 2 2	 1 1 	 2 	 10 5 6 14 	28 5 51 22 67 2 4 9 34 4 6 70 8 4	1·56 ·27 2·86 1·23 3·75 ·11 ·23 ·50 1·90 4·53 ·22 ·33 3·92 ·44 ·22
Class I.—Order II. 1. Syphilis								 	:::	1		1	 ï	1		:::	1	ïi	ïi 		:::		5 2 1	·27 ·11 ·05
Class I.—Order III. 1. Privation 2. Want of Breast Milk 3. Purpura and Scurvy 4. Alcoholism {Delirium Tremens Intemperance}	₇	1 1 1 			 	1 8 2 				 		 1	2 2		2			 'i 					3 8 3 9	·16 ·44 ·16 ·50
Class I.—Order IV. 1. Thrush 2. Worms, Hydatia, &c Total, Class No. I	11	49	29	20	12	11 226		1	9	21	26	23	25	18		2		··· 7		2	2	35	11 1 438	*61 *05 24·53
Class II.—Order I. 1. Gout 2. Dropsy 3. Cancer, Tumor, and Polypus	2	ïi				3			 2 			1 2		 4 1	3 4	3 2	2 2	1 3 5					1 22 16	.05 1.23 .89
Class II.—Order II. 1. Scrofula	1 4 13 1 21	3 5 	1 2 3	2	1 1	1 9 22 1 36	 1 	1 2 1	9	 ii 	1 23 24	1 23 27	 12 1	1 10 16	6	 4 1	 4 8	2 11	3			::: ::: :::	5 9 120 23 4	27 :50 6:72 1:28 :22
Class III.—Order I. 1. Cephalitis	5	1	1	1 1 5 1		8 2 183 7	3 1 3	1 2 2	2	3 1 1	2 2 1	4 1 1 3	2 3 1 1 2	 2 3 2	 2 1 1 1 	 7 3 1	 1 3 1	1 1 1	3 3			 1 2 1	26 23 14 2 11 186 22	1·45 1·28 ·78 ·11 ·61 10·42 1·23
Class III.—Order II. 1. Pericarditis						2	ï		1 2	3	1 7	1 1 8		 1 10	4	 1 5	5		 ïi		3	4	2 4 71	·11 ·22 3·97
Class III.—Order III. 1. Laryngitis 2. Bronehitis 3. Pleurisy 4. Pneumonia 4A. Pulmonary Apoplexy, Congestion of the Lungs 5. Asthma 6. Lung Disease	12 1 2 2	3 4 1	3		 1 1 	4 18 1 10 4 	2 2		1 1 1 1 1 1 1	9 1 1	 1 4 3 1	1 4	 3 4 2	3 6 2 1	 1 3 2 1	"i "i …	3 1 	" 2 " 1	1	1 2	 2 1	1 1 3 1 1 5	59 17 9	*22 1.90 *22 3.30 *95 *50 *69
Class III.—Order IV. 1. Gastritis	. 6	3 3 1	2		1	6 6 1 1 2 2 2	2	1	1 1 1 2	1 2	1 1 2	2 2 2 2	3 1 1 3	1 1 1 1 	2	 1 1 1 1 2	1 1 1 1 2	"i "i "i "i	 1			1	23 111 2 11 11 7 2 5	·61 ·11 ·61 ·05 ·39 ·11 ·27 ·22
Class III.—Order V. 1. Nephritis								1	-	::: 'ï	-	1			2	1 2 1	"i	-	:::		1 1 1	::	5 2 2 2 6 7	·27 ·11 ·11 ·33 ·39
Class III.—Carried forward	. 183	2 49	23	3 12	1 6	272	14	8	18	25	28	35	34	36	22	34	25	16	9	6	9	26	3 617	

Table No. XII.—continued.

CAUSES of DEATHS of Males and Females at different periods of life, Registered during the Year 1871—continued.

	Section Section				en rezult on e		Television (Management		MA	LES	AND	FEM	ALES.	STATE STATE OF THE	ALABAT TURB				and an activities	COMMUNICATION OF	-		
CLASS, ORDER, AND DISEASE.	Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years,	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 and upwards	Age unspecified.	Total Deaths from each cause.	Percentage to total Deaths.
Class III.—Brought forward	182	49	23	12	6	272	14	8	18	25	28	35	34	36	22	34	25	16	9	6	9	26	617	
Class III.—Order VI. 2. Uterus Disease Class III.—Order VII.									2	1						1							4	-22
1a. Ostitis, Periostitis, &c 2. Joint Disease	:::		 1	"i		2	1			"i	 1	:::	:::								:::		1 4	·05 ·22
Class III.—Order VIII.							1				1												2	•11
3. Skin Disease Total Class III	182	$\frac{1}{50}$	24	13	6	275	16	8	20	27	30	35	34	36	22	35	25	16	9	6	9	26	629	35.23
Class IV.—Order I. 1. Premature Birth 2. Cyanosis 4. Other Malformations 5. Teething	23 2 9 19	 16				23 2 9 35																	23 2 9 35	1·28 ·11 ·50 1·96
Class IV.—Order II. 2. Childbirth										3	4	4	7	2								2	22	1.23
Class IV.—Order III. 1. Old Age 2. Senile Decay	:::									:::						2	2	1 7	2 4	3 6	13 2		19 23	1·06 1·28
Class IV.—Order IV.	41	8	4	1	-	54	2					1	-	1									58	3.25
2. Debility	73	25	6	1	::: :::	76 199	2	-::- -::-	2 2	3	4	6	3 10	5		2	2	8	6	9	15	2	275	15.40
Class V.—Order I. 1. Fractures 2. Gunshot Wounds 4. Burns 5. Sealds 6. Sunstroke		1		1 "i "i	 1 1 1	2 3 2 2	 1 1 	1 1	1	1 ::: 1	2 1 	2	1 2 2	2	2							'i	12 2 10 2 6	·67 ·11 ·56 ·11 ·33
7. Poison 8. Bite of a Venomous Reptile or Insect 9. Drowning 10. Suffocation 11. Injuries to Spine 12. Killed by a fall from a horse 13. Killed by a fall of earth	2 4 2 	1 "i 	1 2 	1 2 	3	5 1 12 2 	10	3 2	 5 1	1 5 1 2	2 9 2 1	 ii i	3	 5 1	ïi			 1 				2 3 1 1	3 68 2 1 11 2	3·81 3·81 ·05 ·61 ·11
14. Killed by Lightning 15. Killed by the Upsetting of a Vehicle 18. Killed by being crushed be-	,			1		2		1	1	2		1	1				1						5 4	•22
tween a dray and tree 19. Killed by a falling tree 20. Killed by kick of a cow 21. Killed by Concussion of the	:::						::;		 1 1	2	"i	" 2 …	"i			ï	1	"i		:::			1 9 1	*05 *50 *05
Brain	:::	:::		"i …	:::	₁	ï		:::		 	2 1 1	:::	"i	1 	"i	:::		:::	:::			4 5 1	·22 ·27 ·05
bullock 25. From Injuries received during Birth	2					2				2													2 2	·11
26. Run over by a cart 27. Umbilical cord not properly tied	2	::: 	:::	1		1 2		 —	:::				:::				:::	:::		:::		:::	1 2	·05
Class V.—Order III 1. Murder 2. Manslaughter									1		1	2 1	2 2							1		2 1	9 5	*50 *27
$ \begin{array}{c} \text{Class VOrder IV.} \\ \text{Sulcide} \begin{cases} \text{Poison} & \dots & \dots \\ \text{Hanging} & \dots & \dots \\ \text{Otherwise} & \dots & \dots \\ \end{cases} $:::	 ::: :::	:::		:::		:::	 1	ï	1 	 1 1	ï			 'ï					1 4 3	*05 *22 *16
Class V.—Order V.—Nil. Total Class V	13	3	5	9	7	37	14	8	11	17	22	25	17	11	6	3	2	3		1		11	188	10.53
Violent Deaths not classed Sudden deaths, cause not ascertained Deaths, cause ill-defined Deaths, cause unspecified	 1 11 5	 ï	::	 1		 1 12 6						1 1 2	 1	 2 1	 1	 i	 2 	 2 	2			1 4 12	2 1 25 27	·11 ·05 1·40 1·51
TOTAL DEATHS OF MALES AND FEMALES FROM ALL CAUSES	516	137	67	46	26	792	47	28	53	81	107	120	101	89	51	53	45	47	25	18	26	102	1,785	

			ALES, fro	, 1	,	- 1	1 1	1	-		-	, oraș	1	515010	1	1	11005	01 111	1	iony,	duri	ng ti	ie ie	ar 18	71.							
	CLASS, ORDEE, AND DISEASE.			Banana.	Bowen.	Brisbane. Burke.	Cape River.	Cardwell.	Condamine. Dalby.	Drayton and Toowoomba,	Gayndah.	Gilbert River.	Gladstone.	Tpswich.	Leyburn.	Mackay.	Maryborough.	Nebo.	Paroo.	Peak Downs.	Princhester.	Roma.	Somerset.	Springsure.	St. George.	Surat.	Tambo.	Taroom.	Townsville.	Warrego S.	Warwick.	Woogaroo.
A Transport of the Control of the Co	Class I.—Order I.										1								-	-			- 02	02	02 00	2 00	H	T	E F		E .	F
3A. Diphtheria 4. Quinsy 5. Croup 6. Whooping Cough 7. Lyphus (and Inf 8. Erysipelas 11. Influenza, Coryzi 12. Dysentery 13. Diarrheea 14. Cholera 15. Ague 16. Remittent Fever 17. Rheumatism 18. Others	antile Fever)				1 1 1 1 1 1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	ï i	2		1 2 1 2 4 	 1 1 	15		. 4 1 5 . 3 . 3 . 3		2 2 1 1 2 6 	12			1 1 	3			1 1 			2 2		1 4 2 3 3 2		2	18 32 14 52 23 3 42 3 5 2 56 4 22
	Class I.—Order II.				7 6	1 1	2	2	. 4	10	2	36 .		. 20		14	41			4 .	30			3	1		4	7	2		4	6 264
	eture of the Urethra					2 1 3	::: 			 'ï																		1				3 2
in demonstration	Class I.—Order III.			-		3				1]															1 .				. 6
 Privation Want of Breast I Purpura and Scu Alcoholism 	Milk					7			i					i	-		 ï				2						1		4			7
	Class I.—Order IV.				2	8			1					. 1			1			.	2			.			1		4			. 20
1. Thrush						4								1			3	1											-			
	TOTAL, CLASS No. 1				9 7	6 1	2	2	4	11	2	-	1	-			45			4	-	-		-	. 1	-	5	1 1				
1. Gout	Class II.—Order I.																				32			3 .	. 1		Ð	1 1	6		4	6 298
2. Dropsy 3. Cancer, Tumor, an				<u>::: :</u>		3				2 1		4		2			i					3							i		i	. 17
	Class II.—Order II.				10					3		4	•	2		1	1					3	.				1	1	1		1	. 28
1. Scrofula 2. Tabes Mesenterics 3. Phthisis Heemopty 4. Hydrocephalus 5. Others	ysis				2 8	1		i	1	10	2 1		. 1	7		1 1 1				1 2	6 1	 'i 						 1			:	3 5 80 14
	TOTAL, CLASS No. 2	• •••		3	3 48	1		1		13	3	4	. 1	9		3 1	9			3	. 7	4					1		1		2 3	131
	Class III.—Order I.										1													-	-					-	- -	-
Epilepsy Convulsions Brain Disease, &c.				i i	25 4		 I		 :: 1 	3		: : : 1			 1		:			4	 3 10	3					 1					9 2 6 104
	Class No. III.—Carried forward			1 2	49		1 1		2	8	6	5 2	1	27	1	5 31	2			4	16	4		1 2				-		-	5 1	-

APPENDICES TO REGISTRAR-GENERAL'S REPORT.

Table No. XIII.—continued.

DEATHS of Males, from different Causes, Registered in the several Registration Districts of the Colony, during the Year 1871—continued.

DEATHS OF MAL	. 1		1 1	1	1	-	-	. 1	1	1 1	T	1	1.1	1	1 .	1	-	-	1 1	1	T	T	T	1	1 1	1	T	1	T
CLASS, ORDER, AND DISEASE.	Banana.	Bowen.	Burke.	Cape River.	Carawell.	Dalby.	Drayton and Toowoomba	Gayndah.	Gladstone.	Goondiwindi.	Ipswich.	Mackay.	Maryborough.	Nanango.	Paroo.	Peak Downs.	Princhester.	Roma.	Somerset.	Springsure.	St. George.	St. Lawrence.	Tambo.	Taroom.	Townsville.	Warrego N.	Warrego S.	Warwick. Woogaroo.	Total.
Class III.—Brought forward	 1	2 4	9	1	1	2	8		5 2	1	27	1 8	31	2		4	1	6 4		1	2		1		6			5 1	178
Class III.—Order II. 1. Pericarditis	 						6						3 3	 ï		1		9 3		2	7 1					 1		2	
3. Heart Disease	 -		8	-			6	-				-	3 3	1	-			9 3	-	2				-	1	1		8	
Class III.—Order III.	-		0					-	1				1																4
1. Laryngitis	 	ï	6				2			i ï	4		1		:	790	1000	2							1				
Pleurisy Pneumonia	 . 1	1 1	6				ii		1	1	3	4	. 3					3	1 1	1			. 1		1			ï :	
4a. Congestion of the Lungs, Pulmonary Apoplexy 5. Asthma			1				1 2				2		i					1			1				1			1	. 9
6. Lung Disease	 -						1						-		-			1				-						-	
Class III.—Order IV.	1	1 2	8			1	17		2	2 1	10	4	1 9			1		7 1		1	1		2	1	3			2	90
1. Gastritis	 							1			1							1											. 3
2, Enteritis	 :	-	3		1		5		1				1 1 6			ï		1			:::			. 2		:::			. 9
6. Hernia	 		3 1			3 3 3 3 3 3 3 3	1										j .	: ::											1 6
7. Ileus	 : :::										0	.	1																. 1
11. Stomach Disease, &c	 		1	:::	::		4			0.00	1		1					1										ï ::	. 2
13. Hepatitis	 							7							1														
14. Jaundice	 :		2				ï	-		: :::			i												1			1	. 11
Class III.—Order V.		1	1		1	. 1	7	4	1 .		6		1 10		1	2		2						. 4	3			2	. 59
1. Nephritis	 																	1											. 1
3. Nephria	 : :::		1	1:::									. 1		: :::													ï	. 2
5. Stone	 32.0		1							ï					: :::			1 ::				***						"i ".	. 4
7. Kidney Disease	 		3																									1	
City and amenda as a second se		1	9	,						1	1		1					4										3	19
Class III.—Order VII.	-		-			-						-				1													9
2. Joint Disease	 		1								1					1										-			. 3
Class III.—Order VIII.			1																										1
2. Ulcer	 		-			1	***	8	-				10 54		1	-	-			-	4				1 13	-		20	1 419
TOTAL, CLASS NO. III Class IV.—Order I.	 2	5 1	10 1	1	2	1 5	38	8	8	5 3	49	5	10 54	0	1	10		-	9	-	-2			9	13	1	1	20	1 410
1. Premature Birth	 		2								1		4								1000								12
2. Cyanosis			2										1						: ::	:::			04 VIGHT 546						1 2
4. Other Malformations			5			ï	5						2															,	1 30
Class No. IV.—Carried forward	 		9			1	5				5		2 5	1				6 .					.		. 2				1 37
	1	1		1	1	-	1		-	-	-	-	-	1		-	MANNETHIN	-	PARCIAL MEMBERS	DEPENDENCE OF THE PERSON OF TH	CARDON SANDON	-	MONE OF STREET	-	-	-	-	-	CONTRACTIONS N

Table No. XIII.—continued.

DEATHS of MALES, from different Causes, REGISTERED in the several Registration Districts of the Colony, during the Year 1871—continued.

CLASS, ORDER, AND DISEASE.	Banana.	Bowen.	Brisbane.	Burke.	Cape River.	Cardwell.	Condamine.	Dalby.	Drayton and Toowoomba.	Gayndah.	Gilbert River.	Gladstone.	Goondiwindi.	Ipswich.	Mackay.	Maryborough.	Nanango.	Nebo.	Paroo	Peak Downs.	Princhester.	Roma,	Somerset.	Springsure.	St. George.	St. Lawrence.	Surat.	Tambo.	Townsville.	Warrego N.	Warrego S.	Warwick.	Woogaroo,	Total.
Class No. IV.—Brought forward			9				1		5					5	. 2	5	1					6							2	2			1	37
1. Old Age			9 5	:::				1						i	: :::		1		::	:::		3		:::	:::						i		1	16 14
Class IV.—Order IV.	-	. 1	14					1	3					1		. 3	1					3								. 9	9		1	30
1. Atrophy			17 11						12					2 6					:::			1		ï					1 2	2		 1	 1	28 49
TOTAL, CLASS NO. IV		. 1	51				2	1	20	1				14	. 3	3 19	2					18		1					1 4	4 2	2	1	3	144
Class V.—Order I.														T																				
1. Fractures 2. Gum-shot Wounds 4. Burns 6. Sunstroke 7. Poison 8. Bite of a Venomous Reptile or Insect 9. Drowning 11. Injuries to Spine 12. Killed by a fall from a horse 13. Killed by a fall of carth 14. Killed by lightning 15. Killed by lightning 16. Killed by being crushed between a dray and tree 19. Killed by a falling tree 20. Killed by a falling tree 20. Killed by a falling tree 21. Concussion of the Brain 22. Killed by effects of a fall into a well 23. Killed by effects of a fall into a well 24. Killed by being gored by a bullock 25. Killed by injuries received during birth Class V.—Order III.			18 18 1 1 1 1 1 1 1 				2 		1	2	"i ": ": ": ": ": ": ": ": ": ": ": ": ":	4 	··· ·· ·· ·· ·· ·· ·· ·· ·· ·· ·· ·· ··	2		1 1 1				1 2 2						1	:::					 		11 2 5 1 4 3 60 1 9 2 4 4 1 1 2 1 1 2 1
1. Murder		1													: :	ij	i "ï										1					:::		9 5
Class VOrder IV.	-	1	1	3							1			1	.	.]	1	-									1	4						14
Suicide Poison	: -	4			1 2	-	3	"i 6	5	4		4		1	: ::	8 19		:::		4		-		1	::: :::	1	:::			i	2			1 4 2 150
Violent deaths not classed			1		1				 1 1	 2 2	1	1		2	 i	4 8	3	 1				2		 "i				1		1			3	2 23 25
Total Deaths of Males from all Causes		2 22	318	7	6	9	7	16	89	22	53	10	6	110	7 45	2 171	6	5	1	21	1	01 18	3	10	4	3	3	16	11 4	4	5 1	30	16	1,192

Table No. XIV. • Deaths of Females, from different causes, Registered in the several Registration Districts of the Colony, during the Year 1871.

					-	-	-	-					0		-		-	01 11	-	1011	,	8	110 1	Cui	2012			-						
	CLASS, ORDER, AND DISEASE.	Banana,	Bowen.	Brisbane.	Burke.	Cape River.	Cardwell.	Condamine.	Drayton and	Toowoomba.	Gilbert River.	Gladstone.	Goondiwindi.	Ipswich.	Leyburn.	Mackay.	Maryborough.	Nanango.	Paroo.	Peak Downs.	Princhester.	Rockhampton.	Somerset.	Springsure.	St. George.	St. Lawrence.	Surat.	Tambo.	Taroom.	Townsville,	Warrego N.	warrego S. Warwick	Woogaroo,	Totals.
1	Class I,-Order I.																							1	-					-				-
1 1 1 1 1 1 1 1 1 1	A. Diphtheria . Quinsy . Croup . Whooping Cough . Typhus (and Infantile Fever) . Metria Influenza, Coryza, Catarrh . Dysentery . Diarrhoea . Cholera . Ague		1 1 	2 2 5 4 2 1 20 4 2 					1		i			1 5 1 3 1 1 2 1 	"i	1	1			2 1 1		3 3 3 3 5 1 4 1			1				 1	1			3	10 2 19 8 15 4 1 11 39 1 1 14 4 2
1			. 2	42					3	8	1 1	4		16	1	5	10 .			4		25			1				1	1	1	1	5	131
	Class I.—Order II. 1. Syphilis		-				-							 								2		-			-							
-	Class I.—Order III.	-					-			-		-	-		-		-		-	-	-	-		-	-								-	
CANCEL STREET, STREET,	2. Want of Breast Milk			1					··· -					 2 2											:::									1 2 3
	Class I.—Order IV.	-	-	-	-	-						-	-						-	-	-			-										
	1. Thrush			1 1 45					··· ·		1 1			18								27				 								3 1 140
1		-	-		-		-	-		-	-	-	-	-	-				-				-	-										
	Class II.—Order I. 2. Dropsy 3. Cancer, Tumor, and Polypus			2		:::			1 _	2 .	:: :::			:::								1											i :::	5 6
1				5					1	3 .												1										. 1	1	11
1	Class II.—Order II.													7											-	-			!-					
	1. Scrofula 2. Tabes Mesenterica 3. Phthisis Hœmoptysis 4. Hydrocephalus 5. Others Total, Class No. 2		: : ï	ii					2 :	3 :	· · · · · · · · · · · · · · · · · · ·	1 1		 5 5		 1 	1 6 1 1		-			2 1 4			 1 ::. 1			1		2		. 1	3	2 40 9 3
	Class III.—Order I.	-								-		1	-		-	-				-					-									
1	Class III.—Order I. 1. Cephalitis 2. Apoplexy 3. Paralysis 6. Epilepsy 7. Convulsions 8. Brain Disease, &c. Class No. III.—Carried forward			20 1			 2		1 2	2 1		i i i i i i i i i i i i i i i i i i i	ï	1 1 12 			16			1 1 1		10	1				 1			5		1 1	1 1	7 4 5 5 82 3
-		-		-	ZPCRUANGE.	CONSCIONATION CO.	-	-		-	melet activities access	WARRIE AND ADDRESS OF THE PARTY	-	MINISTRA	-	1	-	-		пожноми	-	SCHOOLSON	-	-	-	- 1			1	,		1		

Table No. XIV.—continued.

Deaths of Females, from different Causes, Registered in the several Registration Districts of the Colony, during the Year 1871—continued.

DEATHS OF FEE	-		-	-	-	-	-	-	-	1	-		- 8				-			0,		0	-	-	-	-	-		-	-				
CLASS, ORDER, AND DISEASE.				Banana.	Bowen.	Burke.	Cape River.	Cardwell.	Condamine.	Dalby.	Toowoomba	Gayndah.	Gladstone.	Goondiwindi.	Ipswich,	Leyburn.	Mackay.	Manango.	Nebo.	Paroo,	Peak Downs.	Princhester,	Roma.	Somerset.	Springsure.		St. Lawrence.	Surat.	Taroom.	Townsville.	Warrego N.	Warrego S.	Woogaroo.	Total.
Class III.—Brought forward					8	10		2		4	3	2]	1 1	1	14	1	1	7 1			4	1) 4					1		5			2 3	10
Class III.—Order II.						_																							-			-		-
			***			5	-											1								-								1
Class III.—Order III. 2. Bronchitis				_	1	6	-	-	-				-	-	2	_	_		-	-		-	-		-						-			-
8. Pleurisy 4. Pneumonia 4a. Congestion of the Lungs, Pulmonary Apoplexy 6. Lung Disease						6 1 3 1			::	2	3 2			2	1 1 1			1											:				i	1
Class III.—Order IV.					1 1	4				3	8			2	5	1	1	2				3											3	4
1. Gastritis						1 2 1 1 1 8					1		. 1		1			i			 												i	
Class III.—Order V.					1	3					2 .		. 1	# 3×3	2		2	5			2	8								2		5	2 1	1
6. Cystitis						i									2																			
Class III.—Order VI.						1									3			.					-						-				-	
2. Uterus Disease						1									1			2																
Class III.—Order VII.						1									1			2															.	
1A. Ostitis, Periostitis, &c. 2. Joint Disease	:::	:::				i												: ::																
Class III.—Order VIII.						1							.																					
2. Ulcer																		1																
TOTAL, CLASS No. III					1 6	5		2		7	16	2 1	1 2	3	30	2	3 2	8 1			6	17	4					1		7			3. 4	21
Class IV.—Order I.															1										I									
1. Premature Birth						2						2						4 2 1			1	4												1
Class No. IV.—Carried forward						7					1	2			4		1	7			1	4								1			2 2	3

Table No. XIV.—continued.

DEATHS of FEMALES, from different Causes, REGISTERED in the several Registration Districts of the Colony, during the Year 1871—continued.

CLASS, ORDER, AND DISEASE.			Ranana.	Bowen.	Brisbane.	Burke.	Cape River.	Cardwell.	Condamine.	Drayton and Toowoomba.	Gayndah.	Gilbert River.	Gladstone.	Goondiwindi.	Ipswich.	Leyburn.	Mackay.	Nanango.	Nebo.	Paroo	Peak Downs.	Rockhampton.	Roma.	Somerset.	Springsure.	St. George.	St. Lawrence.	Surat.	Taroom.	Townsville.	Warrego N.	Warrego S.	Warwick. Woogaroo.	Total.
Class No. IV.—Brought forward	*				7					. 1	2				4		1 7				1	. 4	k							1			2 2	32
Class IV.—Order II. 2. Childbirth			-						1 1	-					2 2		-	l					5						-	2 2			1 1	
Class IV.—Order III.					9							-						_																-
1. Old Age					5					- 1							''	i	- management	-			-											9
Class IV.—Order IV.																																		
1. Atrophy				1											2 8	.	1 2 10				3	1	6		1					"i	:::	-	2 5 3	30 35 131
Class V.—Order I.								-				_				+											-					-	-	
1. Fractures 4. Burns 5. Scalds						-				1	1	i i i i i i i i i i i i i i i i i i i	::: ::: ::: ::: ::: ::: ::: :::		1 1 1 1 		1	1			 1 1		i		 2 		1			"i 	i i 		2 2 1 1 2 3	5 6 8 2 1 1 1 2
Class V.—Order IV.																					1													1
TOTAL, CLASS No. V			-		-	-				. 2			1		5	-	1	-	-			-	1	-	2		1		-	1	1	-	3	38
Sudden deaths (cause not ascertained) Deaths, cause ill defined Deaths, cause unspecified										ï																							1	2
TOTAL DEATHS OF FEMALES FROM ALI	L CAUSI	s			8 191	2	*	3	1 1	5 47	- 8	5	11	4	66	4.	13 6	9 1			16	6	5 4		3	2	1	1 3	1	15	2		26 10	593

Table No. XV.

Deaths of Males and Females, from different Causes, Registered in the undermentioned Divisions of the Colony, during the Year 1871.

WARE TO THE CONTROL OF THE ANGEST OF THE ANG	PRESTA COUNTRY EPILE PROPRIETA		 Manager C.		-				1871		Z	IALE	S A	ND I	EMA	LES	· ·	-				THE STATE	-	
				TOTA:	FROM		I	VISIO METR OLIT.	AN	WES	SOUT	ANI H-	DIV	ISION SOUT ASTE	RN	WES	VISION NORT STERN NORT LIDLA	H- I ANI H ND	DI	VISIO NORT ASTE	H- RN	NO	ISIO DRTH ISTRI	
CLASS, ORDER	, AND DIS	EASE		ons,	.88	ales.	Ips	risba wich ooga	, and roo.	Wa Wa P Co an	at, I arreg arreg aroo, Georg ndan id Go liwin	st. ge, nine,	G W L Nar	ayton Dalb aynd arwi eybu ango Mary orou	mba, y, ah, ick, rn, o, and	Gilb Spr Pea T	pe Ri pert B rings k Do aroo d Tar Mite	ure, wns, m, nbo,	St. J Pri E Gl an	st Is: Lawr nche Banar adsto d Ro ampt	ence ster, na, one, ock-	To Bo	omer ardw Burk wnsv wen,	rell, te, ville, and
				Persons	Males.	Females	P	м.	F.	Р.	м.	F.	P.	M.	F.	P.	м.	F.	Р.	M.	F.	Р.	м.	F.
Class I	-Order I.		 	28	18	10	8	5	3	1		1	2	2		1	1		6	3	3	10	7	3
4. Quinsy 5. Croup 6. Whooping Cough 7. Typhus and Infantile I 8. Erysipelas 9. Metria 11. Influenza, Coryza, Cat 12. Dysentery 13. Diarrhoea 14. Cholera 15. Ague 16. Remittent Fever, Fever 17. Rheumatism 18. Others	Fever			5 51 22 67 7 2 4 9 34 81 1 4 6 70 8 4	3 32 14 52 2 8 23 42 3 5 5 56 4 2	19 8 15 4 1 11 39 1 1 14 4 2	3 31 5 22 3 5 6 43 2 12 4 1 145	21 4 15 5 4 21 1 8 1 1	2 10 1 7 3 2 22 1 4 3 	1 2		1 2	2 6 4 17 1 13 26 1 12 2 3	2 4 2 14 1 10 14 1 9 1 1 1	2 2 3 3 12 3 1 2	1 4 2 16 1 5 1 4 21 55	2 2 16 3 1 4 20 	2 1 2 1 1 	5 11 6 3 7 8 1 2 11 60	3 3 3 1 1 7 	3 5 4 4 5 1 4 	4 6 1 1 1 3 3 14 2 	3 5 1 3 3 12 2 	1 1 2 8
1. Syphilis 2. Gonorrhœa, Stricture o	-Order II.		 	5 2	3 2	2	2 1	2								1	1		2		2			
5. Others			 	1 8	1 6	2	3	1 3	::: -::	1	1		''i 1	1		··· 1	··· 1	:::	2					
Class I.—	-Order III				_									-							2			
Privation Want of Breast Milk Purpura and Scurry Alcoholism {Delirium of Intemperations of the content of		:::	 	3 8 3 9	3 7 1 9	1 2 	8 2 2	 7 2	 1 2 	 1	ï		1	1		1	 		 2	2		2 4	2 4	
Class I.—	Order IV.			23	20	3	12	9	3	1	1		1	1		1	1		2	2		6	6	
1. Thrush 2. Worms, Hydatia, &c.			 	11	8	3	6	5	1				4	3	1							1		1
Total, Class No. I			 	438	-	-	-	104	63	4	2	2	95	66	29	57	51	6	64	33	31	51	42	9
Class II.	-Order I.																							
1. Gout 2. Dropsy 3. Cancer, Tumor, and Po	olypus	:::	 	1 22 16 39	1 17 10 28	5 6	1 6 10	1 3 8	3 2	3	3	:::	4 6	3 2	 1 4	6	6	:::	ï		"i	 2 	 2 	
Class II	-Order II.				20	11	17	12	5	3	3	-	10	5	5	6	6		1		1	2	2	
1. Scrofula 2. Tabes Mesenterica 3. Phthisis Heemoptysis 4. Hydrocephalus 5. Others			 	5 9 120 23 4	3 5 80 14 1	2 4 40 9 3	2 3 54 14 1	1 3 35 9	1 19 5 1	 3 	2	 1 	44 42 44 1	2 28 2 2	2 14 2 1	1 5 	1 3 	 2 	 9 3	 6 1	 3 2	2 2 7 2 2	1 6 2 1	1 2 1
Total, Class No. II			 	200	131	69	91	60	31	6	5	1	61	37	24	12	10	2	13	7	6	17	12	5
Class III.	-Order I.																							
1. Cephalitis	-Order II		 	22	19 19 9 2 6 104 19 178	7 4 5 5 82 3 106	10 13 9 2 7 74 9 124	7 10 6 2 3 41 8	3 3 3 4 33 1	 11 2 13	 5 2 7	6	4 7 3 58 7	1 6 2 35 5 49	3 1 1 23 2 30	7 1 8 17	6 6 12	1 1 2 5	3 1 3 22 1 30	3 1 3 11 1 19	::: ::: ii ::: I1	2 2 1 13 3 21	2 2 1 6 3 •	7
1. Pericarditis 2. Anuerism 3. Heart Disease	-Oraer 11.		 	$\frac{2}{4}$ $\frac{4}{71}$ $\frac{77}{77}$	2 4 57 63	14	2 1 22 25	2 1 12 15	10	7 7	7 7		2 25 27	2 21 23	4 4	 1 3 4	 1 3 4		9 9	9		5	 5 5	
- Class III.—Carr	ied forward		 	361	241	120	149	92	57	20	14	6	106	72	34	21	16	5	39	28	11	26	19	7
The second secon		i indumen	-	opposite the same of the same	THE SHAPE OF	PINCER	DOM:	alerch south	non-make	constant in	processor of the last of the l	SERVICE OF	overtice reaction	rdimuséra	domen	and in the last	Circlescone	misiropis	and the contract of	er icospie		PRESIDEN	DESCRIPTION OF THE PERSON OF T	nation to the

Table No. XV.—continued.

Deaths of Males and Females from different Causes, Registered in the undermentioned Divisions of the Colony, during the Year 1871—continued.

	UP DODON SCOM		and the same of		G PERSONAL PROPERTY OF THE PERSON NAMED IN COLUMN TO PERSON NAMED IN C								-con	METHER, SHE DOWN	DOMESTICAL PROPERTY.	S AN	D F	EMA	LES.					-	our mentals	SARATO CONTRACT	
					,		TOTAL P EACE	ROM		P	ISION LETRO DLITA STRIC)- .N	WEST S MI	ISION OUTH OUTH OUTH DLAP	AND	EA	ISION OUTH LSTEE STRIC	N	N WEST N MI	ISION ORTH EERN ORTH DLAM	I- AND I ND	N EA	ISION ORTH STER	- N	NO	ISION RTHE STRIC	RN
CLASS, O	RDER	, AÑI	DISI	EASE.			ž.		.88	Ipsw	risbar vich, pogar	and	Wan Wa Pa G Con and	t, Rorrego rrego roo, s eorge damid d Goo wind	N., St. St. e, ine,	Too Ga Wa Le Nana	yton woon Dalby ynda arwic ybur ngo, Mary- oroug	h, h, ek, n, and	Gilbe Spr Peak Ta and	ingsı	iver, are, wns, n, abo,	St. L Prin Ba Gla and	t Isaa awre aches anana dstor I Roo mpto	nce, ter, a, ne, ek-	Ca E Tov Bow	merse rdwe Burke vnsvi 7en, a acka	ell, e, ille, and
							Persons	Males.	Females	Р.	м.	F.	P.	м.	F.	Р.	м.	F.	Р.	м.	F.	Р.	м.	F.	Р.	м.	F.
Class III.—Broug	ght for	ward					361	241	120	149	92	57	20	14	6	106	72	34	21	16	5	39	28	11	26	19	7
Class	s III	-Ord	er II	ī.				4		2	2		_	_	_	1	- 1		1	1				-			
1. Laryngitis 2. Bronchitis 3. Pleurisy 4. Pneumonia 4A. Pulmonary Apo							4 34 4 59 17 9	18 3 46 6 9 10	16 1 13 11 2	18 3 22 6 3	10 2 18 2 3 1	8 .1 4 4	1 2 2 1	1 2 1	··· 2	9 25 6 2 7	3 19 1 2 7	6 6 5	 3 1 	 3 1 1		3 6 2 1	3 5 1	 1 2 	3 1 1 2	1 1 1 2	2
5. Asthma6. Lung Disease							139	96	43	57	38	19	6	4	2	50	33	17	6	6		13	10	3	7	5	2
Clas	s III	- 0 rd	er IV	'. 			- 8 - 23	3 16	5 7	2 5	1 3	1 2	1	1		2 9	1 6	1 3	.:: 3	3		$\frac{1}{2}$	·:;	1	2 4		2 1
2. Enteritis 3. Peritonitis 6. Hernia 7. Ileus 9. Stricture of Inte 11. Stomach Disease 12. Pancreas Disease 13. Hepatitis 14. Jaundice	estines						11 2 11 1 7 2 5 4 20	9 1 6 1 5 2 3 2 11	2 1 5 2 2 9	4 3 4 1 1 13 -33	2 3 3 1 4	2 1 1 9				6 2 4 1 1 1 1 2 · 4 - 33	6 1 2 1 1 1 1 4	1 2 1 1 1 	1 1 1 1 2 9	1 1 2	::: ::: ::: ::: ::: 2	1 1 7	 1 1 3	2	 2 1 1 1 1	 1 1 1 1 7	1 4
									-	-						-					-			-			•
Clas 1. Nephritis 3. Nephria 4. Diabetes 5. Stone 6. Cystisis 7. Kidney Disease	 	Ord	ier V				1 5 2 2 6 7 23	1 5 2 2 4 5	 2 2 4	3 1 1 3 6 14	3 1 1 1 4 10	 2 2 4				1 1 1 4	1 1 1 1 4					1 1 2 	1 1 2 5				
Clas	s III.	-Ord	er V	τ.			4		4	2		2				2		2									
2. Uterus Disease							4		4	2		2				2		2									
Class 1A. Ostitis, Periosti 2. Joint Disease				I. :::			1 4 5	3	1 1 2	3	2 2	"i		::: -::		1		1	-:: 1	"i							:::
Cl	***	03	777																								
2. Ulcer 3. Skin Disease Total Class	:::	-orae 					629	1 419	$\frac{1}{1}$ 210	1 259	160	99	27	19	8	197		64	37	30	7	"i 65	46	19	44	31	13
	ass IV						23 2 9 35	12 2 4 19	11 5 16	7 5 16 28	-	4 2 7	 'i	 "i		10 1 2 10 23	5 1 5	5 2 5 12	 1 		 1	4 1 5	4 1 1 -6	4	2 1 3 6	 1 3	2
									_	-																	
Cla 2. Childbirth	ss IV.			ι. 			22		22	8		8	1		1 1 1	4		4 16				7 7 17		7 7 11	2 8		2 2 4
Class IV.—C	Carried	forwa	ard		1	***	91	37	52	36	15	21	2	1	1	21	11	10	1		1	11	0	1		1	1 3

Table No. XV.—continued.

Deaths of Males and Females from different Causes, Registered in the undermentioned Divisions of the Colony, during the Year 1871—continued.

								MA	LES	ANI	D FE	MA	LES.								
		DEA FROM I CAU		M PO	ISION ETRO LITA	- N	WEST SO MI	SION OUTH- ERN DUTH- DLAN	AND	EA	SION OUTH- STERI TRICT	N	WEST N MI	DRTH	AND D	EA	SION ORTH- STER TRICT	N N	NOB	SION RTHEI TRICI	RN
CLASS, ORDER, AND DISEASE.	S.		es.	Ipsw	isban vich, ogar	e, and	Par Gon and	t, Ro rego rrego roo, S eorge dami I Goo wind	N., S., t. ne, n-	Toov Gay Wa Ley Nana	ton a voom alby, yndal rwic yburn ngo, Iary- rough	ba, h, k, n, and	Gilbe Spri Peak Ta and	ngsu	ver, ire, vns, n, bo,	Gla	wre	nce, ter, ter, ne,	B Tow Bow	nerse rdwe turke vnsvil ven, a ackay	ell, e, ille, and
	Persons	Males.	Females	Р.	м.	F.	Р.	м.	F.	Р.	м.	F.	Р.	м.	F.	Р.	м.	F.	Р.	м.	F.
Class IV.—Brought forward	. 91	37	52	36	15	21	2	1	1	27	11	16	1		1	17	6	11	8	4	4
Class IV.—Order III.	l de la constant de l				_																
1. Old Age	00	16 14 30	3 9 12	12 11 23	10 6 16	$\frac{2}{5}$	2 2	··· 2		$\begin{bmatrix} 3 \\ 7 \\ \hline 10 \end{bmatrix}$	3 5 8	2				3 2 5	3 3	2 2	$-\frac{1}{2}$	1	- 1
Class IV.—Order IV.					_					- 6			-								
1. Atrophy	. 84	28 49	30 35	38 30	19 18	19 12	1	ï	1	14 33	7 18	7 15	1 4	2	1 2	13	8	5	3 3	2	-
Total Class No. IV	. 275	144	131	127	68	59	6	4	2	84	44	40	6	2	4	36	18	18	16	8	
4. Burns 5. Scalds 6. Sunstroke 7. Poison 8. Bite of a Venomous Reptile or Insect 9. Drowning 1. Injuries to Spine 2. Killed by a fall from a horse 3. Killed by a fall of carth 4. Killed by the Upsetting of a Vehicle 8. Killed by being crushed between a dray and tree 9. Killed by a falling tree 10. Killed by kick of a cow 11. Killed by Concussion of the Brain 22. Killed by kick of a horse 33. Killed by falling down a Well 44. Killed from being gored by a bullock 55. From Injuries received during Birth 66. Run over by a cart 77. Umbilical cord not properly tied	2 10 2 10 10 10 10 10 10 10 10 10 10 10 10 10	60 1 9 2 4 4 1 1 9 1 4 4 1 1 2 2 1 	1 5 2 5 6 8 2 2 1 1 1 1 1 2 37	5 2 2 2 3 25 1 1 1 2 1 2 1 1 1 1 1	4 1 23 21 1 2 1	1	 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1	1	46 3 3 17 1 1 2 1 1 1 2 3 1 2 1 2 1 2 1 2	4	3 3 2 1 1 1	1 2 4 4 2 2 2 1 17	1 2 3 2 2	3 1 1 	10	1	33	1 2 2 2 3 9 1 1 1 21	1 2 1 3 9 1 1 1 1 1 1 19	
0 30 1 1	9	5		1 1	1 1		1	1		2	2	•••	4 1	4 1.	:::				3 1	3 1	
Class VOrder IV.	14	14	-	2	2		1	1		2	2		5	5		1			4	4	-
Suicide Hanging	1	2		"i …	"i …					2 2	2 2		1 1 1 3	1 1 2	"i …	1	"i …		 1	 i	
Class V.—Order V.—Nil. Total Class No. V	188	3 150	38	57	43	14	14	13	1	50	39	11	25	18	7	16	13	3	26	24	
Violent Deaths not classed	25 25 27	23	1 2	6 4	6 3	 1	1	1 1		 1 11 12	 10 12	 1 1		3		3	 3 1		1 1 7	1 6	
TOTAL DEATHS OF MALES AND FEMALES FRO	м	119	-						14		_		-			193		-		-	

Table No. XVI.

Causes of Death in Queensland, in the Year 1871, arranged in the order of degree of Mortality.

Convulsions Phthisis Debility	104 80	Females.	Total Deaths fro cause in 1871.	Total Deaths from cause in 1870.	,e*			others to the same	1 73	1 45	10
Phthisis Debility				Tota	Increase* in 1871.		Males.	Females.	Total Deaths fro	Total Deaths from cause in 1870.	Increase* in 1871.
Debility	80	82	186	173	* 7	Brought forward	1,060	554	1,614	+ 10	
	49	40 35	120	114	* 6 * 1	Manslaughter	- 5		5	4	* 1
Diarrhœa	42	39	81	74	* 7	Metria	5	4	4	3	* 1
Heart Disease Remittent Fever	57	14 14	71 70	60 65	*11 * 5	Cholera Miasmatic Diseases not	3	1	4	2	* 2
Drowning	60	8	68	95	†27	Miasmatic Diseases not specially named	2	2	4	2	* 2
Typhus Fever	52	15	67	55	*12	Tubercular Diseases not					N. 4
Pneumonia Atrophy	28	13	59 58	34	*25 *20	specially named Aneurism	1 4	3	4	7	* 4 + 3
Croup	32	19	51	30	*21	Laryngitis	4		4	3	* 1
Teething Dysentery	19 23	16 11	35	47 59	†12 †25	Pleurisy Jaundice	3 2	$\frac{1}{2}$	4 4	8 3	+4
Bronchitis	18	16	34	40	+ 6	Uterus Disease		4	4		* 4
Diphtheria Cephalitis	18	10	28 26	13 13	*15	Joint Disease Killed by upsetting of a	3	1	4 4	1 8	* 3
Hydrocephalus	14	9	23	16	* 7	vehicle	4	***	4	0	* 4
Enteritis	16	7	. 23	25	†12	Concussion of the Brain	4		4		* 4
Premature Birth Senile Decay	12	11 9	23 23	23 21	* 2	Suicide by hanging Bite of a snake	3		3	4 2	* 1
Apoplexy	19	4	23	13	*10	Privation	3		3	7	+4
Dropsy Whooping Cough	17	5 8	22 22	20 59	* 2 †37	Purpura, Scurvy, &c Suicide, otherwise than as	1	2	3		* 3
Brain Disease	19	3	22	28	+ 6	before named	3		3	1	* 2
Childbirth		22	22	22		Erysipelas	2		2	2	
Liver Disease Old Age	11	9 3	20 19	13	* 7 *13	Gonorrhœa Insanity	2 2		2 2	2	* 1
Congestion of the Lungs	6	11	17	13	* 4	Pericarditis	2		. 2	3	+1
Cancer Paralysis	10 9	6 5	16 14	20	† 4	Hernia Pancreas Disease	$\begin{bmatrix} 1 \\ 2 \end{bmatrix}$	1	2 2		* 2 * 1
Lung Disease	10	2	12	11	* 1	Diabetes	2		2	1	* 1
Accidental Fractures	11	1	12	8	* 4	Stone	2		2	1	* 1
Thrush Killed by a fall from a	8	3	11	2	* 9	Ulcer	1 2		2 2	1	* 1 * 1
horse	9	2	11	14	+ 3	Scalds		2	2	2	
Epilepsy Peritonitis	6 9	5 2	11	6	* 5 * 5	Suffocation Killed by a fall of earth	2	2	2 2	3 5	† 1
Ileus	6	5	11	15	74	Gored by a bullock	2		2		* 2
Accidental Poisoning	4	6	10	7	* 3	Injuries received during					* 0
Burns Influenza	5 8	5	10	10 8	* 1	birth Umbilical Cord not pro-	1	1	2		* 2
Other Malformations	4	5	9	4	* 5	perly tied		. 2	2	1	* 1
Killed by fall of a tree Alcoholism	9 9		9	5 7	* 4 * 2	Accidental gunshot wounds Other Enthetic Diseases	2	•••	2	2	•••
Tabes Mesenterica	5	4	9	6	* 3	not previously named	1		1		* 1
Asthma Murder	9 9		9	8 9	* 1	Worms		1	1		* 1
Murder Rheumatism	4	4	8	6	* 2	Stricture of Intestines	1		1		* 1
Want of Breast Milk	7	1	8	4	* 4	Nephritis	1		1	3	+ 2
Gastritis Stomach Disease	5	5 2	8 7	7 3	* 1 * 4	Ostitis Skin Disease		1	1		* 1 * 1
Kidney Disease	5	2	7	1	* 6	Injuries to Spine	1		1	4	+ 3
Ague	5 4	1 2	6	8 3	† 2 * 3	Crushed between a dray and tree	1		1	3	+ 2
Cystitis Sunstroke	1	5	6	4	* 2	Kick from a cow	1		1	1	
Nephria	5		5	2	* 3	Fall into a dry well	1		1		* 1
Killed by Lightning Kick from a horse	4	1	5 5	$\begin{vmatrix} 2 \\ 1 \end{vmatrix}$	* 3	Run over by a cart Suicide by poison		1	1	1 3	† 2
Quinsey	3	2	5	3	* 2	Total and Posson					
Syphilis Scrofula	3	2 2	5	2 6	* 3		1,142	588	1,730		
Scrotula Hepatitis	3	2	5	6	+1	Deaths, causes not defined	50	5	55	44	*11
Carried forward	1,060	554	1,614			TOTAL	1,192	585	1,785	1,645	*140

Table No. XVII.

Summary of Deaths of Males and Females Registered in the Colony of Queensland, during each Month of the Year 1871.

	-	-	-	-	-	-	IN ECHROMATICS	ye Autor soon	we was	CUI .	-	MAIL OF STREET	-	weamen a	-	-	-	-	-	CATALOGUE AND	MEN CONCORDE	matery conference in	NAME OF THE OWNER,	-	The same of the same of	-
CLASS, ORDER, AND DISEASE.		January.	Dohmana	rentadiy.	Truck	лагеп.	line.	Apiu.	Man	may.	Tuno	dune.	Tult	utty.	Amonta	Auguse.	Sontown how	schoomser.	Ostobow	October.	Worronshore	MOVELLIDEL.	Dogganhou	December.	Т	otal.
and constitution of the second	M.	F.	M.	F.	м.	F.	M.	F.	м.	F.	M.	F.	м.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	Males.	Females
Class I.—Order I. 3a. Diphtheria 4. Quinsy 5. Croup 6. Whooping Cough 7. Typhus (and infantile fever) 8. Erysipelas. 9. Metria 11. Influenza, Coryza, Catarrh 12. Dysentery. 13. Diarrheea 14. Cholera 15. Ague 16. Remittent Fever, Fever, &c. 17. Rheumatism 18. Others	1 2 8 1 2 2 4 2 3 2 	1 1 2 1 	1 1 2 2 2 3 6 1 1 1	1 1 2 3 2 2	1 2 3 2 2 4 1 6 1	2 1 3 2 4 2	5 2 1 5 1 5 6 1 4	 1 1 1 2 2 2 1 3	44 2 1 3 1 1 3 3 4 4	1 2 2 2 2	1 3 6 1 3 8 8	1 6 1 2 2 2 2 2 2	1 4 1 2 1 3 3	 2 1 2 2 2 	1 1 5 1 3 	4 1 1 1 	2 7 12 2 3 8 1	 1 1 	2 3 2 2 1 4 1	2 2 5 2 1	1 1 2 5 2 3	2 4 2 2 1	 3 1 1 1 1 1 8 1 5	 2 2 3 3 1 2 10 2	18 3 32 14 52 2 8 23 42 3 5 5 6 4 4 2	10 2 19 8 15 4 1 11 11 11 14 4 4
	27	11	17	10	22	15	30	11	19	7	22	12	12	6	27	8	35	6	18	12	14	11	21	22	264	131
Class I.—Order II. 1. Syphilis			1	:::		1					1							1	1 		1				3 2 1	2
			. 1			1	.,.			•••	1						1	1	2		1				6	2
Class I.—Order III. 1. Privation			1 2		1 3		"i …	ïi 1	1	:::	1	 i 			1		2	 'i 	1		1 1		1		3 7 1 9	₁ 2
	-	-			_		-	_	_		_							-	_						20	
Class I.—Order IV. 1. Thrush 2. Worms, Hydatia, &c				1	1				1	1	2			1			1			 1			3		8	3 1
Total, Class No. I	30	11	20	11	26	16	31	12	21	8	26	13	12	7	28	8	39	8	21	13	18	11	26	22	298	140
Class II.—Order I. 1. Gout 2. Dropsy 3. Cancer, Tumor, and Polypus		ï	2 1	 ï	4 2	1 1		1 1			2				1		 1 1		2 4	 ïi	 1 1	 ïi	 1 1	ï	1 17 10	 5 6
	1	1	3	1	6	2	1	2	1	1	2.		1		1		2	1	6	1	2	1	2	1	28	11
Class II.—Order II. 1. Scrofula	8 2	1 4	 2 3 2 	 1 1	5 1	 2 1	3	1 4 1 1	2 4 1	 4 1	 7 	4	6	 5 	1 11	 1 1	1 ii 	 1 4 1	1 8 1	3	 8 3	 2 5 1 1	 5 1 1	1 3 2 1	3 5 80 14 1	2 4 40 9 3
Total, Class No. II	11	6	10	3	12	5	8	. 9	8	6	10	4	7	5	13	2	14	7	16	4	13	10	9	8	131	69
Class III.—Order I. 1. Cephalitis	1 10		2 2 1 4	 	8 3 1 16,	2 1 7	10 4	4	1 8	9	3 3 2 2 3 3		1 6	1 7 1	 7	 1 5	2 1 2 8 3	1 2 1 1 10 	 2 1 7 3	 2 1 2 7	2 1 2 1 10 2	 1 10 1	3 1 2 1 15 2	2 6	19 19 9 2 6 104 19	7 4 5 5 82 3
	15	3	9	7	28	10	15	4	9	9	16	9	7	10	8	7	16	15	13	12	18	12	24	8	178	106
Class III.—Order II. 1. Pericarditis 2. Aneurism 3. Heart Disease			.::		4	 1	1 3	 "i		4		 []			1 4	 'ïi	1 5	2			 2 4	 'i	1 8	3	2 4 57	
	2		7		4	1	4	1	3	4	8	1	6		5	1	6	2	3		6	1	9	3	63	14
Class III.—Carried forward	17	3	16	7	32	11	19	5	12	13	24	10	13	10	13	8	22	17	16	12	24	13	33	11	241	120
MANAGE STREET, AND AND ASSESSED AND ASSESSED ASSESSED ASSESSED AND ASSESSED ASSESSED.	Necessary of	NR.NYOSCHO	V199080 : 21	and and and a	SHUTU SHOULD TO)	en reminares	awigano en	BEAGN-AAA	NAME OF TAXABLE PARTY.	NEW TOWNS	an reserve	TOUS MONTH	Total Parkets	EMMAN SEC	NET/NOTIVE NEW	TO A DESCRIPTION OF THE PERSON	MECHANICAL PROPERTY.	OF EXCESSION AC	THE STREET OF STREET	MERCHANICO .	SOLVENBERS.	- COLUMN DE LA COL	essentan-es	ALTERNATIVE WILL	COCCUMENTAL

Table No. XVII.—continued.

Summary of Deaths of Males and Females Registered in the Colony of Queensland, during each Month of the Year 1871—continued.

Manufacture and the second and the s	-							Y	ear	18	71-	-con	tınu	ed.										1		1	
CLASS, ORDER, AND DISEASE.		Tannome	e anualy.	Tohmom	reprusary.	Mosel	March.	limuy	Apin.	More	oray.	Tuno	0,000	July		Anonst	Transmiss.	Sentember	- Toping	October		Morrombon	November.	Doormhou	Decomoot.	Т	otal.
		м.	F.	м.	F.	м.	F.	м.	F.	м.	F.	м.	F.	м.	F.	м.	F.	м.	F.	м.	F.	м.	F.	м.	F.	Males.	Females
Class III.—Brought forward		17	3	16	7	32	11	19	5	12	13	24	10	13	10	13	8	22	17	16	12	24	13	33	11	241	120
Class III.—Order III. 1. Laryngitis 2. Bronchitis 3. Pleurisy 4. Pneumonia 4A. Congestion of the Lungs, Fmonary Apoplexy 5. Asthma 6. Lung Disease	 'ul- 	 1 3 1	 2 1	:::		 2 1	"i … …	" " 3 … …	"i "i "i "i "i "i	 1 2	 1 2 	1 6 1 2	 1 2 1 	1 1 2 6 2 2	 1 3 2 	1 2 6 1 2 3	 1 3 	1 4 8 1	 2 1 1	2 5	 2 	3 5 3 1	2 1 2 	 1 2 	 3 1 1 	4 18 3 46 6 9 10	 16 1 13 11 2
		6	4			3	1	4	4	4	3	10	4	14	6.	15	4	14	4	11	3	12	5	3	5	96	43
Class III.—Order IV. 1. Gastritis 2. Enteritis 3. Peritonitis 6. Hernia 7. Reus 9. Stricture of Intestines 11. Stomach Disease, &c. 12. Pancreas Disease, &c. 13. Hepatitis 14. Jaundice 15. Liver Disease, &c.		"i "	1 1 	1	1 1 	 	1 1 	1 1 	1 2 2 2	1 2 2 1	1 1 1 3	1 2 1 1 2	 2 2 1 	2 2 2 1 1	 	3 1 1	1	 3 1 1 1 1	 1 1	"i	ïi ïi ïi	3 1 	i i i ii	"1 1 1 "1 "1	1	3 16 9 1 6 1 5 2 2 3 2	5 7 2 1 5 2 2 9
		2	1	4	2	1	3	3	5	6	7	7	6	9	1	5	1	8	2	1	4	5	2	8	1	59	35
Class III.—Order V. 1. Nephritis	:::	"i "i "i		"i		 ïi	 	 ïi 		"i … "i		 1 1				 1		1 1 1 	 ï			 2 1	 ï		::: ::: :::	1 5 2 2 2 4 5	
		2		2		1	1	2		2		3				1		3	1			3	1		1	19	4.
Class III.—Order VI. 2. Uterus Disease					1					<i>'</i>											1		1		1		4
Class III.—Order VII. 1A. Ostitis, Periostitis, &c. 2. Joint Disease							ï		:::	 1			:::			ï		:::		ï	:::				1	3	1
							1			1						1				1					1	3	2
Class III.—Order VIII. 2. Ulcer 3. Skin Disease, &c Total, Class No. III.		27	8	22	10	38	17	28	14	25	23	44	20	36	1 18	35	13	47	1 25	29	20	44	22	44	20	1 419	1 1 210
								1																			
Class IV.—Order I. 1. Premature Birth 2. (yanosis 4. Other Malformations 5. Teething		 1 1	1 2	3	1	2 1 3	2	1 2	2	1	2 1	2 1 2	1 1 2	1 2	2	1	1 1 2	 1 1		1 1 1 1	1	2 3	2 2	1 1	1 2	12 2 4 19	11 5 16
		2	3	3	2	6	2	3	2	1	4	5	4	3	2	1.	4	2		4	1	5	4	2	4	37	32
Class IV.—Order II.			2		2		2		3		3				1		2		1		4		1		1		22
			2		2		2		3		3				1		2		1		4		1	-	1		22
Class IV.—Carried forward		2	5	3	4	6	4	3	5	1	7	5	4	3	3	1	6	-2	1	4	5	5	5	/2	5	37	. 54

Table No. XVII.—continued.

Summary of Deaths of Males and Females Registered in the Colony of Queensland, during each Month of the Year 1871—continued.

CLASS, ORDER, AND DISEASE.	January.		February.		March.		April.		May		Tuno	e unic.	July	. 6.000	Angust	0	September.		October.		November.		December.		To	tal.
	м.	F.	м.	F.	м.	F.	м.	F.	м.	F.	м.	F.	м.	F.	м.	F.	м.	F.	м.	F.	м.	F.	М.	F.	Males.	Females
Class IV.—Brought forward	2	5	3	4	6	4	3	5	1	7	5	4	3	3	1	6	2	1	4	5	5	5	2	5	37	54
Class IV.—Order III.	1 3	2			2	·ï	1 3		2 1	·ï	2 3		2		3 3		1	1 1		 1	···i	1 1	2	1 2	16 14	3 9
2. Senile Decay	4	2			2	1	4	<u> </u>	3	1	5	-	2		6		1	2		1	1	2	2	3	30	12
Class IV.—Order IV.	3 2	1 3	5 3	2	5 5	5	1 3	2 3	4, 1	1 4	2 2	2 4	5	2 3	3	1	2 9	2 6	2 4	2 4	1 5	4 2	3 7	6 6	28 49	30 35
2. Debility Total, Class No. IV	11	11	11	 6	18	10	11	10	9	13	14	10	10	8	10	7	14	11	10	12	12	13	14	20	144	131
Class V.—Order I. 1. Fractures		1 2 2	2 1 7		1	1	 1 2 1 1 	1	2			 1	1 1 1 		1 1 4 4	::::::::::::::::::::::::::::::::::::::	2 1	 11 11 	1 3 3			1	2	 1 1 1 1 	111 2 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	5 2 5 6 6 8 2 2 1
Class V.—Crder III. 1. Murder 2. Manslaughter	and the same						1 1			1 003	-										1	:::	1		9 5	***
			1				2		3		. 2	2			1		2		1		1		1		14	
Class V.—Order IV. Suicide { Poison]			. 1	1	1							1				1		4 2	1
	1				1		.]				1.	1			-		-		1				1		7	1
Class V.—Order V.—Nil.									_	-					-	-		-	8	1	19	1	13	3	150	38
Total, Class No. V	15		5 18	3 4	15	5 5	2 8	3. 4	4 10	3	6 1	1 3	2 8	3 3	10) 3	14	4	8	1	10	1	10			-
Sudden Deaths (cause not asce tained) Deaths, cause ill-defined	 r- i			2										i		3]		: :::	ï	1	1	\	2		23	1 2
TOTAL DEATHS OF MALES AN	1D 96	3 4	1 7	9 30	5 11:	2 5	0 8	9 4	9 8	2 5	6 10	9 4	9 7	6 4	1 100	3	5 145	2 56	85	50) 111	57	111	75	3 1,192	593

Table No. XVIII.

Causes of Deaths of Males, at different periods of Life, Registered in Brisbane, during the Year 1871.

										MA	LES.		A. S.										
CLASS, ORDER, AND DISEASE.	Under 1 year	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 and upwards	Age unspecified	Total Deaths from each
Class I.—Order I.															,								
3A. Diphtheria 4. Quinsy 5. Croup 6. Whooping Cough 7. Typhus and Infantile Fever 1. Influenza, Coryza, Catarrh 2. Dysentery 3. Diarrhoea 4. Cholera 6. Remittent Fever, Fever, &c. 7. Rheumatism	 4 1 2 1 11 	 2 1 1 1 	1 2 1 	3	3 1 1 	1 14 3 4 2 12	3 1 1	 1 1 1	 	 1	"1 2 1	 	 1 1 	 1 					 		 1	 ii ii 	1
18. Others										ï												:::	
Class I.—Order II.	19	5	4	3	5	36	5	3	1	2	4	2.	2	1		.,.	1		1		1	2	. 6
1. Syphilis 2. Gonorrhea, Stricture of the Urethra	1					1				1													
	1					1				1									1				_
Class I.—Order III. 2. Want of Breast Milk 4. Alcoholism { Delirium Tremens Intemperance	7					7																	
(Intemperance	7	-	-			7								1									
Class I.—Order IV.					_							-			-						_	_	-
1. Thrush Total, Class I	-	5	4	3	5	48	5	3	1	3	4	2	2	2			1		2		1	2	
Class II.—Order I.												-						1			_		
2. Dropsy 3. Cancer, Tumor, and Polypus		1				2						ï	2			ï	 1	1					
(I) - TT 0 1 - TT	1	1				2						1	2			1	1	3					1
Class II.—Order II. 1. Scrofula	₁	2				₃			 1	2	4	9	5	1 		 1	 ï					2	2
Total, Class II	8	5							- 1	2	4	10	7			2	2	3				2	4
Class IIIOrder I.																_		_				_	
1. Cephalitis	1 18			1	 i	24	2	 ï		1 		 "i	 1 1	"i …	"i	1 3 1 		"i …	 1 2 				
8. Brain Disease	$\frac{2}{21}$	3	-2		1	28								ï									2
Class III.—Order II.						20	2	1		1		1	2	2	2	6	•••	1	3	•••			4
1. Pericarditis				 "ï	:::		 ï	:::	1	:::	2		1		:::	ï	 'ï	·		 ï	 'i'	 'i	
Class III.—Order III.				1	•••	1	1		1		2		1			1	. 1			1	1	1	1
1. Laryngitis 2. Bronchitis 3. Pleurisy 4. Pneumonia	2		 i			2 2					 1			 1 1	 1 1	 ï	"i		:::	* 1 	 2 	 ï	
4a. Congestion of the Lungs, Pul- monary Apoplexy 5. Asthma														1					:::				1
	2		1		1	4	1		2	4	1	3		3	2	1	1			2	3	1	2
Class III.—Order IV. 2. Enteritis	2					2																1 1	
7. Heus 1. Stomach Disease 4. Jaundice 5. Liver Disease	1 ₁								1				1		 1							1	
Closs IV	4					4			1				1		1							4	1
Class III.—carried forward	27	3	3	2	2	37	4	1	4	-5	3	4	4	5	5	8	2	1	3	3	4	6	9

Table No. XVIII.—continued.

Causes of Deaths of Males, at different periods of life, Registered in Brisbane, during the Year 1871—continued.

											MAI	ES.											
CLASS, ORDER, AND DISEASE.	Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 and upwards	Age unspecified.	Total Deaths from each
Class III.—Brought forward	27	3	3	2	2	37	4	1	4	5	3	4	4	5	5	8	2	1	3	3	4	6	9
Class III.—Order V. 3. Nephria								 "i 1				 1	1 1		 1 1	1	1				 1 1 2		
Class III.—Order VI.—Nil.																							
Class III.—Order VII. 2. Joint Disease			1			1										 							
Class III.—Order VIII.							1																
Total, Class No. III	27	3	4	2	2	38	5	2	4	5	3	5	6	5	6	9	3	1	3	3	6	6	11
Class IV.—Order I. 1. Premature Birth 4. Other Malformations 5. Teething	$\frac{2}{2}$ $\frac{2}{3}$ $\frac{7}{7}$	2 2				2 2 5 9											::: :::						
Class IV.—Order II.—Nil.																							
Class IV.—Order III. 1. Old Age 2. Senile Decay																ï		2	.1	1 2	7	:::	15,
																1		2	1	3	7		1
Class IV.—Order IV. 1. Atrophy 2. Debility	11 11	2	2			15 11	1					1											1
Total, Class No. IV	29	4	2			35	1					1				1		2	1	3	7		5
Class V.—Order I. 1. Fractures			 1 1	1 2	::: ::: ::: 1	 3 4	2	2	 2 1 3	 2 1 1 5	2	3 1 5	1 2	 1 1	1		 1 						2
Class V.—Order III.																				1			
Class V.—Order IV.—Nil.																							
Class V.—Order V.—Nil.																							
Total, Class No. V			1	2	1	4	2	2	3	5	2	5	2	1	1		1			1			2
Deaths, cause ill defined Deaths, cause unspecified	1				B	1						2	"ï										
TOTAL DEATHS OF MALES	96	17	11	7	8	139	13	7	9	15	13	25	18	10	7	12	7	6	6	7	14	10	31

Table No. XIX.

CAUSES of DEATHS of FEMALES, at different periods of life, REGISTERED in BRISBANE, during the Year 1871.

												FEM	ALES											
CLASS, ORDER, AND DISEASE		Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 and upwards	Age unspecified	Total deaths from each
								,																
Class I.—Order I.						1	1	1																
Quinsy			···	ï	2	···	5	1	1								:::							
. Typhus and Infantile Fever		1	1				2		1	1	ï	:::		ï										
Diarrhœa		12	7	1	:::		20	:::	:::		:::	:::		:::		:::						:::		2
Remittent Fever, Fever &c. Rheumatism,				1				ï	:::	1	:::	:::			2	:::								
		13	9	. 4	2	2	30	3	2	3	1			1	2				***					4
Class I.—Order II.—Nil.																								
Class I.—Order III.																								9
. Want of Breast Milk			1				1							·										
			1			7	1																	
Class I.—Order IV.		``																						
Thrush		1							ï															
Total, Class No. I		14	10	4	2	2	32	3	3	3	1			1	2									
				_												-						2,8		
Class II.—Order I.			1				1							1				1						
. Cancer													ï					1						-
			1				1			4			1	1				2	***					_
Class II.—Order II.																				150				
I. Scrofula B. Phthisis										ï	2	4	1		·::			2		·::	1:::			
k. Hydrocephalus 5. Others		4	1				5										:::	:::		:::				
Total, Class No. II		5	2			-	7			1	2	4	2	1	1			4		1				
Class IIIOrder I.																					1			
l. Cephalitis		1					1		1				1											
2. Apoplexy				1:::											2			1	1	1				
6. Epilepsy 7. Convulsions 8. Brain Disease, &c		15	3	i	ï		20		1												1			
		16	3	1	1		21	···	2			1	1	-	3			1	-					
Class III.—Order II.																								
3. Heart Disease												2	2										1	_
												2	2							-			1	
Class III.—Order III.																								
2. Bronchitis 3. Pleurisy		4					4	. 1000										1	1	73 0				
4. Pneumonia 4. Congestion of the Lungs,	Pul-	î					î					ï				1			1	115 000	The same in		1000	Carlo Line
monary Apoplexy 6. Lung Disease				1 :::		:::				1	1		1							()			1	
		6	-	-	-	-	6		-	2	1	-	-	-		-			-	ī				
Class III.—Order IV.																								
1. Gastritis 2. Enteritis		1	2			10.00	1 2				1	1	1								Lat.			36
3. Peritonitis 1. Stomach Disease				ï			1		1		1	1		1					::	.				
5. Liver Disease			***				- :::		1		1		1	2	2			- 2			L		0.00	
		1	2	1			4		-		2	-	1	2	3			2	2					-
Class III.—Carried forward	1	23	5	2	1		31		2	2	3	4		5 2	2 8	3 1		. 4	£\ :	3	1			1
		1											1											

Table No. XIX.—continued.

Causes of Deaths of Females, at different periods of life, Registered in Brisbane, during the Year 1871—continued.

	1											FE	MALE	s.										
CLASS, ORDER, AND DISEASE.	Under 1 year.		1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 and upwards	Age unspecified.	Total Deaths of Females from
Class_III.—Brought forward	. 2	23	5	2	1		31		2	2	3	4	5	2	3	1		4	3	1			1	62
Class III.—Order V. 7. Kidney Disease											1							.,.						1
Class III Ondon III]								1													1
Class III.—Order VI. 2. Uterus Disease										1]
Class III.—Order VII.	-									1														
2. Joint Disease											1]
Class III.—Order VIII.—Nil.	-																							
Total, Class No. III.		23	5	2	1		31		2	3	5	4	5	2	3	1		4	3	1			1	68
Class IV.—Order I.		2					2																	
4. Other Malformations 5. Teething		2 3	:::			:::	3	:::	:::	:::	-				-::	:::		:::			:::			
Class IV.—Order II.		7		***			7																	
2. Childbirth	-										1	2.		1 1									1	
Class IV.—Order III.		1		-						-											7			
1. Old Age 2. Senile Decay			:::			:::	*		***	:::	;		:::		:::	:::	ï 1		:::	2	ï	2 1 3		
Class IV.—Order IV.	-										-	-								_				
1. Atrophy		14 10	3				18 10		:::	:::	:::	:::	:::		1		:::			:::				10
	-	31	3		1		35				1	2		1	1		1			2	1	3	1	48
Class V.—Order I. 1. Fractures		1 1 1	1	 T	 1 1		1 1 2 1 1 		 1					"i 										1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
		3	1	1	2		7		1					1										
Class V.—Order IV.—Nil. Class V.—Order IV.—Nil. Class V.—Order V.—Nil.																								
Total, Class No. V.		3	1	1	2		7		1		···			1										
		1					1																	-
TOTAL DEATHS OF FEMALE FROM ALL CAUSES		77	21	7	6	2	113	3	6	7	9	10	8	5	7	1	1	8	3	4	. 1	3	2	19

Table No. XX.
SUMMARY of DEATHS of Males and Females, at different periods of life, Registered in Brisbane, during the Year 1871

	-	SANT SANT SANT	torney to make	-	CONTRACTOR OF THE PARTY OF THE	-	-	MANUFACTURE COMME	CLES ADDRESS OF	Commence de la commen	-	MCT. WARRANT	0	NAME OF TAXABLE PARTY.	11 101	-	NO. AND ADDRESS OF THE PARTY OF						
CAUSES OF DEATH.	Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 and upwards.	P	Total of all ages.
I.—Zymotic Diseases. 1. Miasmatic Diseases—Scarlatina, Diphtheria, Dysentery, Fevers, &c. 2. Enthetic Diseases—Hydrophobia, Syphilis, Glanders, &c. 3. Dietic Diseases—Privation, Scurvy, Delirium Tremens, &c. 4. Parasitic Diseases—Thrush, Worms, &c. TOTAL	32 1 7 5 45	14 1 	8	5	7 7	66 1 8 5	8	5 1 6	4	3 1 4	4 4	2	3	3 1 4			1		1 1 2		 1	2	103 3 9 6
II.—Constitutional Diseases. 1. Diathetic Diseases—Gout, Dropsy, Cancer, &c	1 12 13	2 5 7				3 17 20			₂	4 4	8 8	$\frac{2}{10}$	3 5 8	3		1 1 2	3 3 6	3 3	<u>1</u>				15 56 71
III.—Local Diseases. 1. Diseases of the Nervous System—Apoplexy, Paralysis, Insanity, Cephalitis, Convulsions, Ophthalmia, Brain Disease, &c 2. Diseases of the Organs of Circulation—Pericarditis, Aneurism, Heart Disease, &c. 3. "Respiratory System—Bronchitis, Pneumonia, Asthma, Pleurisy, &c. 4. "Digestive Organs—Gastritis, Entertitis, Peritonitis, Hernia, &c 5. "Urinary Organs—Nephritis, Ischuria, Diabetes, &c 6. "Organs of Generati m—Ovarian Dropsy, Uterus Disease, &c 7. "Joints—Arthritis, Ostitis, Peritositis, &c 8. "Integumentary System—Phlegmon, Ulcer, Skin Disease, &c TOTAL	37 8 5 	6 2 8	3 1 1 1 6	2 1 3	1 1 2	49 1 10 8 1 	2 1 1	3 1 	1 4 1 1 7	1 5 2 1 1 1 10	1 4 2 	2 2 4 1 1 	2 1 3 2 	5 3 	2 3 1 1 	6 1 1 1 9	1 1 2 2 2 1 	2 1 1 	3 1 	1 2 3	₁ 3 ₂ 6	2 1 4 	79 16 42 24 10 1 2 1
IV.—Developmental Diseases. 1. Diseases of Children—Premature Birth, Cyanosis, Teething, &c. 2. "Adults—Paramenia, Childbirth, &c 3. "Old People—Old Age, Senile Decay, &c. 4. "Nutrition—Atrophy, Debility Total	14 46 60	2 5	 2	 1		16 54 70	 1			"1 1	₂	 ₁	"1 ::: 1	 1		 2 		₂	3	4	10	₁	16 5 21 57
V.—Violence. 1. Accident or Negligence—Fractures, Contusions, Burns, Drowning, Suffocation, Wounds, &c. 2. Wounds in Battle—Gunshot Wounds, Sword, Bayonet, or other Wounds 3. Homicide—Murder and Manslaughter 4. Suicide—Poison, Drowning, Hanging, &c TOTAL Sudden Deaths, cause not ascertained Deaths, cause ill defined.	3 3	1 1	2 2	4	1 1	11 11	2 2	3 3	3 3	5 5	2 2	5 5	3 3	1 1	1		1 1			 1 1			37 1 38
Deaths, cause unspecified	173		18	13	10	252	16	13	16	24	23	32	24	17	8	13	15	9	10	8	17	12	509

Table No. XXI.

Deaths of Males and Females Registered in Brisbane, during each Month of the Year 1871.

CLASS, ORDER, AND DISEASE.		January.		Териналу	- Cross coop	March		Anril.		May.		Tune.		July		Anonst.		Sontamber		October		Morrounding	NOVELIBEE.	The state of the s	December.	T	otal.
		м.	F.	м.	F.	M.	F.	м.	F.	м.	F.	м.	F.	м.	F.	м.	F.	м.	F.	м.	F.	м.	F.	м.	F.	Males.	Females
Class I.—Order I.																_											
			"i	ï						:::	···i	1					1								1	1	2 2
5. Croup		ï		1				1		1	:::	3	2	3		2		4			1	2	1		1	17	5
7. Typhus (and infantile fever) .			1		1		1	:::		1		1				1	:::	4	ï	1	1	.2	:::	:::	ï	10	2
11. Influenza, Coryza, Catarrh .	:		ï			2		1										2		:::						1 4	1
13. Diarrhœa	:	1	2	3	1	3	3	1	2	1	2	1	2	:::	2			1	2		2		1	1	1 2	15 1 6	20
17. Rheumatism	::	2	ï	ï	1	1		1			1					:::					ï	2				1 1	2
18. Others																		1						6: 0			
m 7 0 1 77		4	6	6	3	6	4	4	2	4	4	6	4	4	2	3	1	12	3	1	5	6	2	5	6	61	42
Class I.—Order II.												1								1						2	
2. Gonorrhœa, Stricture of the	ne *			1																						1	
				1)	1						-		1						3	
Class I.—Order III.				-	-	-	-	-				-					-	-					-	-			1
2. Want of Breast Milk 4. Alcoholism {Delirium Tremens Intemperance	(18					2		1	1									2		1		1				7	1
(Intemperance)																			_					-		
01- T 0 1- TY						2		1	1	1	\							2		1		1				8	1
Class I.—Order IV.										1	1	1						1			ï			1		4	1 1
		4	6	7	3	8	4	5	3	6	5	8	4	4	2	3	1	15	3	3	6	7	2	6	6	76	45
				-	-			-	-garana		-		_	-	_			-									
Class II.—Order I.		1																								1	
2. Dropsy				ï	ï	2	1		7.	1	1							1	1	ï	ï	ï		1		3 6	3 2
		1		1	1	2	1			1	1			-				2	1	1	1	1	Ī	1	-	10	5
Class II.—Order II.		_	_	_	-	-	-				_	_	_					-					_	-	-	-	1
2. Tabes Mesenterica				ï					1	2								1	3							3	1
4. Hydrocephalus		1 2	2	1 2	1	1	1	2 1	1	1	ï	2	:::			3		6	3	2		3	1	4	2	26 8	11 5 1
m 4 1 01 - 37 - 17		4	2	5	3	4	3	3	2	5	2	2	-			3		9	4	4	2	4	2	5	3	48	23
Class III.—Order I.			_	_	-	_	-		-		_					0		_	-36	-		-		-			-
1. Cephalitis			1			1	1	1				2							1			1		1		6	3
3. Paralysis		:::		1		1			:::	1		2						1	1	2	1	2	ï	ï		8 4 2	2 2
6. Epilepsy		3		3	··· 1	4	1 1	2	···· i	3	***	2	1	···	2			2		3	 1	 ï	3	3	4	25	2 20
1 7: - 0-		1	· · · ·								1		2	1				ï	4			2	1			4	1
CI TYY Oulou II		4	1	4	1	6	3	3	1	4	1	7	3	1	2			4	6	5	3	6	5	5	4	49	30
														·		1	T					Ī		1		2	
		ï		ï							2	***					ïi	1	ï	···		ï		3	ï	8	5
	1	1		1				·			2		-			1	1	2	1	1		1		4	1	11	5
Class III.—Order III. 1. Laryngitis						-		-				-		-		-	-	-		-	-		-	-	-	2	
2. Bronchitis		1 1					ï	ï				1		1 ";	ï	ï		i	1		1	ï	ï	ï	1 1	6 2	6
4. Pneumonia 4A. Congestion of the Lungs, Pu										ï			1	2		3		5		3	ï	1	i	1		16	3
monary Apoplexy 5. Asthma													1					 1				1	2			1 1	3
6. Lung Disease				•••									74.						1								1
Class III.—Order IV.		2					1	1		1		1	2	4	1	4		7	2	3	2	3	4	2	2	28	14
1. Gastritis					1																						1 2
3. Peritonitis				ï									1	1				1						1		3 1 3	1
11. Stomach Disease, &c								1		ï	ï							1				1				1 1	"1
Tr Timen Discours Co.				2					ï		3		ï	1					ï		ï		1			2	8
				3	1		1	1	1	1	4		3	2				2	1		1	1	1	1		11	13
		Bush	1	8	2	6	5	5	2	6	7	8	8	7		5		15	10	9		11	10	12	7	99	62

Table No. XXI.—continued.

Class III.—Brought forward Class III.—Order V. 3. Nephria		м.	F.	м.	F.			-	April.	-	May.	a,	mr -	1	Jamy.	-	August	2	peptemper	0040400	OC C		November	4	Doggan	4		
Class III.—Order V. 3. Nephria			1		2.	м.	F.	м.	F.	м.	F.	M.	F.	м.	F.	м.	F.	м.	F.	M.	F.	y.	м.	F.	м.	F.	Males.	emal
3. Nephria				8	2	6	5	5	2	6	7	8	8	7	3	5	1	15	10	9	6	6	11	10	12	7	99	62
4. Diabetes										1													2					
6. Cystitis 7. Kidney Disease									***			···· 1						ï									3 1 1	
Class III.—Order VI.						1		1		1		ï								*				 1			1 3	
					-	1	 	1		2		2						1		-	-		2	1			9	
2. Uterus Disease				-	-					-	_			_	_	-	-		-		1	-						
2.000.00			-																			-						
Class III.—Order VII.									***												1							_
2. Joint Disease							1									1											1	
Class III.—Order VIII.							1									1											1	
Ulcer						1											.;.										1	
Total, Class No. III.		7	1	8	2	8	6	6	2	8	7	10	8	7	3	6	1	16	10	9	7	7]	13	11	12	7	110	6
Class IV.—Order I. Prenature Birth						1					;									1	1	1 .		1			2	
Other Malformations Teething			:::	ï	:::	ï	ï		:::		1	ï	ï	ï		:::			:::		:::		ï	ï		1	5	
Close IV Ouder II		1		1		2	1				i	1	1	1				1		1	1	1	1	2		1	9	
Class IV.—Order II. Childbirth			1				1		1						1				.1									
			1				1		1						1				1									
Class IV.—Order III. Old Age Senile Decay		1 2	2					ï		··i		2		2		2 1			1 1		 i	7			2	1 1	9 5	
. seme becay		3	2					1		1		2	_	2		3			2		1	+			2	2		
Class IV.—Order IV.		3	1	1	2	2	2	1	1	4	1		2	_	_	_			_			+				_	14	
Debility		1		î				1			. 2	ï	1	ï				1 4	3	1	1	1	1	3	3	2	17	1
Total, Class No. IV.		8	4	3	2	4	4	3	2	5	4	4	4	4	2	3		6	7	3	4	1	3	6	5	9	51	4
Class VOrder I.																										1		
Burns		:::	ï		:::	1			1					:::				1	:::	9		1			1		3 1	
Scalds Poison	:::			2	ï		:::		1		:::	:::	:::					:::	ï					:::				
Drowning Suffocation	***	1		2		4				1		1			:::		1	4	ï	. 1			1		3		18	
Injuries to Spine Killed by a Fall from a Ho	rse								···														ï				1	
Killed by Lightning Killed by Upsetting of a Veh	icle	ï			:::					1																	1	
Killed by a Falling Tree Killed by a kick from a Cow		1				ï																					1 2	
Run over by a Cart					ï																		1					
Class V.—Order III.		3	1	2	. 2	6			3	2		1					1	6	2	1			3		4		28	
Murder										1								a				. .					1	
										_1												. .					1	
Class V.—Order IV.—Nil.																												
Class V.—Order V.—Nil.																											- 1	
Total, Class No. V.		3	1	2	2	6			3	3		1					1	6	2	1			3		4		29	
														1				ï	 I	/			1				1 3	
OTAL DEATHS OF MALES AN FEMALES FROM ALL CAUS	D					30											-	-	-			-	-		-	-		

Table No. XXII.
SUMMARY Of DEATHS of MALES in MARYBOROUGH, during the Year

III.—Local I 1. Diseases of the Nervous System.—Apoplexy, P Ophthalmia, Brain Disease, &c. 2. Diseases of the Organs of Circulation—Perica 3. "Respiratory System—Bronchi 4. "Digestive Organs—Gastritis, E 5. "Urhary Organs—Gastritis, I 6. "Organs of Generation—Ovaria 7. "Joints—Arthritis, Ostitis, Peri 8. "Integumentary System—Phics TOTAL IV.—Development 1. Diseases of Children—Premature Birth, Cyan 2. "Adults—Paramenia, Childbirth, & 3. "Old People—Old Age, Senile Deca 4. "Nutrition—Atrophy, Debliity TOTAL V.—Violen	c Diseases. ria, Dysentery, , Glanders, &c. um Tremens, &	es	ocephalus			o c: c Under 1 year.	1 to 2.	:: so 2 to 3.	3 to 4.	4 to 5.	Total under 5 years.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 and upwards.	P
1. Minsmatic Diseases—Scarlatina, Diphtheria, 2. Enthetic Diseases—Hydrophobia, Syphiis, 3. Dietic Diseases—Privation, Scurvy, Delirium 4. Parasitic Diseases—Thrush, Worms, &c TOTAL II.—Constitution 1. Diathetic Diseases—Gout, &c 2. Tubercular Diseases—Gout, &c 2. Tubercular Diseases—Scrofula, Tabes Mesent TOTAL III.—Local I 1. Diseases of the Nervous System—Apoplexy, P Ophthalmia, Brain Disease, &c 2. Diseases of the Organs of Circulation—Perica 3. Respiratory System—Fronchi 4. Diseases of Croundation—Organs—Respiratis, I 6. Diseases of Croundation—Organs—Verbritis, I 7. Joints—Arthritis, Ostitis, Peri 8. Joints—Arthritis, Ostitis, Peri 9. Integumentary System—Phleg TOTAL IV.—Development 1. Diseases of Children—Premature Birth, Cyan 2. Adults—Paramenia, Childbirth. & 3. Old People—Old Age, Senile Deca 4. "Wirttion—Atrophy, Debility TOTAL	ria, Dysentery, , Glanders, &c. um Tremens, &	es	ocephalus			3				2	10														-	-	-
1. Diathetic Diseases—Gout, &c. 2. Tubercular Diseases—Scrofula, Tabes Meseni TOTAL III.—Local I 1. Diseases of the Nervous System—Apoplexy, P Ophthalmia, Brain Disease, &c. 2. Diseases of the Organs of Circulation—Perica 3. "Respiratory System—Bronchi 4. "Digestive Organs—Gastritis, E 5. "Urhary Organs—Vephritis, I 6. "Organs of Generation—Ovaria 7. "Joints—Arthritis, Ostitis, Perica 8. "Integumentary System—Phleg TOTAL IV.—Development 1. Diseases of Children—Premature Birth. Cyan 2. "Adults—Parameture Birth. Cyan 3. "Old People—Old Age, Senile Deca 4. "Nutrition—Atrophy, Debliity TOTAL V.—Violem	senterica, Phth	uisis, Hydro 				6	1		2	2	3				2 2	1	1 1	1		1							26 26
1. Diseases of the Nervous System—Apoplexy, P Ophthalmia, Brain Disease, &c. 2. Diseases of the Organs of Circulation—Perica 3. "Respiratory System—Bronchi 4. "Digestive Organs—Gastritis, I 6. "Urinary Organs—Vephritis, I 6. "Organs of Generation—Ovaria 7. "Joints—Arthritis, Ostitis, Peri 8. "Integumentary System—Phleg TOTAL IV.—Development 1. Diseases of Children—Premature Birth. Cyan 2. "Adults—Paramenia, Childbirth. & 3. "Old People—Old Age, Senile Deca 4. "Nutrition—Atrophy, Debility TOTAL V.—Violen	, Paralysis, In					<u>1</u>				<u>1</u>		<u>1</u>			2	2	1	"1						:::			,
1. Diseases of Children—Premature Birth. Cyan 2. "Adults—Paramenia, Childbirth. & 3. "Old People—Old Age, Senile Deca 4. "Yurition—Atrophy, Debility TOTAL V.—Violen	ricarditis, Anei chitis, Puenno s, Enteritis, Pe s, Ischuria, Dia arian Dropsy, 1 Periostitis, &c. legmon, Ulcer,	urism, Hea mia, Asthn ritonitis, H abetes, &c. Uterus Disc , Skin Disc	art Diseas ma, Pleuri Hernia, &c sease, &c.	60, &c. isy, &c.	ons,	21 3 	3 1 4	1 1 1 3	 1 		25 2 5 	2 2		 1 1 			 1 1 	1 1 	₁ ₁ ₂	1	 2 			2 2			7 6 1
	yanosis, Teethi	ng, &c				5 6 11	 2 2	 1			5 9 14	 1							:::	:::			1	1	1		
5. Execution—Hanging Total	ntusions, Eu	rns, Drov	ounds		on,	2		1		1						1											2
Sudden Deaths, cause not ascertained Deaths, cause ill defined Deaths, cause unspecified Totals from all					-	1	7	7	1	4	2							.		1			1	:::	:::		₄

Table No. XXIII.

SUMMARY of DEATHS of FEMALES in MARYBOROUGH, during the Year 1871.

	THE REAL PROPERTY.		-	constitution of	-	escussore	DESCRIPTION OF THE	CHRONING	1	1	1	1	ar outments com	1		1	-	1	1		, 1	3	ro,
CAUSES OF DEATH.	Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 and upwards.	P.	Total of all ages
I.—Zymotic Diseases.	5	2				7				1												2	
Miasmatic Diseases—Scarlatina, Diphtheria, Dysentery, Fevers, &c. Enthetic Diseases—Hydrophobia, Syphilis, Glanders, &c. Dietic Diseases—Privation, Scurvy, Delirium Tremens, &c. Parasitic Diseases—Thrush, Worms, &c.		:::			:::			:::														2	11
TOTAL	6	2	6			- 8				1													
II.—Constitutional Diseases.										,	2	2				2				1			9
1. Diathetic Diseases—Gout, Dropsy, Cancer, &c 2. Tubercular Diseases—Scrofula, Tabes Mesenterica, Phthisis, Hydrocephalus, &c	1		1			2				1	2	2				2							9
TOTAL																							
III.—Local Diseases. 1. Diseases of the Nervous System—Apoplexy, Paralysis, Insanity, Cephalitis, Convulsions, Ophthalmia, Brain Disease, &c. 2. Diseases of the Organs of Circulation—Pericarditis, Aneurism, Heart Disease, &c. 3. Resulvatory System—Bronchitis, Pneumonia, Asthma. Pleurisy, &c. 4. "Digeative Organs—Gastritis, Entertis, Peritonitis, Hernia, &c. 5. "Urinary Organs—Nephritis, Ischuria, Diabetes, &c. 6. "Organs of Generalion—Ovarian Dropsy, Uterus Disease, &c. 7. "Joint—Arthritis, Ostitis, Periostitis, &c. 8. "Integumentary System—Phlegmon, Ulcer, Skin Disease, &c. TOTAL	2	1 1	1 1 2			17 2 3 	::: ::: ::: ::: :::		 1	 1					"1 "1 ": ": ": ": "2								17 1 2 5 2 1
IV.—Developmental Diseases. 1. Diseases of Children—Premature Birth, Cyanosis, Teething, &c	5		-			7 7					₁									1			1
V.—Violence. 1. Accident or Negligence—Fractures, Contusions, Burns, Drowning, Suffocation, Wounds, &c. 2. Wounds in Battle—Gunshot Wounds, Sword, Bayonet, or other Wounds 3. Homicide—Murder and Manslaughter 4. Suicide—Poison, Drowning, Hanging, &c. 5. Execution—Hanging		2			1	3	1								1								**
TOTAL		2			1	-	-								1								
Sudden Deaths, cause not ascertained		1													:::				:::				
TOTALS FROM ALL CAUSES	. 3	5 10	3		1	49	2		1	3	4	2			3	2				1		2	1 (

Table No. XXIV.

Summary of Deaths of Males and Females in Maryborough, during the Year 1871.

	Water State of the	THE RESIDENCE OF THE PARTY OF T	N. Complete Control State Cont	THE REAL PROPERTY.	1	1	The same of the same of	-	-	-	-	22022	and Deservations	-	0			-	BON-WHITE WAY	Стационети	and the same of th	-	-	WWW. London Com.	-		
	CAUSE OF DEATH.		1		Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	.45 to 50.	50 to 55.	55 to 60,	60 to 65.	65 to 70.	70 to 75.	75 and upwards.	P.	Total of all ages.
																										-	0014
Miasmatic Diseases.—Scarlatin Enthetic Diseases—Hydrophol Dietic Diseases—Privation, Sc Parasitic Diseases—Thrush, W	bia, Syphilis, Glanders, &c.	e			8 4 12	3 3	2 2	 2	 2	17 4 21				3	1 1	1 1	1		 1	 						28	51 1 4 56
77	-Constitutional Diseases	g											-									Market Market sample	-				
Diathetic Diseases—Gout, Dro Tubercular Diseases—Scrofula	psy, Cancer, &c a, Tabes Mesenterica, Phthis	sis, Hydroce			2	-				₄	1		1	3	4	3	1	1	1	2	:::	-:::			9	,	1 27
	FOTAL				2		1		1	4	1		1	3	4	3	1	1	1	2						7	28
1. Diseases of the Nervous System Ophthalmia, Brain Disease 2. Diseases of the Organs of Circ 3. Respiratory Sys 4. Dipestive Organ 5. Urinary Organ.	es, &c. <i>ulation</i> —Pericarditis, Aneu <i>stem</i> —Bronchitis, Pneumon <i>ss</i> —Gastritis, Enteritis, Per <i>s</i> —Neuhritis, Ischuria, Dial	rism, Heart lia, Asthma, itonitis, Her	Disease, & Pleurisy, & nia, &c.	e te	33 5	7 1 2	2 2 1			42 4 8	 1		 1 1			1	1 1 		1 1 				2			 6 1	48 4 11 15
7. , Joints—Arthrit 8. , Integumentary	eration—Ovarian Dropsy, Utis, Ostitis, Periostitis, &c. System—Phlegmon, Ulcer,		e, &c										₁	₁	₁												1 2 1
Т	OTAL				38	10	5	1		54	3		3	1	1	2	2	2	3	2		1	2			7	82
1. Diseases of Children—Premata	a, Childbirth, &c ge, Senile Decay, &c				 11	4			:::	12 16	::: ::: ₁		 ₁		1									₂			12 1 4 18
Т	OTAL				23	4	1			28	1		1		1				-			1	1	2			35
	V.—Violence.																										50
Accident or Negligence—Fi Wounds, &c. Wounds in Battle—Gunshot W Homicide—Murder and Mansl: Suicide—Poison, Drowning, H: Execution—Hanging T	Vounds, Sword, Bayonet, or aughter	other Woun	ing, Suffe		4		 		2	7 7	2			3	3 1 1 	1	1 	 	1	1						2 2	22 1 1
Sudden Deaths, cause not ascert. Deaths, cause ill defined Deaths, cause unspecified					1			1		2										:::		1	/.::			 4. 7	7
T	COTALS FROM ALL CAUSES				80	17	10	4	5	116	7		5	10	12	7	5	4	6	6		2	3	2		55	240

Table No. XXV.
SUMMARY of DEATHS of MALES in ROCKHAMPTON, during the Year 1871.

	NAME OF TAXABLE PARTY.	STATE OF THE PERSON NAMED IN	NO DESCRIPTION OF	THE RESIDENCE OF THE PARTY OF T	PLANE SPRINGS	THE OWNER OF TAXABLE	STREET THE PERSON NAMED IN	THE REAL PROPERTY.	CHESTONE	NAME OF STREET	NAME OF THE OWNER,	TO A SUPERIOR OF THE PARTY OF T	CHATON CHICAGO	WEST THE PERSON	NOW BENEVOLENS	THE WHAT SELLEN	THE RESIDENCE OF THE PARTY OF	NAME OF TAXABLE PARTY.	ON CHICAGO PRINTER	SCHOOL STATES	CONTROL OF THE PARTY OF	DEPRODUCTION OF THE	Charles Street,
CAUSES OF DEATH.	Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 and upwards,	p	Total of all ages.
I.—Zymotic Diseases. 1. Miasmatic Diseases—Scarlatina, Diptherja, Dysentery, Fevers, &c. 2. Enthetic Diseases—Hydrophobia, Syphilis, Glanders, &c. 3. Dietic Diseases—Privation, Scurvy, Del'rium Tremens, &c. 4. Parastito Diseases—Thrush, Worms, &c		2	3	2		19	2					1		2		1		1			:::	2	
TOTAL	12	2	. 3	2		19	2			1	1	2		2	1	1		1				2	3
II.—Constitutional Diseases. 1. Diseases—Gout, Dropsy, Cancer, &c	:::	"1				1			₁		₂	7	₁	₂	-::-								
III.—Local Diseases. 1. Diseases of the Nervous System—Apoplexy, Paralysis, Insanity, Cephalitis, Convulsions, Ophthalmia, Brain Disease, &c 2. Diseases of the Organs of Circulation—Pericarditis, Aneurism, Heart Disease, &c 3. "Respiratory System—Bronchitis, Pneumonia, Asthma, Pleurisy, &c 4. "Digestive Organs—Gastritis, Enteritis, Peritonitis, Hernia, &c 5. "Urinary Organs—Astritis, Enteritis, Peritonitis, Hernia, &c 6. "Organs of Generali m—Ovarian Dropsy, Uterus Disease, &c 7. "Joints—Arthritis, Ostitis, Periostitis, &c 8. "Integumentary System—Phlegmon, Ulcer, Skin Disease, &c	1 1 			3	1	12 1 1 	1 ::: ::: :::		₁	1	1 1 	1 1 1 	1 1 1 	₂ 1		2		4 1 1 		 1 		 1 	
TOTAL	7	3		3	1	14	1		1	1		3		3		2		6		1			
IV.—Developmental Diseases.	6 8					6 8					:::			 ₁						₁	1		
TOTAL	14					14								1					1	1	1		
V.—Violence. 1. Accident or Negligence—Fractures, Contusions, Burns, Drowning, Suffocation, Wounds, &c. 2. Wounds in Battle—Gunshot Wounds, Sword, Bayonet, or other Wounds 3. Homicide—Murder and Manslaughter 4. Sutcide—Poison, Drowning, Hanging, &c								 			2			 	 !# 			:::		:::			
5. Execution—Hanging								1			2	1											
Sudden Deaths, cause not ascertained	1					1							:::				:::	1	:::	:::	:::		
	-	-	normalisme from	presentation of the san	-	-	-	-			-	President polytopic recommendation of the least and the le	-	-		-	Marriagen others	-		-	-	3]

Table No. XXVI.

Summary of Deaths of Females in Rockhampton, during the Year 1871.

CAUSE OF DEATH.	Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 and upwards.	P	Total of all ages
I.—Zymotic Diseases. 1. Miasmatic Diseases.—Scarlatina. Diphtheria, Dysentery, Fever, &c 2. Enthetic Diseases.—Hydrophobia, Syphilis, Glanders, &c 3. Dietic Diseases.—Privation, Scurvy, Delirium Tremens, &c 4. Parasitic Diseases.—Thrush, Worms, &c Total	8 8	5 5	 1	2		16 16	1 1		 		2	1 1 2	1	₁ ₁	1				1	 1		:::	25 2 27
II.—Constitutional Diseases. 1. Diathetic Diseases—Gout, Dropsy, Cancer, &c 2. Tubercular Diseases—Scrofula, Tabes Mesenterica, Phthisis, Hydrocephalus, &c Total				₁		₁			₁				₁					1					1 3 4
III.—Local Diseases. 1. Diseases of the Nervous System—Apoplexy, Paralysis, Insanity, Cephalitis, Convulsions, Ophthalmia, Brain Diseases, &c. 2. Diseases of the Organs of Circulation—Pericarditis, Aneurism, Heart Disease, &c. 3. Respiratory System—Bronchitis, Pneumonia, Asthma, Pleurisy, &c. 4. Digestive Organs—Gastritis, Enteritis, Peritonitis, Hernia, &c. 5. "Urinary Organs—Nephritis, Isahuria, Diabetes, &c. 6. "Organs of Generation—Ovarian Dropsy, Uterus Disease, &c. 7. "Joints—Arthritis, Ostitis, Periostitis, &c. 8. "Integumentary System—Phlegmon, Ulcer, Skin Disease, &c. TOTAL		1 1 1 6		1 ···· ··· ··· ··· ··· ··· ··· ··· ···	 "1 	10 2 3 1				 1 									::				10 3 3 1
IV.—Developmental Diseases. 1. Diseases of Children—Premature Birth, Cyanosis, Teething, &c. 2. "Adults—Paramenia, Childbirth, &c		3 3				4 2 6				1 1			₂	1						 1			4 5 2 5 16
V.—Violence. 1. Accident or Negligence—Fractures, Contusions, Burns, Drowning, Suffocation, Wounds, &c. 2. Wounds in Battle—Gunshot Wounds, Sword, Bayonet, or other Wounds 3. Homicide—Murder and Manslaughter 4. Suicide—Poison, Drowning, Hanging, &c 5. Execution—Hanging Total											1												1
Sudden Deaths, cause not ascertained				***	:::	39						3 3	:::					2		2			65

Table No. XXVII. SUMMARY of DEATHS of MALES and FEMALES in ROCKHAMPTON, during the Year 1871.

		-	1			1		1	1	-	-	NO STREET, STR	-	1	Marine Marine	-	-	enousements.	-	SANCH CHES	eteronome.	-	
CAUSES OF DEATH.	Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 and upwards.	5	Total of all ages.
I.—Zymotic Diseases. 1. Miasmatic Diseases—Scarlatina, Diphtheria, Dysentery, Fevers, &c. 2. Enthetic Diseases—Hydrophobia, Syphilis, Glanders, &c. 3. Dietic Diseases—Privation, Scurvy, Delirium Tremens, &c. 4. Parasitic Diseases—Thrush, Worms, &c.	20	7	4	4		35	3		1	1	3	2 1 1	1	2 1	1 ₁	1		 	1	1		2	5
TOTAL	20	7	4	4		35	3		1	1	-	4	1	3	2	1		1	1			2	5
II.—Constitutional Diseases. 1. Diathetic Diseases—Gout, Dropsy, Cancer, &c 2. Tuberoular Diseases—Scrofula, Tabes Mesenterica, Phthisis, Hydrocephalus, &c TOTAL		1		<u>1</u>							2						:::			:::			1
III.—Local Diseases.																		1					1:
7. """ Joints—Arthritis, Ostitis, Periostitis, &c Intervmentary, System—Phlegman, Ulgar, Skip, Disease, &c Intervmentary, System—Phlegman, Ulgar, Skip, Disease, &c	10 2 3	7		4	 1 	22 3 4 	 		₁	2	1 1 	1 1 	1 1 	 2 1 		 2 		 1 1 				 1 	26 10 10 4
TOTAL	15	9		4	2	30	1		1	2	2	3	3	3		2		6		1		1	58
Total	7 10 17	3				10			*::	1			3							2		:::	10 5 5 5 14
VViolence.						20				1		1	5	2				. 1	1	2	1		34
1. Accident or Negligence—Fractures, Contusions, Burns, Drowning, Suffocation, Wounds, &c. 2. Wounds in Battle—Gunshot Wounds, Sword, Bayonet, or other Wounds 3. Homicide—Murder and Manslaughter 4. Sutcide—Poison, Drowning, Hanging, &c Total Sudden Deaths, cause not ascertained Deaths, cause ill defined Deaths, cause unspecified								1			3 3	1 1											5 5
		20	4	9	3	88			4		10	9		10	2							:::	2

Table No. XXVIII.

Summary o Deaths of Males in Mackay, during the Year 1871.

	21.21.21	TO TO TO	DESCRIPTION AND PORTION	NAME OF THE OWNER, OF THE OWNER, OF THE OWNER, OF THE OWNER, OWNER, OWNER, OWNER, OWNER, OWNER, OWNER, OWNER,	OI II	NAME AND ADDRESS OF THE OWNER, WHEN PARTY AND AD	CHARGE BARRIER	NAME OF TAXABLE PARTY.	na mandamount	ALDERSON STREET	MARKET LEVEL OF THE	DENTH CHINE	NAME OF TAXABLE PARTY.	PERSONAL PROPERTY.	and the same of th	1	1	1	1	- 1		.		100
CAUSES OF DEATH	Under 1 year.		3	2 to 3.	3 to 4.	4 to 5.	Total under 5 years.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 and upwards.	?	Total of all ages.
Compared to the compared to th	-	-		-	-																			
I.—Zymotic Diseases. 1. Miasmatic Diseases—Scarlatina, Diphtheria, Dysentery, Fevers, &c. 2. Enthetic Diseases—Hydrophobia, Syphilis, Glanders, &c. 3. Dietic Diseases—Privation, Scurvy, Delirium Tremens, &c. 4. Parasitic Diseases—Thrush, Worms, &c.				1	1	 	4			 2		2	 1	5 5										14
TOTAL											1							-			-			
II.—Constitutional Diseases.																1								1 2
1. Diathetic Diseases—Gout, &c. 2. Tubercular Diseases—Scrofula, Tabes Mesenterica, Phthisis, Hydrocephalus, &c.		100		۸.					2		•••													3
TOTAL									2							1								
III.—Local Diseases.	-																							
5. "Digestee Orygins—Seasiths, Ischuria, Diabetes, &c 5. "Urinary Organs—Nephritis, Ischuria, Diabetes, &c 6. "Organs of Generation—Ovarian Dropsy, Uterus Disease, &c 7. "Joints—Arthritis, Ostitis, Periostitis, &c 8. "Integumentary System—Phlegmon, Ulcer, Skin Disease, &c			1				1 1		1		1 1 2		"1 1			"1 ":: ": "1 ":""1 ":: "1 ":: "1 ":: "1 ":: "1 ":: "1 ":""1 ":""1 ":""1 ":""1 ":""1 ":""1 ":""1 ":""1 ":""1 ":""1 ":""1 ":""1 ":""1 ":""1 ":""1 ":""1 ":""1 ":""1 ":"""1 ":"""1 ":"""1 ":"""1 ":"""1 ":"""1 ":"""1 ":"""1 ":"""1 ":"""1 ":"""1 ":"""1 ":""""1 ":"""""1 ":""""""""		1					2 2	10
2. "Adults—Paramenia, Childbirth, &c			:::																					1 3
		2	1				3												•••					
Wounds, &c. 2. Wounds in Battle—Gunshot Wounds, Sword, Bayonet, or other Wounds 3. Homicide—Murder and Manslaughter 4. Suicide—Poison, Drowning, Hanging, &c 5. Execution—Hanging Total Sudden Deaths, cause not ascertained				1		1	2 2			1		and the same of	1	2					1				1 1	8 8
Deaths, cause ill defined			"1				1				1 2 3 9													
TOTAL MALES FROM ALL CAUSES		3	4	2	1	1	11		3		3 2	2 2		3 8		2				1 1			5	42

Table No. XXIX.

SUMMARY of DEATHS of FEMALES in MACKAY, during the Year 1871.

	CAUSES OF DEAT	Н.			Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	.25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65,	65 to 70.	70 to 75.	75 and upwards.	P	Total of all ages
1 77	I.—Zymotic Disea	ses.										,													-		-
 Miasmatic Diseases—Scarls Enthetic Diseases—Hydrop Dietic Diseases—Privation, Parasitic Diseases—Thrush 	nobia, Syphilis, Glander	rs, &c					2			3 1					1	1											
	TOTAL			,	1	1	2			4					1												
I	I.—Constitutional Di	iseases.							-	-																	
 Diathetic Diseases—Gout, I Tuberoular Diseases—Scrof 	ula, Tabes Mesenterica,	Phthisis, Hydr	ocephalus, &							:::					1												١
	TOTAL												.,.		1						1						-
1. Diseases of the Nervous Sys	III.—Local Diseas	es,																									
5. " Urthary Or 6. " Organs of 7. " Joint—Arth 8. " Integumente	ryans—Gastritis, Enteri yans—Nephritis, Ischu Generation—Ovarian Dr uritis, Ostitis, Periositis yry System—Phlegmon,	tis, Peritonitis, ria, Diabetes, & copsy, Uterus D b, &c Ulcer, Skin Dis	Hernia, &c. c pisease, &c gease, &c.	, &c			 			1				1	 1 1												
1. Diseases of Children—Pren 2. Adults—Param	enia, Childbirth, &c. d Age, Senile Decay, &c ophy, Debility	Teething, &c.		* *																							
	TOTAL				1		1			2													[
1. Accident or Negligence—	V.—Violence. Fractures. Contusions	s. Burns Dro	nwning C.	Pontio-											-									-		-	
Wounds, &c. 2. Wounds in Battle—Gunsho 3. Homicide—Murder and Ma 4. Suicide—Poison, Drowning, 5. Execution—Hanging	ot Wounds, Sword, Bay	onet, or other V	Wounds														1										•••
	TOTAL		/			7											1					:::					
	certained																										
	TOTAL FEMALES FROM	ALL CAUSES .			2	1	4			7				1	3	1				-		75					

Table No. XXX.

Summary of Deaths of Males and Females in Mackay, during the Year 1871.

	-	1	1	1	1	-	1	-	-	1	1	1	1	- 1			1		1			1	oi I
CAUSE OF DEATH.	Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 and upwards,	P	Total of all ages
I.—Zymotic Diseases. 1. Miasmatic Diseases.—Scarlatina, Diphtheria, Dysentery, Fever, &c	 ₁	3	3			 1			2 	:::	3		5 					 				:::	19
TOTAL	1	3	3	1		8			2		3	2	5 .										20
II.—Constitutional Diseases. 1. Diathetic Diseases—Gout, Dropsy, Cancer, &c 2. Tubercular Diseases—Scrofula, Tabes Mesenterica, Phthisis, Hydrocephalus, &c								2	*		1	•••			1		:::		:::				1 3
TOTAL								2			1				1								4
III.—Local Diseases. 1. Diseases of the Nervous System—Apoplexy, Paralysis, Insanity, Cephalitis, Convulsions, Ophthalmia, Brain Diseases, &c. 2. Diseases of the Organs of Circulation—Pericarditis, Aneurism, Heart Disease, &c. 3. Respiratory System—Bronchitis, Pneumonia, Asthma, Pleurisy, &c. 4. Digestive Organs—Gastritis, Entertitis, Pericotitis, Perinia, &c. 5. Urinary Organs—Nephritis, Ischuria, Diabetes, &c. 6. Organs of Generation—Ovarian Dropsy, Uterus Disease, &c. 7. Joints—Arthritis, Ostitis, Periostitis, &c. 8. Integumentary System—Phlegmon, Ulcer, Skin Disease, &c.			 			1 1 				1 1 1 	 	₁	₁		 1 		 					2 2	5 3 2 3
TOTAL	1		. 1			2		1		3	1	1	1		1		1						15
IV.—Developmental Diseases.	2 1	1	 1			3 2 5																	3 2 5
V.—Violence.	-		-	-		-																	
1. Accident or Negligence—Fractures, Contusions, Burns, Drowning, Suffocation, Wounds, &c. 2. Wounds in Battle—Gunshot Wounds, Sword, Bayonet, or other Wounds 3. Homicide—Murder and Manslaughter 4. Suicide—Poison, Drowning, Hanging, &c 5. Execution—Hanging Total Sudden Deaths, cause not ascertained	····		1		1	2 2			1			1 1	3 3					1				1	9
Deaths, cause ill defined	100	"1	:::	:::	:::	"1	:::		·		:::	:::				:::	:::		"1	:::	:::	2	4
TOTAL FROM ALL CAUSES	5	5	6	1	1	18	 3. X.	3	3	3	5	4	9		2		1	1	1			5	55

Table No. XXXI. SUMMARY of DEATHS of MALES in TOWNSVILLE, during the Year 1871.

CAUSES OF DEATH.	Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 and upwards.	P	Total of all ages.
I.—Zymotic Diseases. 1. Miasmatic Diseases—Scarlatina, Diphtheria, Dysentery, Fevers, &c. 2. Enthetic Diseases—Hydrophobia, Syphilis, Glanders, &c. 3. Dietic Diseases—Privation, Scurvy, Delirium Tremens, &c. 4. Parasitic Diseases—Thrush, Worms, &c.	4					4						2	₁	2	 	 1	 						4
TOTAL	4					4				2	1	2	2	2	1	1	1						16
II.—Constitutional Diseases. 1. Diathetic Diseases—Gout, &c												₂			1 2		:::						1 3
III.—Local Diseases. 1. Diseases of the Nervous System—Apoplexy, Paralvsis, Insanity, Cephalitis, Convulsions, Ophthalmia, Brain Disease, &c	3		2 2			5 5.	::		Y	1 	 2 	 1 	 2 	₁			 1 						13
IV.—Developmental Diseases. 1. Diseases of Children—Premature Birth, Cyanosis, Teething, &c. 2. "Adults—Paramenia, Childbirth, &c 3. "Old People—Old Age, Senile Decay, &c 4. "Nutrition—Atrophy, Debility	1	1 				2 																	
V.—Violence.	1	1				2			1			1								,			4
1. Accident or Negligence—Fractures, Contusions, Burns, Drowning, Suffocation, Wounds, &c. 2. Wounds in Battle—Gunshot Wounds, Sword, Bayonet, or other Wounds 3. Homicide—Murder and Manslaughter 4. Suicide—Poison, Drowning, Hanging, &c TOTAL Sudden Deaths, cause not ascertained Violent Deaths, cause not ascertained Poeths, cause unspecified							1 1		1 1		1 1	1 1	 1	1									
Total Males from all Causes	8		2		20 2	11	1		2	3	4	8		4	3	1	2						4

Table No. XXXII.

SUMMARY of DEATHS of FEMALES in TOWNSVILLE, during the Year 1871.

	-	SAUTO BARRIONE	THE REAL PROPERTY.	-	-	******	CONTRACTOR OF	-		-	-	-	THE RESIDENCE AND ADDRESS OF THE PERSON NAMED IN COLUMN 1	NI SHIP OF STREET									
CAUSES OF DEATH.	Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 and upwards.	P	Total of all ages.
I.—Zymotic Diseases. 1. Miasmatic Diseases—Scarlatina, Diphtheria, Dysentery, Fevers, &c. 2. Enthetic Diseases—Hydrophobia, Syphilis, Glanders, &c. 3. Dietic Diseases—Privation, Scurvy, Delirium Tremens, &c. 4. Parasitic Diseases—Thrush, Worms, &c. Total										1													
II.—Constitutional Diseases. 1. Diathetic Diseases—Gout, Dropsy, Cancer, &c	₁	1		:::		₂																	
III.—Local Diseases. 1. Diseases of the Nervous System—Apoplexy, Paralysis, Insanity, Cephalitis, Convulsions, Ophthalmia, Brain Disease, &c. 2. Diseases of the Organs of Circulation—Pericarditis, Aneurism, Heart Disease, &c. 3. Respiratory System—Bronchitis, Pneumonia, Asthma, Pleurisy, &c. 4. Digestive Organs—Gastritis, Enteritis, Peritonitis, Hernia, &c. 5. Urinary Organs—Nephritis, Ischuria, Diabetes, &c. 6. Organs of Generation—Ovarian Dropsy, Uterus Disease, &c. 7. Joint—Arthritis, Ostitis, Periostitis, &c. 8. Integumentary System—Phlegmon, Ulcer, Skin Disease, &c.		1				5		:::					 2 										5 2
IV.—Developmental Diseases. 1. Diseases of Children—Premature Birth, Cyanosis, Teething, &c. 2. , Adults—Paramenia, Childbirth, &c. 3. , Old People—Old Age, Senile Decay, &c. 4. , Nutrition—Atrophy, Debility	1 1					1 1							1										1 2
V.—Violence. 1. Accident or Negligence—Fractures, Contusions, Burns, Drowning, Suffocation,	2					2						1	1										4
Wounds, &c. ———————————————————————————————————										1 													1'
Sudden Deaths, cause not ascertained		:::	:::				:::											:::			:::		
TOTAL FEMALES FROM ALL CAUSES	7	2				9				2		1	3		[·					15

Table No. XXXIII.

Summary of Deaths of Males and Females in Townsville, during the Year 1871.

CAUSES OF DEATH.	Under 1 year.	1 to 2.	2 to 3.	3 to 4.	Total under 5 years.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 and upwards,	P	Total of all ages.
I.—Zymotic Diseases. 1. Miasmatic Diseases—Scarlatina, Diphtheria, Dysentery, Fevers, &c. 2. Enthetic Diseases—Hydrophobia, Syphilis, Glanders, &c. 3. Dietic Diseases—Privation, Scurvy, Delirium Tremens, &c. 4. Parasitic Diseases—Thrush, Worms, &c.	4				 4				3	1 1	2	₁ ₂	2 2	1	 1	1						4
II.—Constitutional Diseases. 1. Diathetic Diseases—Gout, Dropsy, Cancer, &c 2. Tubercular Diseases—Scrofula, Tabes Mesenterica, Phthisis, Hydrocephalus, &c Total	"1	<u>1</u>	:::		 ₂					::	₂			1 1 2								1 5 6
III.—Local Diseases. 1. Diseases of the Nervous System—Apoplexy, Paralysis, Insanity, Cephalitis, Convulsions, Ophthalmia, Brain Disease, &c		1 	2 2		10	*			1 	 2 	 1 1	 4 	"1 "" "" "" ""			 1 						11 1 3 5
IV.—Developmental Diseases. 1. Diseases of Children—Premature Birth, Cyanosis, Teething, &c	2 1 				 3 1 4			1			₁ 2	"1 ": "1										3 2 3 3
V.—Violence. 1. Accident or Negligence—Fractures, Contusions, Burns, Drowning, Suffocation, Wounds, &c. 2. Wounds in Battle—Gunshot Wounds, Sword, Bayonet, or other Wounds 3. Homicide—Murder and Manslaughter 4. Suicide—Poison, Drowning, Hanging, &c Total Total					 	1		1	1	1	1 1	 1 	1 1									1
Sudden Deaths, cause not ascertained Violent Deaths not classed	. 1	5 3	2	:::	 20	:::	:::	2	:::	4	9	8	4	3	1	2	1		1	:::		5

Table No. XXXIV.
Summary of Deaths of Males in Gilberton, during the Year 1871.

The state of the s	THE SHAPE SH	,		- District		TITUTE	2 111 (NILDE	RION,	uurn	ng the	Leal	1017		M married and		idomorphic and the second							
CAUSES OF DEATH.	71	Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 80.	60 to 65.	65 to 70.	70 to 75.	75 and upwards.	P	Total of all ages.
I.—Zymotic Diseases. 1. Miasmatic Diseases—Scarlatina, Diphtheria, Dysentery, Fevers, &c. 2. Enthetic Diseases—Hydrophobia, Syphilis, Glanders, &c. 3. Dietic Diseases—Privation, Scurvy, Delirium Tremens, &c. 4. Parasitic Diseases—Thrush, Worms, &c. Total	: :::						***			1	5 5	6	6 6	9	44	4	:::	1 1						36
II.—Constitutional Diseases. 1. Diathetic Diseases—Gout, &c. 2. Tubercular Diseases—Scrofula, Tabes Mesenterica, Phthisis, Hydrocephalus, &c. TOTAL								:::		1			1		1		1	:::	:::	:::			:::	4
III.—Local Diseases. 1. Diseases of the Nervous System—Apoplexy, Paralysis, Insanity, Cephalitis, Convu Ophthalmia, Brain Disease, &c. 2. Diseases of the Organs of Circulation—Pericarditis, Aneurism, Heart Disease, &c. 3. Respiratory System—Bronchitis, Pneumonia, Asthma, Pleurisy, & Digestive Organs—Gastritis, Enteritis, Peritonitis, Henria, &c 5. Urinary Organs—Nephritis, Isohuria, Diabetes, &c 6. Organs of Generation—Ovarian Dropsy, Uterus Disease, &c 7. Joints—Arthritis, Ostitis, Periostitis, &c 8. Integumentary System—Phlegmon, Ulcer, Skin Disease, &c	e	1	 ₁ 	7:::			 1 1 				1	1	2	1	 									5 2 1
Total		1	1			-::-	2				1	1	2	1	1									8
1. Diseases of Children—Premature Birth, Cyanosis, Teething, &c. 2. "Adults—Paramenia, Childbirth, &c" 3. "Old People—Old Age, Senile Decay, &c. 4. "Nutrition—Atrophy, Debility"	:::											 											::: :::	
V.—Violence, 1. Accident or Negligence—Fractures, Contusions, Eurns, Drowning, Suffoc Wounds, &c. 2. Wounds in Battle—Gunshot Wounds, Sword, Bayonet, or other Wounds 3. Homicide—Murder and Manslaughter 4. Suicide—Poison, Drowning, Hanging, &c 5. Execution—Hanging											1			.1 1 										2 1
TOTAL Sudden Deaths, cause not ascertained Deaths, cause ill defined Deaths, cause tunspecified Deaths, cause tunspecified											1			2										3
Total Males from all Causes	· ···	2	1				3			2	7	7	9	12	7	4	1	1						53

Table No. XXXV.

Responsibility of the control of the	SUMM	ARY O	f DE	ATHS	of FE	MALES	s in (HILBE:	RTON,	durin	g the	Year	1871				-	DE МЕНТОН НИМ	W1000000000000000000000000000000000000		-	-		
CAUSE OF DEATH.		Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 and upwards.	P	Total of all ages.
																								1
I.—Zymotic Diseases. 1. Miasmatic Diseases.—Scarlatina, Diphtheria, Dysentery, Fever, &c													 											
TOTAL		4											1											
IIConstitutional Diseases.																-								
1. Diathetic Diseases—Gout, Dropsy, Cancer, &c 2. Tubercular Diseases—Scrofula, Tabes Mesenterica, Phthisis, Hydrocephalus, &	te											1	***											
TOTAL												1												
III.—Local Diseases.							-	-																-
7. Joints—Arthritis, Ostitis, Periostitis, &c. 1. Integumentary System—Phlegmon, Ulcer, Skin Disease, &c. TOTAL IV.—Developmental Diseases. 1. Diseases of Children—Premature Birth, Cyanosis, Teething, &c. 2. Adults—Paramenia, Childbirth, &c 3. Old People—Old Age, Senile Decay, &c. 4. Nutrition—Atrophy, Debility TOTAL	&c , &c	1					1																	
V.—Violence. 1. Accident or Negligence—Fractures, Contusions, Burns, Drowning, Su	ffocation.																							
Wounds, &c. 2. Wounds in Battle—Gunshot Wounds, Sword, Bayonet, or other Wounds 3. Homicide—Murder and Manslaughter 4. Suicide—Poison, Drowning, Hanging, &c 5. Execution—Hanging TOTAL								1			:::	1										::: ::: :::		
Sudden Deaths, cause not ascertained								···									 		 					
TOTAL FEMALES FROM ALL CAUSES		1					1	1				2	1											

Table No. XXXVI. SUMMARY of DEATHS of MALES and FEMALES in GILBERTON, during the Year 1871.

Housest Disease Section Disease Section Disease Section Disease Section Disease Dise	CAUSES OF DEATH.	Under 1 year.	to 2.	to,3.	to 4.	to 5.	Total under 5 years.	5 to 10.) to 15.	5 to 20.) to 25.	5 to 30.) to 35.	5 to 40.) to 45.	5 to 50.) to 55.	5 to 60.) to 65.	5 to 70.) to 75.	s and upwards.	P	Total of all ages.
1.		Þ	Н_	6.1	60	4	Ĕ	10	10	15	20	25	30	35	40	45	20	0.00	09	65	70	75		Ĕ
Distribution Diseases Disea	1. Miasmatic Diseases—Scarlatina, Diphtheria, Dysentery, Fevers, &c. 2. Enthelic Diseases—Hydrophobia, Syphilis, Glanders, &c. 3. Dietic Diseases—Privation, Scurvy, Delirium Tremens, &c. 4. Parasitic Diseases—Thrush, Worms, &c.					:::	:::	-:::	:::	:::													:::	
1. Diachtic Disease—Serolita, Throsy, Cureer, 20.							represented, names																	
Discusse of the Nervous System—Apoplexy, Paralysis, Insanity, Cephalitis, Convulsions, Ophthalmia, Brain Discuse, &c. 1	1. Diathetic Diseases—Gout, Dropsy, Cancer, &c, 2. Tubercular Diseases—Scrofula, Tabes Mesenterica, Phthisis, Hydrocephalus, &c									-		1]							4 1
1. Discusse of the Nervous System—Apoplexy, Paralysis, Insanity, Cophallis, Convulsions, Ophthalmal, Brain Discase, &c. 1		***															1							5
IV.—Developmental Diseases	1. Diseases of the Nervous System—Apoplexy, Paralysis, Insanity, Cephalitis, Convulsions, Ophthalmia, Brain Disease, &c. 2. Diseases of the Organs of Circulation—Pericarditis, Ancurism, Heart Disease, &c. 3. Respiratory System—Bronchitis, Pneumonia, Asthma, Pleurisy, &c. 4. Diseases of memory of System—Bronchitis, Peritonitis, Hernia, &c. 5. Urinary Organs—Gastritis, Enteritis, Peritonitis, Hernia, &c. 6. Organs of Generation—Ovarfan Dropsy, Uterus Disease, &c. 7. Joint—Arthritis, Ostitis, Periosititis, &c.	₁	₁									 			 									2 1
Diseases of Children—Premature Birth, Cyanosis, Teething, &c.	TOTAL	2	1				3				1	1	2	1	1									9
1. Accident or Negligence—Fractures, Contusions, Burns, Drowning, Suffocation, Wounds, &c. 2. Wounds in Battle—Gunshot Wounds, Sword, Bayonet, or other Wounds 3. Homicide—Murder and Manslaughter 4. Suicide—Poison, Drowning, Hanging, &c. 5. Execution—Hanging Total Total Total 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1. Diseases of Children—Premature Birth, Cyanosis, Teething, &c														:::	:::							:::	
Wounds & &																								
	Wounds, &c. 2. Wounds in Battle—Gunshot Wounds, Sword, Bayonet, or other Wounds 3. Homicide—Murder and Manslaughter 4. Suicide—Poison, Drowning, Hanging, &c. 5. Execution—Hanging TOTAL Sudden Deaths, cause not ascertained Deaths, cause ill defined.							1			::: ::: :::1	1		1 2		::: -:: -::	::: -:::							1 5
TOTAL FROM ALL CAUSES 3 4 1 2 7 9 10 12 7 4 1 1 58			-		_		4	1		2		9	10	12	7	4	1	1						58

Table No. XXXVII.
Summary of Deaths of Males in Ipswich, during the Year 1871.

	CAUSES OF DEATH.				Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60,	60 to 65.	65 to 70.	70 to 75.	75 and upwards.	p	Total of all ages.
	bia, Syphilis, Glanders, &c. curvy, Delirium Tremens, & Worms, &c Total	%e			6 1	4	4	1	2	 1					1				 1			1 1					•••
 Diathetic Diseases—Gout, Dr Tubercular Diseases—Scrofu 	-Constitutional Disease opsy, Cancer, &c a, Tabes Mesenterica, Phth TOTAL	uisis, Hydroce		 					-::-			1	₂	₂	- :::		"1		1 	₁		1	:::	:::	:::		
July State Org. July State Org.	III.—Local Diseases. m.—Apoplexy, Paralysis, In. e, &c cutation—Pericarditis, Ane eystem—Bronchitis, Pneum ans—Gastritis, Enteritis, P. ms—Nephritis, Ischuria, Di neration—Ovarian Dropsy, tits, Ostitis, Periostitis, &c. y System—Phlegmon, Ulcer	eurism, Heart onia, Asthma eritonitis, He iabetes, &c. Uterus Diseas	Disease, , Pleurisy, rnia, &c.	&c	13 2 2 	4	1 1 	 1 1 		18 1 3 3 		1 1 	1 1 	1 	1		 1 	2 1 2 	1 1 	1 1 	1 	1 		 1 	 1		
	Total —Developmental Disease				17	4	2	3		26		2	3	1	1		1	5	2	3	2	1		1	1		
i. Diseases of Children—Prema i. "Adults—Paramer ii. "Old People—Old ii. "Nutrition—Atrop	ture Birth, Cyanosis, Teethi ia, Childbirth, &c Age, Senile Decay, &c hy, Debility	ing, &c			4 8	1 1				5 8							:::				 						
. Accident or Negligence—F	V.—Violence.	James Ducara	in a St. 60																		1						
d. Wounds in Battle—Gunshot B. Homicide—Murder and Mans B. Suicide—Poison, Drowning, I B. Execution—Hanging	Wounds, Sword, Bayonet, o	or other Wou	nds	ocation,		1				1	3	2 2	1	2 2	 1	 1 		 1		1 							
leathe games unaposided	tained				2		*			2														:::			
	TOTAL MALES FROM ALL C.	AUSES	****	26	38	10	6	4	2	60	3	5	7	5	3	1	2	6	4	5	3	3		1	1	1	1

Table No. XXXVIII.

SUMMARY of DEATHS of FEMALES in IPSWICH, during the Year 1871.

CAUSES OF DEATH.	Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 and upwards.	P	Total of all ages.
I.—Zymotic Diseases. 1. Miasmatic Diseases—Scarlatina, Diphtheria, Dysentery, Fevers, &c. 2. Enthetic Diseases—Hydrophobia, Syphilis, Glanders, &c. 3. Diette Diseases—Privation, Scurvy, Delirium Tremens, &c. 4. Parasitic Diseases—Thrush, Worms, &c. TOTAL	4 1 5]	1 ₁ 	3 3	3 3		11 ₂ 	 1	 			 1						 1				1		16 2 18
II.—Constitutional Diseases. 1. Diathetic Diseases—Gout, &c		:::	:::					1	1					2									5 5
III.—Local Diseases. 1. Diseases of the Nervous System—Apoplexy, Paralysis, Insanity, Cephalitis, Convulsions, Ophthalmia, Brain Disease, &c. 2. Diseases of the Organs of Circulation—Pericarditis, Aneurism, Heart Disease, &c. 3. "Respiratory System—Bronchitis, Pneumonia, Asthma, Pleurisy, &c. 4. "Digestive Organs—Gastritis, Enteritis, Peritonitis, Hennia, &c. 5. "Urinary Organs—Nephritis, Isohuria, Diabetes, &c. 6. "Organs of Generation—Ovarian Dropsy, Uterus Disease, &c. 7. "Joints—Arthritis, Ostitis, Periostitis, &c. 8. "Integumentary System—Phlegmon, Ulcer, Skin Disease, &c. TOTAL	5 1 1 7	4 1 	1 .:: .:: .:: .:: .:: .::	1 	1 	12 2 1 	1 1			::	 1 1 	₂ 1 	 1 1 		1 1 1 2	₁ 1 1 1 3	 1 						14 5 5 2 3 1
IV.—Developmental Diseases. 1. Diseases of Children—Premature Birth, Cyanosis, Teething, &c	2 2 -4	2				₂					:::			₂ 2									4 2 2
V.—Violence. 1. Accident or Negligence—Fractures, Contusions, Burns, Drowning, Suffocation, Wounds, &c. 2. Wounds in Battle—Gunshot Wounds, Sword, Bayonet, or other Wounds 3. Homicide—Murder and Mauslaughter 4. Suicide—Poison, Drowning, Hanging, &c 5. Execution—Hanging	1 1	1			 	3 3	1			1 							:::			::: ::: :::			5
Sudden Deaths, cause not ascertained Deaths, cause ill defined Deaths, cause unspecified Total Females from all Causes	17	10	4	4	2	37	4	2	1	1	4	3	2	4	2	3	2		:::				

Table No. XXXIX.

Summary of Deaths of Males and Females in Ipswich, during the Year 1871.

CAUSE OF DEATH.	Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 and upwards.	P.	Total of all ages.
2. Enthetic Diseases—Hydrophobia, Syphilis, Glanders, &c	10	1	7	4		28 2 1											1	 			 		36 3 1
II.—Constitutional Diseases. 1. Diathetic Diseases—Gout, Dropsy, Cancer, &c		6	7	4		21		2	3	2		***		2	1			1					2 12
TOTAL								2	3	2	1		1	2	1	1		1					14
III.—Local Diseases. 1. Diseases of the Nervous System—Apoplexy, Paralysis, Insanity, Cephalitis, Convulsion Ophthalmia, Brain Diseases, &c. 2. Diseases of the Organs of Circulation—Pericarditis, Aneurism, Heart Disease, &c. 3. Respiratory System—Bronchitis, Pneumonia, Asthma, Pleurisy, &c. 4. "Digestive Organs—Gastritis, Enteritis, Pericotitis, Hennia, &c. 5. "Urinary Organs—Nephritis, Inschuria, Diabetes, &c. 6. "Organs of Generation—Ovarian Dropsy, Uterus Disease, &c. 7. "Joints—Arthritis, Ostitis, Periostitis, &c. 8. "Integumentary System—Phlegmon, Ulcer, Skin Disease, &c.	18	1	 1 	1 1 1 	1 	30 1 5 4 	1 1 	₁ ₁	1 1 	1 	1 1 1 	₂ 1	1 2 	2 1 . 2 	1 1 	1 1 1 1 1 1 	₁ ₁ ₁	 		₁			41 9 15 8 4 1 1
TOTAL	24	9	3	4	1	41	2	2	- 3	1	3	3	3	5	4	6	3.	1		1	1		79
IV.—Developmental Diseases. 1. Diseases of Children—Premature Birth, Cyanosis, Teething, &c	10	-	:::			9 10 19								₂ ₂	:::				:::				9 2 1 10 22
	10																						- 24
2. Wounds in Battle—Gunshot Wounds, Sword, Bayonet, or other Wounds 3. Homicide—Murder and Manslaughter		2	 			4	4	2]		3	 	 1 		 1 		1 						1	17 1 1
	. 1	2			1	4	4	2	1	3	1	-1		1		1						1	19
Sudden Deaths, cause not ascertained	2		:::			2		:::													:::		- "2
TOTAL FROM ALL CAUSES	55	20	.10	8	4	97	7	7	8	6	7	4	4	10	6	8	5	3		1	2	1	176

Table No. XL.

SUMMARY of DEATHS of MALES in DRAYTON and TOOWOOMBA, during the Year 1871.

	-	-	-	-		-	-	-	-	-								-	-	_	-	-	-
CAUSES OF DEATH.	Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 and upwards.	?	Total of all ages.
I.—Zymotic Diseases.							3.1																
1. Miasmatic Diseases—Scarlatina, Diphtheria, Dysentery, Fevers, &c. 2. Enthetic Diseases—Hydrophobia, Syphilis, Glanders, &c. 3. Dietic Diseases—Privation, Scurvy, Delirium Tremens, &c. 4. Parasitle Diseases—Thrush, Worms, &c.	 	2 	 			8					2 	 	"1 ":										10 1
TOTAL	5	2	1			8					2		. 1										11
II.—Constitutional Diseases. 1. Diathetic Diseases—Gout, Dropsy, Cancer, &c 2. Tubercular Diseases—Scrofula, Tabes Mesenterica, Phthisis, Hydrocephalus, &c												5			2	1 1	1 1	1 1					3 10
TOTAL												5			2	2	2.	2					13
III.—Local Diseases.																							
1. Diseases of the Nervous System—Apoplexy, Paralysis, Insanity, Cephalitis, Convulsions, Ophthalmia, Brain Disease, &c	3 1 4	1 2 3	 1 			4 3 1 	 1 2		₁ 1	 3 1 	 2 1 	1 1 	₂	 1 	 1 	2 2	2 1 1 1 	 1 	₁	₁	₁		8 6 17 7
IV.—Developmental Diseases. IV.—Developmental Diseases. 1. Diseases of Children—Premature Birth, Cyanosis, Teething, &c	 "11	3	 1	:::		 12											₁			 1 			3 12
TOTAL	13	3	1			17											1		1	1			20
V.—Violence. 1. Accident or Negligence—Fractures, Contusions, Burns, Drowning, Suffocation, Wounds, &c.				1		1			1			9.		1	-					6			5
2. Wounds in Battle—Gunshot Wounds, Sword, Bayonet, or other Wounds 3. Homicide—Murder and Manslaughter 4. Sutcide—Poison, Drowning, Hanging, &c. 5. Execution—Hanging																							
TOTAL				1		1			1			2		1									5
Sudden Deaths, cause not ascertained												::	:::	1	:::			:::	::				1
TOTAL MALES FROM ALL CAUSES	23	8	3	1		35	2			-		9		3	3	4	8		2		1		89

Table No. XLI.

SUMMARY of DEATHS of FEMALES in DRAYTON and TOOWOOMBA, during the Year 1871.

CAUSES OF DEATH.	Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50,	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 and upwards.	P	Total of all ages.
I.—Zymotic Diseases. 1. Miasmatic Diseases—Scarlatina, Diphtheria, Dysentery, Fevers, &c. 2. Enthetic Diseases—Hydrophobia, Syphilis, Glanders, &c. 3. Dietic Diseases—Privation, Scurvy, Delirium Tremens, &c. 4. Parasitic Diseases—Thrush, Worms, &c. Total	 2				 1	4		 1				:::				:::		 1		1 	:::		8
II.—Constitutional Diseases. 1. 'Diathetic Diseases—Gout, Dropsy, Cancer, &c											:::			2 2 4		1			₁				3 3
III.—Local Diseases. 1. Diseases of the Nervous System—Apoplexy, Paralysis, Insanity, Cephalitis, Convulsions, Ophthalmia, Brain Disease, &c 2. Diseases of the Organs of Circulation—Pericarditis, Aneurism, Heart Disease, &c 3. Respiratory System—Bronchitis, Pheumonia, Asthma, Pleurisy, &c 4. Digestive Organs—Gastritis, Entertitis, Peritonitis, Hernia, &c 5. Urinary Organs—Nephritis, Isohuria, Diabetes, &c 6. Organs of Generation—Ovarian Dropsy, Uterus Disease, &c 7. Joints—Arthritis, Ostitis, Peritositis, &c 8. Integumentary System—Phlegmon, Ulcer, Skin Disease, &c	 1 1 	1 				2 1 	1			₁		 1 	 	 2 2 		 1 	 1 		 1 				3 3 8 2
IV.—Developmental Diseases. 1. Diseases of Children—Premature Birth, Cyanosis, Teething, &c	1 13	:::				1 13 14					:::	:::											
V.—Violence. 1. Accident or Negligence—Fractures, Contusions, Burns, Drowning, Suffocation, Wounds, &c. 2. Wounds in Battle—Gunshot Wounds, Sword, Bayonet, or other Wounds 3. Homicide—Murder and Manslaughter 4. Suicide—Poison, Drowning, Hanging, &c 5. Execution—Hanging Total				2		2	\				:: .		::: :::										2
Sudden Deaths, cause not ascertained	19	3				25		::: ::: 1		1	::: ::: 1		1			2	1		2				4

Table No. XLII.

Summary of Deaths of Males and Females in Drayton and Toowoomba, during the Year 1871.

CAUSES OF DEATH,	Under 1 year.	1 to 2.	2 to 3.	3 to 4.		Total under 5 years.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 and upwards,	P	Total of all ages.
I.—Zymotic Diseases. Miasmatic Diseases—Scarlatina, Diphtheria, Dysentery, Fevers, &c. Buthetic Diseases—Hydrophobia, Syphilis, Glanders, &c. Dietic Diseases—Privation, Scurvy, Delirium Tremens, &c. Parasitic Diseases—Thrush, Worms, &c.	7	3	 	:::	1	12 					3		₁		:::			1 		1	:::		18 1
TOTAL	7	3	1		1	12		1			3		1		·			1		1			19
II.—Constitutional Diseases. Diathetic Diseases—Gout, Dropsy, Cancer, &c	-	:::	:::									₅		2 2	₂	2 1 3	1 1 2	1 1 2	₁				6 13
III.—Local Diseases.																							
Diseases of the Nervous System—Apoplexy, Paralysis, Insanity, Cephalitis, Convulsions, Ophthalmia, Brain Disease, &c Diseases of the Organs of Circulation—Pericarditis, Aneurism, Heart Disease, &c Respiratory System—Bronchitis, Pneumonia, Asthma, Pleurisy, &c Digestive Organs—Gastritis, Enteritis, Peritonitis, Hernia, &c Urinary Organs—Nephritis, Ischuria, Diabetes, &c Organs of Generation—Ovarian Dropsy, Uterus Disease, &c Joints—Arthritis, Ostitis, Periositits, &c	1 2 	2 3 	 		1	6 5 2 13	1 1 1 1 1 3		 1 1 2	 1 3 1 5	 2 1 3	1 2 3	 3 	 2 3 	 1 	 3 	2 1 2 1 	₁ 1	₁ 1 2	₁	₁		11 9 25 9
IV.—Developmental Diseases. 1. Diseases of Children—Premature Birth, Cyanosis, Teething, &c	3 24 27	3 3	 1			6 25 31		::: ::: -::				*					 1 		 1 	 1 	 "1 		4 28
V.—Violence.	-	-																	-				
1. Accident or Negligence—Fractures, Contusions, Burns, Drowning, Suffocation, Wounds, &c. 2. Wounds in Battle—Gunshot Wounds, Sword, Bayonet, or other Wounds 3. Homicide—Murder and Manslaughter 4. Suicide—Poison, Drowning, Hanging, &c Total Total Sudden Deaths, cause not ascertained				3 3		3			1 1			2 2		1									7
Deaths, cause il defined	1													1				:::					
TOTAL FROM ALL CAUSES	42	11	3	3	1	60	3	1	3	5	6	10	5	11	3	6	9	5	4	3	2		13

Table No. XLIII.

SUMMARY of DEATHS of MALES in WARWICK, during the Year 1871.

Defense Defenses Defenses	CAUSES OF DEATH.	Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 and upwards.	p	Total of all ages.
II	Miasmatic Diseases—Scarlatina, Diphtheria, Dysentery, Fevers, &c																	:::						
Diabetic Diseases—Serottis, Thropsy, Cancer, &c.	TOTAL	1					1	1			1									1				
Diseases of the Nervous System—Apoptexy, Paralysis, Insanity, Cephalitis, Convulsions, Ophthalmia, Brain Disease, &c.	Diathetic Diseases—Gout, Dropsy, Cancer, &c														1									
IV.—Developmental Diseases. 1. Diseases of Children—Premature Birth, Cyanosis, Teething, &c. 2. Multis—Paramenta, Childbirth, &c. 3. Multis—Paramenta, Childbirth, &c. 4. Multis—Atrophy, Deblity 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	III.—Local Diseases. Diseases of the Nervous System—Apoplexy, Paralysis, Insanity, Cephalitis, Convulsions, Ophthalmia, Brain Disease, &c. Diseases of the Organs of Circulation—Pericarditis, Aneurism, Heart Disease, &c. Respiratory System—Bronchitis, Pneumonia, Asthma, Pleurisy, &c. Digestive Organs—Gastritis, Enteritis, Peritonitis, Hernia, &c. Urhary Organs—Nephritis, Ischuria, Diabetes, &c. Organs of Generation—Ovarian Dropsy, Uterus Disease, &c. Joint—Arthritis, Ostitis, Periostitis, &c.	2	1 	2			5					 1 	2 1 	"1 	2 1 	2 1 	. 1	1 1 					1 	
1. Diseases of Children—Premature Birth, Cyanosis, Teething, &c		2	1	2			5					1	3	1	3	3	1	2					1	
1. Accident or Negligence—Fractures, Contusions, Burns, Drowning, Suffocation, Wounds, &c. 2. Wounds in Battle—Gunshot Wounds, Sword, Bayonet, or other Wounds 3. Homicide—Poison, Drowning, Hanging, &c. 5. Execution—Hanging TOTAL Sudden Deaths, cause not ascertained Deaths, cause ill defined Deaths, cause ill defined	. Diseases of Children—Premature Birth, Cyanosis, Teething, &c			:::																			:::	- 11
5. Execution—Hanging	Accident or Negligence—Fractures, Contusions, Burns, Drowning, Suffocation, Wounds, &c. Wounds in Battle—Gunshot Wounds, Sword, Bayonet, or other Wounds Homicide—Murder and Manslaughter																							
Deaths, cause ill defined	. Execution—Hanging		-							-	-		0	-			0	-		0 1	-	-		99 0
	Deaths, cause ill defined																							

CAUSES OF DEATH	Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 and upwards.	P	Total of all ages.
I.—Zymotic Diseases. 1. Miasmatic Diseases—Scarlatina, Diphtheria, Dysentery, Fevers, &c. 2. Enthetic Diseases—Hydrophobia, Syphilis, Glanders, &c. 3. Dietic Diseases—Privation, Scurvy, Delirium Tremens, &c. 4. Parasitic Diseases—Thrush, Worms, &c. Total	3	1 1	1 1			5																	5 5
II.—Constitutional Diseases. 1. Diathetic Diseases—Gout, &c	<u>1</u>	"1			::: :::	₂	:::		-::	-::- -::-		₁	·		1								1 3
III.—Local Diseases. 1. Diseases of the Nervous System—Apoplexy, Paralysis, Insanity, Cephalitis, Convulsions, Ophthalmia, Brain Disease, &c		 1 			::	1 2 1 4	 1						 1 	 1 			1						2 3 2 1
IV.—Developmental Diseases. 1. Diseases of Children—Premature Birth, Cyanosis, Teething, &c	2 2 -4				:::	2 2 4															:::	1	2 1 2
V.—Violence. 1. Accident or Negligence—Fractures, Contusions, Burns, Drowning, Suffocation, Wounds, &c					1 1	1 1	1 1						1 1		::								3
Sudden Deaths, cause not ascertained		:::		:::			:::	:::	:::	:::	:::	:::	:::		:::		:::	:::	::		:::	::	
TOTAL FEMALES FROM ALL CAUSES	12	3	1	780	1	17	2	1.1.2		8		1	2	1	1		1					1	26

Table No. XLV.
Summary of Deaths of Males and Females in Warwick, during the Year 1871.

CAUSE OF DEATH.	Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 and upwards.	þ	Total of all ages.
T. Romatic Diseases																			Shi	8'			
I.—Zymotic Diseases. Miasmatic Diseases.—Scarlatina, Diphtheria, Dysentery, Fever, &c	 	 	 			6	 			1 													
TOTAL	4	1	1			6	1			1									,1				(
II.—Constitutional Diseases.															2			•••					
. Diathetic Diseases—Gout, Dropsy, Cancer, &c Tubercular Diseases—Scrofula, Tabes Mesenterica, Phthisis, Hydrocephalus, &c	1	1			-::	2						1		1									
TOTAL	1	1				. 2						1		1	2								
III.—Local Diseases. Diseases of the Nervous System—Apoplexy, Paralysis, Insanity, Cephalitis, Convulsions, Ophthalmia, Brain Diseases, &c	3 ₁ 1 	1 	2			6 2 1 	 				 1 	₂ 1	2 	₂ ₂	₂ 1	"1 	1 1 					 1 	
TOTAL	5	2	2			9	1				1	3	2	4	3	1	3					1	
IV.—Developmental Diseases. Diseases of Children—Premature Birth, Cyanosis, Teething, &c	2 3 5					2 3	:::												::: :::			₁ ₁	
V.—Violence.				-	-					-													
1. Arcident or Negligence—Fractures, Contusions, Burns, Drowning, Suffocation, Wounds, &c. 2. Wounds in Battle—Gunshot Wounds, Sword, Bayonet, or other Wounds 3. Homicide—Murder and Manslaughter 4. Suicide—Poison, Drowning, Hanging, &c						 					2		2 	:::									
Total					1	1	1				2		2										
endden Deaths, cause not ascertained	 					1 																	
	-	4	3		1	24	3		·	1	3	4	4	5	5	1	3		1		T	2	

APPENDIX B.

REPORT

OF THE

METEOROLOGICAL OBSERVER.

FOR THE YEAR 1871.

SIR

The year 1871 has not been marked by any special meteorological features; the seasons having been mild, and free from extremes of temperature, severe storms, or great rainfall; the only unusual record being that of a limited rainfall, which was to be looked for, falling closely after the remarkable rainfall of 1870.

The vast extent of the Colony prevents any general remarks being correctly applicable to the entire of it. So far as the information furnished permits, I shall endeavor to briefly summarise the results of observations taken at the chief stations which have been longest established.

At Brisbane, the weather has been regular and seasonable throughout the year. The total rainfall, 45·45 inches, was 6·16 inches under the average of the previous eleven years; the number of days on which rain fell, 119, was three less than the average. The maximum amount of rainfall during 24 hours, 6·60 inches, on December 28th, was a greater quantity than fell in any month during the year, January alone excepted. The prevailing winds during the year, were north-east to south-east in summer, and south-west in winter. No unusual extremes of temperature occurred, 95 degrees being the highest, and 35 degrees the lowest readings in shade. The highest temperature in sun was 139 degrees, and the lowest on grass, 31 degrees. On two occasions only has the temperature reached to freezing. The extreme range of temperature during 24 hours, was 40·5 degrees; the least, 5·5 degrees. The mean temperature for the year, 69·4 degrees, shows a gradual reduction during the past four years. The highest barometric reading was 30·464 inches; the lowest, 29·487 inches. No record having been taken of the rainfall of the months of January and February, 1866 (an omission likely to lead to serious errors), I have inserted an average of the fall of eleven years of those months, so as to form a correct table. Further information as to the Brisbane station, will be found in Tables I., V., IX., XI., XII., XIII., XIV., XV., XVI.

At Cape Moreton the total rainfall has been 58:10 inches, of which 15:47 inches fell during the month of January. The greatest fall in 24 hours, was 4:45 inches on January 6th. Rain fell on 120 days. The prevailing winds were south-east. The highest temperature in shade, was 94 degrees; the lowest, 46 degrees. The mean shade temperature of the year was 70:5 degrees. The highest reading in sun, 118 degrees, was in December; the lowest on grass, 33 degrees, was in July. The mean diurnal range for the year was only 11:8 degrees, showing the great influence exercised by the sea in producing equality of temperature. The highest reading of the barometer was 30:396 inches in August; the lowest, 29:432 inches in January. For further information see Table II.

The peculiar position of Toowoomba, situated on the eastern extreme of the Main Range, at an elevation of nearly 2,000 feet, renders the observations taken there of much value. The rainfall of the year was but 27.05 inches. Rain fell on 94 days. The greatest fall in 24 hours was 1.51 inches in January. Prevailing winds were south-east. The highest temperature in shade was, 100 degrees, in December; and the lowest, 27 degrees, in July. The greatest heat in sun was 152 degrees in December, the lowest on grass, 15 degrees in July. The mean shade temperature of the year was 62.5 degrees. The highest reading of the barometer, 23.295 inches, was in July; the lowest, 27.475 inches in January. Further information as to this station will be found in Table III.

At Warwick, the rainfall was unusually light, being only 25.56 inches for the whole year, being 6.29 inches under the average of the seven years' average, and the least since 1866, when the total fall was but 24.44 inches. Rain fell on 58 days, the same number as in 1866. The greatest fall in 24 hours was 2.50 inches in December. The prevailing winds were south-east. The highest temperature in shade was 94 degrees, in December; the lowest 24 degrees in July. The highest reading of the Barometer, 28.765 inches, was in July; the lowest, 27.915 inches, in January. In Tables IV. and VII., further information is given in reference to this station.

The rainfall at Rainworth, near Springsure, 15.05 inches, has been the least of any year since 1865; it was 9.35 inches, or about one-third less than the seven years' average. Rain fell on forty days, six under the average. The particulars of rainfall of this station for seven years will be found in Table VI.

The greatest quantity of rainfall during the year was at Cardwell, on the sea-coast, latitude 18 degrees 6 minutes, longitude 146 degrees, where 90.68 inches fell during 117 days. The smallest amount, 13.26 inches, fell at Roma, latitude 26 degrees 37 minutes, longitude 148 degrees 42 minutes, 230 miles from the coast.

Rainfall observations are now taken at the following places, viz.:—Banana, Beenleigh (Windaroo), Bloomsbury, Bowen, Brisbane, Caamboon, Cabulture, Cape Moreton, Cardwell, Cashmere, Clermont, Cleveland, Condamine, Craven, Creen Creek, Dalby, Durah, Enoggera Reservoir, Gayndah, George-town (Ethridge River),

Gilbert River, Gladstone, Goodna, Gympie, Helidon, Ipswich, Junction Creek, Keppel Bay, Lytton, Mackay, Marlborough, Maryborough, Nebo, Normanton, Norman Mouth, Ravenswood, Rockhampton, Roma, Sandy Cape, Springsure (Rainworth), St. Lawrence, Taroom, Toowoomba, Townsville, Vale of Herbert, Valley of Lagoons, Warwick, Waterview, Westwood, Woody Island. Monthly returns, shewing the total amount of rain, the number of wet days, as well as the maximum fall in twenty-four hours, and date of same, are published in the Government Gazette. Table VIII. shews the rainfall and number of wet days at thirty-seven stations, for each month, as well as the total results for the year. New stations have been established towards the interior, and extend at present to Charleville; and it is hoped to carry them out as far as communication can be regularly preserved.

All the summaries issued from this Observatory continue to be forwarded to the principal Meteorological Observatories throughout the world, and, in return, numerous and valuable papers on Meteorological and other scientific subjects, are received.

The instruments at the various stations continue to be in good order, and, with few exceptions, work very satisfactorily.

The instruments in use at the chief station at Brisbane, are as follow:-

Standard mercurial barometer.

Maximum registering dry bulb shade thermometer.

Minimum registering dry bulb shade thermometer.

Maximum registering exposed thermometer, bulb in vacuo.

Maximum registering exposed thermometer, bulb exposed.

Minimum registering grass thermometer.

Soil thermometer, six inches deep.

Shade dry bulb thermometer.

Shade wet bulb thermometer.

Robinson's anemometer.

Glaisher's rain gauge.

Gold leaf electrometer.

Evaporation gauge, and

Box for exposing ozone paper.

Appended to this Report will be found the following tables:-

- I. Summary of observations taken at Brisbane, for the year.
- II. Summary of observations taken at Cape Moreton, for the year.
- III. Summary of observations taken at Toowoomba, for the year.
- IV. Summary of observations taken at Warwick, for the year.
- V. Monthly rainfall at Brisbane, for twelve years.
- VI. Monthly rainfall at Rainworth, near Springsure, for seven years.
- VII. Monthly rainfall at Warwick, for seven years.
- VIII. General table of rainfall at thirty-seven stations throughout the colony, for one year.
 - IX. Daily maximum shade temperature, at Brisbane.
 - X. Daily minimum shade temperature.
- XI. Daily maximum temperature in sun.
- XII. Daily minimum temperature on grass.
- XIII. Daily range of temperature in shade.
- XIV. Daily readings of the barometer, at 9 a.m. XV. Daily record of rainfall; and
- XVI. Daily direction of wind, at 9 a.m., 3 p.m., 9 p.m.

I have, &c.,

EDMUND MAC DONNELL,

Government Meteorological Observer.

To the Registrar-General of Queensland.

Table No. I.

ANNUAL SUMMARY OF METEOROLOGICAL OBSERVATIONS TAKEN AT BRISBANE, QUEENSLAND, DURING THE YEAR 1871. Latitude, 27° 28' 3" South; Longitude, 153° 6' 15" East; Distance from Sea-coast, 10 Miles; height of Observatory above mean sea level, 130 feet.

100 000 1941 Transport		MEAN -C	OF BARO	METER.		EAN SHA			EMPERAT APORATIO		MEAL	N HUMID)	TY.	EXPOSEI	THERMO	METERS.		THER	MOMETER	RS IN SH	ADE.		BA	IN.		OZONE.	ELECTR DURI MON	ING	
1871.		9 a.m.	3 p.m.	9 p.m.	9 a.m.	3 p.m.	9 p.m.	9 a.m.	3 p.m.	9 p.m.	9 a.m.	3 p.m.	9 p.m.	Maximum in Sun (Bulb in Vacuo).	Maximum in Sun (Bulb exposed).	Minimum on Grass.	Maxinnum.	Mean Maximum,	Minimum.	Mean Minimum.	Mean Diurnal Range.	Mean Temperature of Month.	Total Fall.	No. of Days Rain fell.	Total Evaporation.	Mean of 24 hours.	Positive	Negative	Prevailing Winds.
January	. , 2	29.929	29.856	29.932	78.0	80.1	72.0	71.3	71.7	68 5	.700	.630	·820	155.0	131.0	56.0	94.0	85.1	61.5	67.5	14.8	76:7	8.79	13	7.205	5.5	25	68	S.E.
February		29.902	29.478	29.907	78.8	82.4	73.1	72.5	72.1	69.4	.700	·620	·800	161.0	136.0	52.0	95.0	87.0	64.0	69.0	17.9	78.1	4.71	14	6.640	5.7	20	64	S.E
March		30.038	29.997	30 023	75.0	80.6	69.0	68 6	70.1	65.4	.690	.570	·800	155.0	132.0	46.0	95.0	85.0	55.0	62.7	22.4	74.8	2.64	12	7.660	6.0	37	56	S.E.
April		30.147	30.048	30.050	71.0	77.9	61.2	65.1	67.8	61.8	.700	.600	.840	154.0	133.0	51.5	89.0	81.4	55.5	59.7	21.5	70.0	5.11	11	6.150	6.5	45	45	S.
May		30.090	29.997	30.035	65 3	75.6	61.2	60.5	61.2	58.2	.730	•520	·820	134.0	113.0	38.5	85.0	79.0	43.0	54.1	24.9	67.3	0.83	6	3.950	7.5	72	21	s.W
June		30.125	30.031	30.081	58.2	68.7	55.4	54.1	60 6	52.6	.750	.610	.800	135.0	115.0	33.5	78.0	71.6	36.5	47.6	24.0	60.8	1.31	6	3.225	7.8	56	34	s.W
July		30.163	30 065	30.129	56.1	68.9	54.1	52.3	59.2	51.5	.780	.580	.730	128.0	103.0	31.0	83.5	70.5	35.0	46.3	24.3	59.7	3.32	7	3.445	7.5	60	33	s.W
August		30.219	30.111	30.172	59.8	72.5	54.3	55.5	62.1	56.9	.740	.630	.860	138.0	113.0	31.5	85.5	74.9	39.0	48.0	27.0	62.2	0.43	4	4.485	7.3	78	15	N.E
September		30.180	30.072	30.144	67.5	73.2	61.9	61.0	64.4	58.8	•670	.600	.820	143.0	120 0	38 0	84.5	77.9	43.0	54.3	23.6	67.5	1.52	5	6.215	6.8	67	23	S.
October		30.092	30.019	30.082	69.8	73.2	63.5	63.8	65.8	60.5	.680	:690	.820	145.0	118.0	41.0	89 0	79.6	49.0	57.5	20.5	68.5	3:17	14	6.820	6.1	67	26	N.E
November		30.039	29.960	30.025	73:6	76.9	65.0	69 5	70.6	65.2	.730	.680	.840	149.0	130.0	50.0	91.0	81.0	54.5	61.6	19.4	71.8	4:39	14	6.515	7.0	66	24	N.E
December		30.061	29.990	30.046	76.0	81.2	71.0	69.2	72.7	68.0	.640	.620	.810	155.0	139.0	54.5	93.5	84.9	59.0	65.9	19.0	76.0	9.23	13	7.960	7.1	78	15	N.E
For year 1871		30.082	29 979	30.052	69.1	76.7	63.5	63.6	66.5	61.4	.709	·612	.813	161.0	139.0	31.0	95.0	79.8	35.0	57.9	21.6	69.4	45.45	119	70.275	6.7	671	424	N.E
" 1870		30.059	29.949	30.033	69.9	74.5	65.1	64.5	67.6	61.7	.736	.663	.835	162.0	143.0	30.0	95.0	78.1	36.0	59.4	19.0	69.7	79.06	154	67.008	7.9	588	552	N.E
,, 1869		30.023	29.939	30.011	69.8	76.6	64.4	65.9	69.2	63.1	.707	.658	.783		128.4	27.0	108.0	80.9	50.6	59.5	21.4	70.3	54.39	114	68.670	7.5	612	480	N.E
,, 1868	.,	30.171	30.005	30.075	70.0	77.1	66.1	64.7	69.1	62-6	.720	.634	.812	· · · ·	130.0	36.0	104.0	80.3	59.1	.59.8	21.9	719	35.98	110	61.258	5.1	684	408	N,E
" 1867 .		30.058	29.992	30.040	708	77.4	66.6	64.9	68.6	63.6	.706	.644	.851		112.5	37.0	104.5	80 9	59.7	59.5	21.0	70.1	61.04	112	42.313	4.0	600	516	N.E

The readings of the Barometer are corrected to 32° Fahrenheit, and mean sea level. The mean temperature of the year, 69.4°, shows a gradual reduction during the past four years. The mean temperature in this and following tables is deduced from three daily readings of a thermometer in shade, taken at 9 a.m., 3 p.m., and 9 p.m. Previous to September, 1868, the Observations were taken at a height of 70 feet; and after that date, 130 feet over mean sea level.

Table No. II.

ANNUAL SUMMARY OF METEOROLOGICAL OBSERVATIONS TAKEN AT CAPE MORETON, QUEENSLAND, DURING THE YEAR 1871.

Latitude, 27° 1' S.; Longitude, 153° 28' E.; height of Observatory above mean sea level, 320 feet. Barometer corrected to 32° Fahrenheit, and reduced to mean sea level.

The Observations have been taken by James Brayden, Esq.

		MEAN	OF BARO	METER.		EAN SHAL			TEMPERATION OF THE PROPERTY OF		'MEA	N HUMID	ITY.		EXPOSED ERMOMETE			THE	RMOMETE	RS TN SH	ADE.		RAI	N.			PREV	AILING W	VINDS.
1871.		9 a.m.	3 p.m.	9 p.m.	9 a.m.	3 p.m.	9 p.m.	9 a.m.	3 p.m.	9 p.m.	9 a.m.	3 p.m.	9 p.m.	Maximum in Sun (Bulb in Vacuo).	Maximum in Sun (Bulb exposed).	Minimum on Grass.	Maximum.	Mean Maximum.	Minimum.	Mean Minimum.	Mean Diurnal Range,	Mean Temperature of Month.	Total Fall.	No. of Wet Days.	Positive.	Negative.	9 a.m.	3 p.m.	9 p.m.
January		29.888	29.841	29.879	75.3	79.6	74.0	69.8	75.4	66.6	·700	.670	.790	155.0	114.0	59.0	94.0	83.8	72 0	83.8	12.4	76.6	5.47	12	49	44	E.	E.	E.
February ·		29.845	29.810	29.842	76.5	83.0	76.1	71.8	74.5	71.1	.770	.630	.750	149.0	118.0	59.0	93.0	86.6	69.0	72.8	13.8	78.5	3.30	13	52	32	S.E.	S.E.	S.E
March		30.015	29.961	29.994	72.1	78.2	72.6	67.1	70.3	67.1	.740	.670	.700	142.0	110.0	51.0	89.0	82.0	59.0	68.1	13.6	74.3	8.62	13	50	43	S.E.	S.E.	S.E
April		30.096	30.031	30.073	70.0	74.4	70.0	65.4	67.2	65.3	.760	.660	.750	140.0	107.0	54.0	84.0	77.8	59.0	65.7	12.2	71.4	8.64	16	47	43	S.	S.E.	S.E
May		30.037	29.976	30.023	66.0	71.4	67.9	61.3	63.6	62.3	.750	.680	.710	126.0	100.0	43.0	79.0	71.6	49.0	60.6	11.2	68.4	1.26	7	57	34	s.w.	S.E.	S.E
June		30.061	29.995	30.039	60.1	65.6	62.6	55.5	57.8	56.5	.730	·610	.670	.99 0	85.0	38.0	72.0	67.1	47.0	56.1	11.3	62.8	3.97	9	62	28	s.w.	s.w.	s.v
July		30.105	30.036	30.087	59.9	67.5	62.3	55.0	59.4	56.8	.750	·680	.760	140.0	107.0	33.0	73.0	64.1	46.0	55.7	11.6	63.2	1.55	7	67	26	s.w.	S.E.	S.V
August		30.168	30.084	30.126	62.6	68.7	64.1	58.7	62.2	59•3	.770	.660	.750	124.0	96.0	34.0	76.0	70.3	47.0	58.5	11.8	65.1	1.26	6	59	34	s.w.	N.	N.J
September		30.127	30.049	30.098	66.1	67.9	66.6	60.0	63.8	61.5	•680	.650	.730	137.0	106.0	41.0	80.0	73.9	51.0	62.1	12.7	66.9	1.84	7	61	29	S.E.	S.E.	E
October	000	30.056	29.941	30.019	67.3	77.1	66.9	62.8	65.2	62.5	·790	.700	.780	141.0	115.0	44.0	82.0	73.7	57.0	63.4	10.0	70.4	5.75	13	63	30	N.W.	S.E.	S.I
November		29.994	29.924	29.968	70.9	75.4	69.9	66.5	68.7	65.8	.740	.650	.740	143.0	112.0	51.0	82.0	77.4	61.0	66.7	10.4	72.1	5.04	11	54	36	E.	E.	S.J
December		30.024	29.969	30.001	75.5	79.8	73.7	70.1	72.4	69.2	.730	.670	.750	148.0	116.0	55.0	91.0	82.2	64.0	71.3	10.9	76.3	14:00	6	51	42	N.E.	N.E.	N.
For year 1871	l	30.035	29.971	30.007	68.5	74.0	68.9	63.7	66.7	63.7	.743	.661	.740	155.0	118.0	33.0	94.0	76.7	46.0	65.4	11.8	70.5	70.70	120	669	421	s.w.	S.E.	8.1
,, 1870		30.003	29:929	29.968	68.6	73.5	68.7	64.1	67.1	64.0	.767	.710	•755	166.0		35.0	97.0	76.1	36.0	63.9	12.6	70.2	87.32	138	670	416	s.w.	S.E.	N.3

ANNUAL SUMMARY OF METEOROLOGICAL OBSERVATIONS TAKEN AT TOOWOOMBA, QUEENSLAND, DURING THE YEAR 1871.

Latitude, 27° 34' S.; Longitude, 152° 10' E.; Height of Observatory above mean sea level, 1,960 feet; Distance from Sea-coast, 80 Miles.

The readings of the Barometer at Toowoomba are corrected to 32° Fahrenheit only. The Observations have been taken by T. H. Cowl, Esq.

		MEAN	OF BARON	METER.		AN SHAI			EMPERAT APORATIO		MEA	N HUMID	ITY.	THI	EXPOSED ERMOMETE			THER	MOMETE	RS IN SH.	ADE.		RAID	ī.	ELECT ITY DU MON	RING	PREVA	ILING W	INDS.
1871.	* 30	8 a.m.	2 p.m.	8 p.m.	8 a.m.	2 p.m.	8 p.m.	8 a.m.	2 p.m.	8 p.m.	8 a.m.	2 p.m.	8 p.m.	Maximum in Sun (Bulb in Vacuo.)	Maximum in Sun (Bulb Exposed.)	Minimum on Grass.	Maximum.	Mean Maximum,	Minimum.	Mean Minimum.	Mean Diurnal Range.	Mean Temperature of Month.	Total Fall.	No. of Wet Days.	Positive.	Negative.	8 a.m.	2 p.m.	8 p.m.
January		27.852	27.828	27.841	67.1	76 5	70.2	64.0	68.8	65.9	.830	.650	.770	171.5	133.0	55.2	92.0	79.8	52.0	61.4	18.4	71.2	3 98	12	66	18	N.E.	N.E.	N.E.
February		27.838	27.792	27.806	68.7	78.1	71.0	65.8	70.0	67.5	.830	.630	·810	177.5	134.0	53.5	92.5	81.1	57.0	63.2	17.9	72.6	2.72	17	60	17	N.E.	E.	E.
March		27.963	27.918	27.955	62.7	72.6	64.3	60.0	63.9	60.6	.840	•590	.790	171.0	131.0	39.0	83.0	75.0	45.0	57.0	17.9	66.5	2.91	12	76	14	E.	E.	E.
April		28.023	27.956	28.017	59.1	68.6	61.3	56.9	68.7	58.0	.860	·620	.800	158.0	123.0	35.5	77.0	70.6	45.0	53.6	16.8	63.0	3.57	11	72	13	E.	E.	E.
May	·	27.974	27.922	27.980	52.8	64.7	55.7	50.7	56.8	52.3	.860	.610	.790	152.5	106.0	30.5	73.0	66.3	39.0	48.2	18.1	57.4	0.62	4	70	5	s.w.	s.w.	s.w.
June		27.996	27.951	27.987	45.0	58.2	50.0	43.6	52.0	47.5	.840	-600	.740	140.0	100:0	22.5	63.5	59.7	30.0	41.1	18.5	51.4	0.57	4	58	2	s.w.	s.w.	s.w.
July		28.013	27.962	28.074	45.0	57.0	49.0	42.7	50.0	45.0	.800	.620	.740	143.0	102.0	15.0	74.0	59.7	27.0	40.5	20.7	50.2	1.66	5	84	9	s.w.	s.w.	s.w.
August		28.065	28.005	28.040	49.0	63.0	53.0	46.0	55.0	48.0	.820	.600	.750	154.0	108.0	23.5	78.0	64.9	30.0	41.1	23.8	55.0	0.68	4	89	4	S.E.	S.E.	S.E.
September		28 040	27.963	28.014	56.1	67.0	57.0	52.0	59.3	53.7	.780	•590	.750	162.0	121.5	25.0	80.0	69.2	33.0	46.9	22.5	60.0	1.54	3	82	8	S.E.	S.E.	S.E.
October		27.967	27.897	27.956	59.8	68.2	54.4	56.2	60.8	55.8	.790	.640	.790	168.0	123.5	24.0	95.0	71.7	33.0	50.5	21.5	62.5	2.31	9	79	14	S.E.	S.E.	S.E.
November		27.935	27.874	27.918	64.8	74.1	63.1	61.1	65.6	59.8	.760	. 620	.760	171.0	128.0	38.0	92.0	76.9	50.0	54.9	22.0	67.3	4.91	8	78	12	S.E.	S.E.	S.E.
December		27.970	27.997	27.949	70.1	81.0	67.7	63.8	69.5	64.0	.770	.540	.790	180.0	152 0	35.0	100.0	84.5	48.0	59.2	25.2	72.9	1.58	5	73	20	S.E.	S.E.	S.E.
For the Year 1	1871	27.953	27.922	27.961	58.4	69.1	60.1	55.2	61.1	56.3	.815	.608	.773	180.0	152.0	15.0	100.0	71.6	27.0	51.5	20.3	62.5	27.05	94	887	134	S.E.	S.E.	S.E.
For the Year 1	1870	27.941	27.892	27.926	58.3	67.7	60.6	56.1	61.0	57:6	.867	.680	.820	166.0		14.0	97.0	68.2	27.5	52.9	16.9	62.4	61.04	164	906	110	N.E.	N.E.	E.

Table No. IV.

ANNUAL SUMMARY OF METEOROLOGICAL OBSERVATIONS TAKEN AT WARWICK, QUEENSLAND, DURING THE YEAR 1871.

Latitude, 28° 12' S.; Longitude, 152° 16' E.; Height of Observatory above mean sea level, 1,520 feet; Distance from Sea-coast, 90 Miles.

The readings of the-Barometer at Warwick are corrected to 32° Fahrenheit only. The Observations have been taken by T. Towell, Esq.

	MEAN	OF BARO	METER.		EAN SHAI			EMPERAT APORATIO		MEA	N HUMIE	DITY.	TH	EXPOSED ERMOMET	₹RS.		THE	RMOMETE	RS IN SH	ADE,		RAI	N.	TRI	EC- CITY RING NTH.	PREV	AILING 1	WINDS.
1871.	9 a.m.	3 p.m.	9 р.т.	9 a.m.	3 p.m.	9 p.m.	9 a.m.	3 p.m.	9 p.m.	9 a.m.	3 p.m.	9 р.т.	Maximum in Sun (Bulb in Vacuo.)	Maximum in Sun. (Bulb exposed.)	Minimum on Grass.	Maximum.	Mean Maximum.	Minimum.	Mean Minimum.	Mean Diurnal Range.	Mean Temperature of Month.	Total Fall.	No. of Wet Days.	Positive.	Negative.	9 a.m.	3 p.m.	9 p.m.
January	 28:311	28.237	28.288	71.5	77.9	70.0	66.0	68.7	65.1	.720	.570	.740	153.0	115.0	46.0	88.0	76.4	57.0	62.7	19.9	73.4	1.38	5	26	5	S.E.	s.E.	S.E.
February	 28.295	28.213	28.287	72.2	79.2	70.3	67.3	69.7	66.5	.740	.570	.790	151.0	116.0	52.0	91.0	81.8	58.0	64.3	17.2	73.9	5.52	9	23	5	S.E.	S.E.	S.E.
March	 28 295	28.213	28.287	67.3	75.3	65.4	62.8	65.2	61.4	.760	.570	.770	142.0	113.0	39.0	84.0	77.6	49.0	57.0	19.5	69.3	2.42	5	28	3	S.E.	S.E.	S.E.
April	 28.507	28.417	28.437	65.0	71.8	65.2	60.9	62.2	57.7	.730	.580	.770	130.0	106.0	43.0	82.0	75.2	47.0	54.9	20.7	67.3	2.62	6	26	4	S.E.	S.E.	S.E.
Мау	 28.441	28.364	28.425	57.9	67.9	56.7	55.7	59.1	52.6	.780	.580	.760	121.0	96.0	31.0	78.0	71.1	37.0	47.9	23.0	60.8	0.78	4	30	1	S.E.	S.W.	s.w.
June	 28.435	28.362	28.416	51.0	62.2	49.3	48.7	53.4	46.0	·810	.560	.790	108.0	90.0	26.0	70.0	65.2	29.0	37.3	28.7	54.3	0.45	1	30		S.E.	s.w.	s.w.
July	 28 459	28:382	28.435	48.5	61.4	46.9	45.3	52.3	43.5	·810	.550	.770	108.0	89.0	18.0	72.0	63.5	24.0	36.4	27.1	52.3	1.64	3	29	2	S.E.	S.W.	S.W.
August	 28.528	28.422	28.470	53.3	66.8	51.6	48.6	54.7	47:3	.750	.470	.740	120.0	96.0	19.0	79.0	68.8	30.0	39.8	29.0	57.2	0.55	3	31		S.E.	s.w.	s.w.
September	 28.470	28.352	28.416	61.3	70.8	58.6	53.8	56.6	52.2	.610	· 4 10	.650	130.0	105.0	30.0	81.0	72.7	32.0	46.8	25.9	63.6	0.69	2	29	1	S.E.	S.E.	S.E.
October	 28.376	28.513	28.326	64.6	70.2	58.3	57.1	58.0	54.9	.570	.500	;650	149.0	122.0	33.0	87.0	63.5	37.0	53.0	21.3	64.4	2.24	8	31		S.E.	S.E.	S.E.
November	 28:312	28.201	28.308	69.8	74.7	67.7	61.2	62.6	60.0	.590	470	·620°	157.0	127.0	51.0	85.0	78.3	51.0	57.8	20.2	70.7	4:41	9	30		S.E.	S.E.	S.E.
December	 28.321	28.232	28.276	73.9	81.9	73.6	65.2	67.2	64.5	.590	· 4 40	.590	164.0	138.0	49.0	94.0	83.4	55.0	63.1	20.9	76.3	2.86	3	30	1	S.E.	N.E.	N.E.
For year 1871	 28 395	28.326	28:364	63.0	73.3	61.1	57.7	60.8	56.0	.705	.522	.712	164:0	138.0	18.0	94.0	73.1	24:0	51.7	22.8	65.3	25.56	58	343	22	S.E.	S.E.	S.E.
,, 1870	 28.409	28.348	28.394	61.0	70.0	60.8	57.3	61.4	56.4	.749	-595	.781	165.0		22.0	97.0	70.0	26.0	52.0	18.9	64.2	35.04	100	288	61	S.E.	S.E.	S.E.

Table No. V.

AMOUNT OF RAIN, AND NUMBER OF DAYS DURING WHICH RAIN FELL, IN EACH MONTH.

RAINFALL at BRISBANE, for TWELVE YEARS:

Latitude, 27° 28' 3" S.; Longitude, 153° 6' 15" E.; distance from Coast, 10 Miles; Height, 130 feet.

	1860	0.	186	1.	186	2.	186	3.	186	4.	186	5.	186	6.	186	7.	186	8.	186	9.	187	0.	18'	71.
MONTHS.	Inches.	Days' fall.	Inches.	rs, fall.	Inches.	Days' fall.	Inches.	Days' fall	Inches.	vs' fall.	Inches.	ys, fall.	Inches.	rs' fall.	Inches.	s, fall.	Inches.	's' fall.						
	- In	Da	In	Da	_ E	Da	In	Da	H	Days'	Inc	Da	Inc	Da	Inc	Days,	Inc	Days,	Inc	Days,	Inc	Days,	Inc	Days,
January	2.54	9	9.28	17	4.25	12	6.48	19	4.47	15	7.04	10	7.00	14	6.85	11	7.22	16	7.97	11	4.92	11	8.79	13
February	9.64	18	4.58	16	2.61	8	15.14	16	9.33	10	4.09	10			12.66		6.74		4.23		3.06	7	4.71	
March	6.58	18	8.86	18	6.87	15	14.36	23	9.48	10	0.70	2				18	0.58		9.02		34.04	26	2.64	-
April	7.55	18	10.39	19	0.79	8	6.70	14	3.13	12	0.50	3	3.09	15	15.28	19	1.68		12.04			18	5.11	1 -
May	0.12	4	2.87	9	2.21	9	0.92	9	2.63	15	0.21	2	3.32			13	1.13					15	0.83	
June	0.96	2	6.88	10	3.00	11	2.75	13	3.01	10	4.28	4	8.62			7	4.18				3.11	12	1.31	
July	0.49	7	1.90	7	0.51	2	2.43	11	3.04	7	1.55	4	1.97	10		6	5.48		0.53			8	3.32	
August	12.39	17	10.41	13	0.00	0	1.81	9	4.89	4	0.90	3	4.48	12	0.77	7	0.70					13	0.43	
September	4.18	14	1.83	11	2.71	9	1.07	3	0.98	7	3.36	6	0.70	9	0.92	7	1.87	7	1.56			8	1.52	1
October	3.35	12	2.71	6	0.45	5	9.30	13	1.34	9	0.30	2	3.39	9		3	3.64	5	3.54		4.79	17	3.17	
November	3.69	10	4.59	12	0.99	9	4.93	5	2.36	7	0.83	4	1.36		2.34	4.	2.26		3.37	7		10	4.39	
December	3.14	15	5.15	17	3.88	10	2.93	11	2.34	8		2	9.50		2.77	7	0.50		5.23			9	9.23	
TOTAL	54.63	144	69.44	155	28.27	98	68.82	146	47.00	114	24:11	52	51.18	142	61.04	112	35.98	110	54.36	114	79.06	154	45.45	11

Total Rainfall during twelve years, 619:34 inches. Number of days Rain fell, 1,465. Annual mean, 51:61 inches; 122 days. No Observations having been recorded for January and February, 1866, the average rainfall of eleven years for those months has been inserted.

Table No. VI.

RAINFALL at RAINSWORTH, SPRINGSURE, for SEVEN YEARS:

Lat., 24° 10' S.; Long., 148° E.; distance from Coast, 160 Miles; Height, 1,500 feet.—Observations taken by J. Gregson, Esq.

	18	65.	186	6.	186	7.	186	8.	186	9.	187	0.	187	1.
MONTHS,	Inches.	Days' fall.												
January	2.04	3	0.60	3	0.60	2	1.53	5	5.04	8	6:46	8	1.05	4
February	3.65	2	0.00	0	2.66	6	4.63	7	4.75	6	5.72	- 10	2.35	4
March	0.83	2	0.00	0	4:69	9	0.00	0	12.85	13	4.72	11	3.06	3
April	0.00	- 0	0.00	0	5.08	6	0.00	0	4.14	6	0.14	2	0.03	1
May	0.00	0	0.77	2	3.26	4	0.23	2	1.04	6	4.18	5	1.34	3
June	0.00	0	1.72	4	2.07	1	0.47	3	0.00	0	4.65	6	0.24	4
July	0.00	0	0.33	2	1.37	5	1.23	3	0.11	1	5.62	5	0.19	1
August	0.00	0	1.36	5	0.00	0	0.07	3	0.84	3	3.13	. 7	0.00	0
September	3.25	3	0.32	3	1.71	6	1.17	4	0.98	4	No re		0.75	2
October	No re	ord	0.32	2	1.31	5	1.00	5	2.09	5	3.18	5	2.50	5
November	1.10	1	4.76	7	1.11	4	1.67	4	1.85	5	5.36	7	2.92	8
December	3.34	3	7.75	13	0.32	3	3.47	3	5.36	9	1.77	3	0.62	5
TOTAL	14.21	14	17.93	41	24.18	51	15.47	39	39.05	66	44.93	69	15.05	40

Total Rainfall during seven years, 170 82 inches. Number of days Rain fell, 320. Annual mean, 24 40 inches; 46 days.

Table No. VII.

RAINFALL at WARWICK, for SEVEN YEARS:

Lat., 28° 12' S.; Long., 152° 16 E.; distance from Coast, 90 Miles; Height 1,520 feet.—Observations taken by T. Towell, Esq.

	186	35.	186	6.	186	7.	186	8.	186	9.	187	0.	187	1.
MONTHS.	Inches.	Days' fall.												
January	4.03	14	0.00	0	5.24	7	6.14	11	9.92	12	5.60	7	1.38	5
February	2.67	8	2.58	7	10.64	4	4.93	9	4.06	4	1.15	8	5.52	9
March	0.00	0	0.43	1	4:17	10	0.06	1	5.86	4	4.70	19	2.42	5
April	1.71	5	0.15	2	9.05	12	0.19	1	5.64	6	0.74	5	2.62	6
May	0.91	2	2.23	5	3.10	8	0.52	3	1.40	3	2.82	11	0.78	4
June	1.20	5	2.13	7	4.53	6	2.75	9	1.62	4	2.66	9	0.45	1
July	1.46	3	2.14	4	0.40	3	3.29	5	1.38	5	1.51	4	1.64	3
August	0.50	2	1.15	4	6.13	4	1.80	5	0.79	2	5.24	9	0.55	3
September	0.45	3	0.48	2	3.63	8	0.32	3	0.67	2	1.01	4	0.69	2
October	2.00	4	2.01	4	2.32	7	3.03	6	2.76	8	4.28	11	2.24	8
November	0.60	2	3.18	10	1.35	3	2.04	6	0.79	4	3.56	7	4.41	9
December	0.20	2	7.96	12	2.70	4	3.10	5	5.57	13	1.77	6	2.86	8
TOTAL	16.03	50	24:44	58	53.26	76	28.17	64	40.46	67	35.04	100	25.56	58

Total Rainfall during seven years, 222-96 inches. Number of days Rain fel 473. Annual mean, 31-65 inches; 67 days.

Table No. VIII.

TABLE OF RAINFALL OF QUEENSLAND, DURING THE YEAR 1871.

Showing the LATITUDE and LONGITUDE, and Distance from SEA-COAST, of each Station, the Number of Days RAIN fell, and TOTAL RAINFALL.

				JAN	UARY.	FEBI	RUARY.	МА	ECH.	AI	PRIL.	1	day.	JI	JNE.	J	ULY.	AU	IGUST.	SEPT	EMBER.	OCT	COBER.	NOV	EMBER.	DEC	EMBER.	Т	OTAL.
NAME OF STATION.	LATHUDE, SOUTH.	LONGITUDE, EAST.	DISTANCE FROM SEA-COAST.	Wet Days.	Total Fall.	Wet Days.	Total Fall.	Wet Days.	Total Fall.	Wet Days.	Total Fall.	Wet Days.	Total Fall.	Wet Days.	Total Fall.	Wet Days.	Total Fall.	Wet Days.	Total Fall.	Wet Days.	Total Fall.	Wet Days.	Total Fall.	Wet Days.	Total Fall.	Wet Days.	Tota Fall.	Wet Days.	Total Fall.
Banana Beenleigh Bloomsbury Bowen Caamboon Caabulture Cardwell Clereland Cleveland Condamine Craven Dalby Durah Enoggera Reservoir Gayndah Goodna Gympie Helidon Ipswich Keppel Bay Lytton Mackay Marlborough Maryborough Maryborough Ravenswood Ravenswood Sandy Cape St. Lawrence Sweer's Island Townsville Vale of Herbert Westwood Westwood Woody Island	20 39 20 1 25 1 27 7 18 6 22 45 27 32 26 57 23 01 27 30 27 26 26 27 27 25 38 27 36 26 26 27 27 25 38 27 36 26 26 27 27 25 38 27 36 26 26 27 27 28 27 39 27 39 27 39 27 30 27 30 28 27 36 29 21 5 20 20 20 20 20 21 5 21 5 22 57 25 38 27 36 21 5 22 57 25 38 27 36 28 27 36 21 5 22 57 25 38 27 36 28 27 36 29 21 5 20 20 20 20 20 23 25 26 37 24 48 27 38 28 29 29 20	146 6	Miles. 80 10 12 coast 105 5 coast 180 180 112 135 16 72 21 30 60 28 coast 5 40 18 50 70 20 230 coast coast coast 30 160 coast 30 9 45 coast	No. 6 12 12 10 7 12 12 5 11 4 3 8 6 9 8 11 12 7 14 8 8 12 7 14 8 5 7 14 8 8 11 12 10 5 7 11 4 8 11	Inches. 4·28 10·10 10·23 11.93 3·53 16·09 13·32 4·99 10·35 1·61 1·17 2·92 80 7·91 3·85 5·65 7·35 5·65 7·35 3·59 8·74 14·08 11·67 30·02 7·99 10·23 7·23 1·41 9·85 0·62 18·05 9·57 2·78 4·30 3·42 11·46 0·99 4·03 16·34		8.03	No. 2 8 16 8 7 10 17 1 9 2 2 2 4 2 9 9 8 5 10 5 4 4 16 5 11 2 5 8 4 4 15 2 12 16 16 17 6 12	Inches. 1 '41 3 '90 7 '40 3 .08 2 '30 3 '90 12 '85 1 '42 3 '09 0 '30 0 '91 0 '90 0 '44 1 '60 3 '02 3 '91 3 '60 4 '42 3 '75 2 '20 8 '01 5 '45 1 '26 2 '15 2 '65 0 '80 3 '63 2 '89 0 '40 2 '47 1 2 ·15 8 '87 1 '20 3 '82	No. 0 6 13 8 2 9 9 13 0 11 3 1 2 2 3 6 6 1 6 2 4 8 8 1 7 7 11 2 100 3 3 3 1 1 17 5 5 19 8 8 2 10	Inches. 0·00 8·82 2·82 0·57 0·11 11·75 10·54 0·00 9·36 0·48 0·55 0·31 5·96 0·22 4·86 0·25 1·99 4·49 0·60 6·23 3·56 0·31 2·41 1·51 0·32 0·32 0·15 1·85 1·62 0·20 0·26 8·55 0·93 0·78 1·76	$\begin{array}{c} \text{No.} \\ 8 \\ 4 \\ 4 \\ 5 \\ 6 \\ 2 \\ 4 \\ 4 \\ 1 \\ 1 \\ 4 \\ 2 \\ 2 \\ 4 \\ 4 \\ 4 \\ 5 \\ 6 \\ 6 \\ 1 \\ 1 \\ 5 \\ 6 \\ 6 \\ 2 \\ 3 \\ 3 \\ 1 \\ 1 \\ 5 \\ 6 \\ 6 \\ 2 \\ 3 \\ 3 \\ 1 \\ 1 \\ 5 \\ 6 \\ 6 \\ 2 \\ 3 \\ 3 \\ 6 \\ 6 \\ 2 \\ 3 \\ 3 \\ 6 \\ 6 \\ 2 \\ 3 \\ 3 \\ 6 \\ 6 \\ 6 \\ 2 \\ 3 \\ 3 \\ 6 \\ 6 \\ 6 \\ 2 \\ 3 \\ 6 \\ 6 \\ 6 \\ 6 \\ 2 \\ 3 \\ 6 \\ 6 \\ 6 \\ 6 \\ 6 \\ 6 \\ 6 \\ 6 \\ 6$	0.87 0.26 1.00 0.64 1.21	8 3 0 2 4 1 1	Inches. 0·13 1·42 1·06 0·29 0·48 0·99 0·02 0·70 0·26 0·25 0·68 1·40 0·51 1·74 0·40 0·09 1·47 0·00 1·31 0·86 0·10 0·83 0·00 0·54 0·58 2·41 0·52 0·00 0·13 0·57 0·22 0·03 0·00 0·53	6 0	0·11 0·75 1·89 0·07 0·00 1·52 0·08 1·26 0·51 0·00	No. 77 2 3 3 7 5 2 5 5 0 0 2 4 4 0 0 4 4 3 3 3 3 1 0 0 3 3 2 2 2 7 7 3 3 4 4 4 4 4 1 1 1 0 0 4 4 1 1 0 1 3 2 4 4	Inches. 0·35 0·50 0·46 0·81 0·46 0·28 0·26 0·00 0·18 0·56 0·00 0·90 1·47 0·30 0·45 0·25 0·00 0·32 0·36 0·45 0·75 0·27 0·12 0·32 0·36 0·45 0·65 0·61 0·48 0·00 0·50 0·22 2·07 0·62 0·23 0·13	No. 2 2 5 2 5 2 5 2 7 7 2 3 1 1 2 2 4 4 2 2 5 5 3 3 3 4 4 3 3 2 4 4 100 6 6 3 1 5 5 4 10 7 7 4 4 7	2·00 0·99 0·02 0·74 2·33 3·97 2·28	No. 7 5 10 7 11 9 6 5 12 9 4 8 6 12 8 10 7 4 17 6 7 12 8 9 5 3 12 10 18 9 1 10 9 9 13	Inches. 4·18 2·30 6·03 6·12 2·95 5·05 1·71 3·65 4·42 2·60 1·98 3·27 1·86 4·10 3·69 3·49 2·65 3·49 2·65 3·49 2·75 5·82 3·55 2·36 5·16 3·97 0·35 2·73 3·21 5·92 6·63 2·73		Inches. 3-71 3-91 2-36 0-85 3-45 4-72 13-53 5-04 3-56 3-58 2-77 2-64 2-38 3-40 3-87 5-23 5-38 2-65 5-25 3-85 5-55 3-99 3-90 3-14 3-65 1-75 2-35 5-83 0-98 5-83 0-48 6-21 4-12 2-60	3 17 3	2·10 1·36 14·75 8·83 1·10 5·50 2·41 0·87 0·72 0·21 9·23 1·90 6·15 2·46 1·75 4·00 2·93 8·26 4·72 4·65 2·95 1·23 1·35 0·33 0·84 1·80 1·81 4·80 1·81 1·81 4·80 1·86 9·47 0·86	41 64 110 64 89 49 38 74 62 132 64 48 70 71 118 118	Inche 22:34 47:22:38:88 18:88 63:66 69:66 29:5 44:2 18:33 14:9 11:42 43:3 21:7 43:2 44:1 40:2 20:0 41:1 13:2 43:3 38:1 22:6 22:6 33:4

For Rainfall of Brisbane, Cape Moreton, Toowoomba, Springsure, and Warwick, see preceding Tables,

Table No. IX.

METEOROLOGICAL OBSERVATIONS taken at Brisbane, Queensland, in 1871.

Latitude, 27° 28' 3" South; Longitude, 153° 6' 15" East; distant from Sea-coast, 10 Miles; height of Observatory above mean sea level, 130 feet.

MAXIMUM TEMPERATURE of the AIR (in Shade), at BRISBANE, on each Day in the Year 1871.

Day of Month.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	Decembe
. 1	94.0	88.0	80.0	85.0	80.0	73.0	72.5	73.5	83.0	82.5	73.0	83.5
2	94.0	90.5	71.0	83.0	85.0	76.5	75.0	73.0	77.0 .	80.5	86.0	80.0
3	86.0	87.0	86.0	87.0	85.0	70.0	74.5	74.5	78.5	85.0	82.0	81.0
4	83.0	86.5	95.0	84.0	84.0	71.5	71.0	70.5	87.0	77.5	85.0	81.5
5	82.0	86.5	81.0	85.0	84.5	71.0	70.0	70.0	85.5	74.0	84-5	80.5
6	83.5	95.0	79.0	85.5	79.0	65.0	68.0	71.0	78.5	66.5	85.5	82.0
7	73.5	91.5	83.5	86.5	75.0	73.5	61.0	73.5	78.5	78.0	83.0	84.0
. 8	81.0	90.0	83.0	86.5	76.5	76.0	67.5	76.5	75.0	73.0	75.0	83.5
9	88.0	90.0	87.5	89.0	76.0	74.5	70.0	74.0	80.0	75.5	80.0	81.5
10	83.0	83.0	84.0	88.0	81.0	72.5	72.0	62.5	84.5	77.5	81.5	87.0
11	88.0	81.5	86.0	84:5	82.0	72.0	73.0	66.5	76.0	75.0	81.0	89.0
12	85.0	83.5	86.0	84.5	80.5	67.5	61.0	69.5	76.0	80.0	79.0	90.0
13	85.0	84.0	84.0	85.0	79.5	75.5	67.0	74.0	76.0	85.0	80.0	85.0
14	89.0	84.0	85.0	85.0	77.5	74.5	72.0	74.5	76.0	89.0	76.0	79.0
15	92.5	91.3	89.0	83.5	78.5	78.0	73.5	76.0	77.5	82.0	77.5	76.0
16	91.0	89.0	97.0	75.0	78.0	74.0	79.0	75.5	82.0	82.0	81.0	81.0
17	83.0	89.5	38.0	79.0	77.5	69.5	76.0	72.5	78.0	86.5	82.0	82.0
18	82.0	88.5	88.5	79.5	77.5	69.5	66.0	68.0	77.0	87.0	83.0	85.5
19	83.0	86.0	88.5	79.5	78.0	69.0	83.5	75.0	76.5	72.5	79.5	87.5
20	82.0	87.0	88.0	80.0	77.0	66.0	69.0	82.5	74.5	74.0	78.0	84.5
21	76.0	87.0	88.0	79.0	80.0	69.5	66.5	79.0	73.5	75.5	74.5	86.0
22	79.5	90.0	86.5	76.5	80.0	68.5	69.0	85.5	74.0	76.0	77.5	86.5
23	69.0	89.0	80.5	78.0	81.0	68.0	66.5	75.5	75.5	68.5	81.0	86.5
24	81.5	88.0	83.0	79.5	77.0	73.0	60.5	73.0	81.0	73.5	85.0	87.0
25	90.0	92.0	84.0	75.5	81.0	70.0	66.5	76.0	81.5	76.0	91.0	89.5
26	91.5	82.5	87.0	71.5	81.0	71.5	69.0	77.0	82.0	80.0	87.0	93.0
27	87.0	81.0	87.0	73.0	77.5	70.5	70.0	85.0	81.0	82.0	86.0	93.5
28	91.0	80.0	87.0	73.0	75.5	72.5	79.0	81.0	78.0	67:0	83.0	91.0
29	89.5		80.0	81.0	75.5	74.0	76.0	79.5	•82.5	75.0	79.0	84.5
30	89.5		83.0	79.5	75.0	72.0	72.0	77.5	80.5	79.0	83.0	84.0
31	86.5		85.0		72.5		73.0	81.2		72.5		85.0
Mean of }	85.1	87.0	85.0	81.4	79.0	71.6	70.5	74.9	77.9	79.6	81.0	84.9

The highest readings, 95°, were on February 6th, and March 4th; the lowest, 60°5°, on July 24th.

Table No. X.

MINIMUM TEMPERATURE of the AIR (in Shade), at BRISBANE, on each Day in the Year 1871.

Day of Month.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	Decembe
1	65.5	68.0	69.0	64.0	57.0	46.0	50.5	42.0	54.0	58.0	54.5	62.5
2	65.0	72.5	66.5	61.0	57.0	51.5	48.0	41.0	48.0	65.5	57.0	60.5
3	67.0	67.0	64.0	59.0	55.5	52.0	43.5	43.0	53.0	48.5	59.5	59.5
4	66.0	72.0	70.0	57.0	54.5	53.0	38.0	51.5	43.0	53.0	70.0	61.0
5	68.0	70.0	60.0	57.0	58.5	58.0	49.0	52.0	48.5	60.0	68.0	60.5
6	66.5	71.0	65.0	59.0	61.0	55.5	54.0	53.0	56.5	61.0	64.0	59.5
7	68.0	68.0	64.5	57.0	60.5	57.0	41.5	58.5	52.5	49.0	61.0	61.2
8	61.5	69.0	63.0	57.5	63.5	50.0	40.0	52.5	57.0	54.0	58.0	62.0
9	67.5	75.0	63.5	57.5	64.0	54.5	40.0	48.5	57.5	54.0	57.0	64.0
10	68.0	69.5	65.0	59.0	59.5	42.0	41.0	40.5	55.0	53.0	59.0	67.0
11	67.0	68.5	63.0	60.0	63.5	48.5	46.0	39.0	53.5	56.0	60.0	71.5
12	66.0	65.0	63.0	62.5	50.0	49.0	50.0	39.0	50.0	56.0	62.5	70.0
13	67.0	65.0	61.0	64.0	55.0	45.5	54.0	47.5	49.0	58.0	61.0	70.0
14	71.5	75.0	58.0	61.0	48:5	46.5	45.5	43.5	49.5	62.0	60.0	68.0
15	70.5	65.0	60.0	60.5	51.0	44.5	41.5	41.5	51.0	61.5	61.0	64.0
16	68.5	70.5	66.0	67.0	49.5	48.0	46.0	45.0	56.5	64.0	57.0	59.0
17	70.5	70.0	68.0	59.0	51.5	54.0	53.0	53.0	59.0	67.0	62.5	60.0
18	65.0	66.0	66.5	58.5	55.0	52.5	47.0	50.0	56.5	58.5	62.0	66.5
19	63.0	71.0	66.5	58.5	55.5	45.5	59.0	49.5	55.0	58.5	62.5	68.0
20	62.5	65.0	61:0	55.5	54.5	36.5	40.0	42.0	60.5	54.0	61.0	65.0
21	64.5	64.0	61.0	60.5	52.5	45.0	35.0	48.0	58.0	55.5	59.0	64.5
22	67.0	66.0	58.5	57.6	51.0	50.5	45.0	52.5	55.5	59.0	29.0	64.0
23	64.0	71.0	55.0	58.0	51.0	43.5	51.0	49.0	59.5	60.5	61.0	66.0
24	67.5	74.0	57.0	60.0	58.0	46.0	55.5	47.5	51.0	60.0		67.0
25	70.0	72.0	56.0	65.5	52.0	44.5	54.0	48.0	48.0		64·5 69·5	
26	74.5	72.0	60.0	64.5	52.0	47.0	52.0	51.0		57·0 59·0		69.0
27	72.0	70.0	60.5	65.0	46.5	43.5	47.5	55.0	52.5		74.0	70.0
28	71.0	68.0	60.5	59.0	56.0	46.0	42.5	50.5	57.5	61.0	64·0 61·5	76.5
29	69.0		60.0	58.5	49.0	42.0	43.5	47.0	56.0	57.0		72.0
30	70.0		65.0	59.5	47.0	49.0	39.5		62.0	54.0	62.5	70.5
31	67.5		61.0				44.0	50.0	63.5	52.0	66.0	71.0
	075		01.0		43.0	•••	440	57.0		57.0		71.5
Mean of }	67:5	69.3	62.7	59.7	54.1	47.6	46.5	48.0	54.3	57.5	61.6	63.8

The lowest reading, 35°, was on the morning of July 3rd; the highest, 76.5°, on December 27th,

Table No. XI.

MAXIMUM TEMPERATURE in SUN (Solar Radiation), at BRISBANE, on each Day during the Year 1871.

Day of Month.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November	Decembe
1 '	124.0	122:0	92.0	130.0	113.0	100.0	102 0	99.0	108.0	114:0	110.0	120.0
2	126.0	129.0	85.0	133.0	112.0	101.0	103.0	100.0	104.0	111.0	120.0	119.0
3	129.0	127.0	103.0	124.0	111.0	82.0	101.0	102.0	109.0	107.0	120.0	120.0
4	112.0	117.0	117.0	123.0	108.0	100.0	96.0	91.0	112.0	107.0	117.0	119.0
5	126.0	123.0	90.0	126.0	113.0	98.0	96.0	100.0	107.0	103.0	122.0	125.0
6	131.0	136.0	90.0	123.0	107.0	68.0	80.0	95.0	107.0	69.0	93.0	126.0
7	80.0	127.0	106.0	129.0	98.0	97.0	75.0	99.0	87.0	99.0	114.0	130.0
* 8	112.0	127.0	105.0	121.0	107.0	99.0	92.0	108.0	104.0	108.0	99.0	135.0
9	125.0	125.0	99.0	124.0	89.0	107.0	98.0	104.0	114.0	110.0	119.0	132.0
10	116.0	91.0	117.0	124.0	110.0	96.0	99.0	88.0	115.0	111.0	120.0	134.0
11	116.0	100.0	103.0	121.0	108.0	99.0	101.0	92.0	112.0	110.0	120.0	139.0
12	125.0	117.0	103.0	121.0	107.0	79.0	68.0	103.0	108.0	112.0	115.0	122.0
13	125.0	134.0	107.0	123.0	106.0	101.0	94.0	104.0	115.0	111.0	105.0	118.0
14	123.0	114.0	105.0	118.0	106.0	103.0	94.0	107.0	114.0	101.0	104.0	104.0
15	124.0	133.0	104.0	119.0	108.0	115.0	99.0	105.0	114.0	100.0	109.0	100.0
16	127.0	130.0	127.0	95.0	107.0	100.0	98.0	107.0	120.0	110.0	121.0	117.0
17	121.0	131.0	125.0	115.0	107.0	96.0	100.0	106.0	114.0	117.0	1116.0	122.0
18	118.0	121.0	124.0	118.0	107.0	96.0	77.0	97.0	110.0	110.0	114.0	124.0
19	118.0	120.0	123.0	110.0	105.0	97.0	101.0	105.0	115.0	93.0	120.0	122.0
20	113.0	126.0	121:0	116.0	105.0	90.0	91.0	110.0	112.0	101.0	105.0	120.0
21	83.0	118.0	124.0	114.0	102.0	95.0	93.0	. 107.0	102.0	100.0	105.0	125.0
22	95.0	129.0	119.0	114.0	104.0	93.0	95.0	110.0	109.0	105.0	100.0	125.0
23	72.0	119.0	125.0	107.0	108.0	93.0	69.5	110.0	113.0	73.0	107.0	124.0
24	80.0	111.0	107.0	116.0	98.0	95.0	64.0	106.0	108.0	99.0	123.0	127.0
25	129.0	114.0	127.0	97.0	108.0	95.0	85.0	108.0	109.0	110.0	125.0	129.0
26	125.0	94.0	132.0	76.0	106.0	92.0	93.0	108.0	101.0	102.0	123.0	125.0
27	112.0	94.0	130.0	76.0	103.0	92.0	93.0	111.0	113.0	115.0	120.0	131.0
28	111.0	98.0	124.0	77.0	97.0	100.0	103.0	109.0	111.0	74:0	124.0	127.0
29	121.0		121.0	110.0	99.0	99.0	97.0	113.0	112.0	118.0	102.0	102.0
30	124.0		120.0	107.0	99.0	98.0	99.0	112.0	111.0	111.0	120.0	103.0
31	123.0		130.0		97.0		97.0	113.0		99.0		119.0
Mean of ach Month	115.0	117.8	113.1	113.6	105.0	95.9	92.0	104.1	109:9	103.4	113.7	122.1

The highest reading, 139° , was on December 11th; the lowest, 64° , on July 24th.

Table No. XII.

MINIMUM TEMPERATURE of the AIR, at BRISBANE (taken on Grass), on each Day in the Year 1871.

Day of Month.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December
1	56.0	65.5	64.0	60.5	53.0	41.0	46.0	38.0	44.0	54.4	50.0	58.0
2	61.5	69.0	62.0	57.0	52.0	48.0	44.0	37.0	40.0	58.5	52.5	56.0
3	58.5	64.5	64.0	53.5	50.0	48.0	39.0	38.5	47.0	41.0	54.5	54.5
4	59.5	65.5	65.0	52.0	50.0	48.5	33.5	46.0	38.0	47.5	65.0	56.0
5	60.0	67.0	63.0	51.5	51.0	51.0	47.0	45.0	43.5	56.5	64.0	57.0
6	57.5	69.5	58.0	55.0	55.0	50.5	52.5	46.5	52.0	57.0	57.5	56.5
6 7	60.5	64.5	61.0	54.0	55.0	50.5	36.0	52.5	48.0	41.0	55.5	57.0
8	61.0	65.5	57.0	53.0	60.0	45.5	36.0	49.0	51.0	45.0	53.5	58.0
9	61.0	72.0	58.0	54.0	59.0	39.5	38.0	43.0	50.0	47.5	63.0	59.0
10	63.0	67.5	59.0	55.0	55.0	37.0	36.0	32.5	46.0	47.5	53.5	62.5
11	59.0	65.0	57.0	56.0	57.0	43.0	42.0	31.5	47.0	51.5	54.0	69.0
12	59.0	59.5	61.0	58.0	44.0	43.5	45.5	35.0	45.5	50.5	58.0	69.0
13	63.0	60.5	55.0	61.5	47.0	43.0	51.5	42.5	45.0	52.5	56.5	65.0
14	62.5	52.0	51.0	58.0	43.0	43.5	40.0	38.5	45.0	57.0	54.0	62.5
15	63.0	60.0	52.0	56.0	46.0	40.5	38.0	37.0	46.0	55.5	55.0	59.0
16	65.5	64.0	58.0	54.0	46.5	44.5	40.0	40.0	52.0	59.0	52.5	54.5
17	60.0	67.0	63.0	55.0	47.5	53.0	49.0	45.0	53.5	61.0	60.5	57.0
18	58.0	62.0	60.0	55.0	48.0	49.0	43.0	45.5	51.0	53.5	56.0	61.0
19	57.0	62.0	60.0	54.0	52.0	39.5	51.0	44.0	59.0	53.0	58.0	65.0
20	60.5	60.0	53.0	52.0	51.5	33.5	32.5	37.0	54.5	48.5	57.0	61.0
21	65.0	58.0	57.0	57.0	49.5	41.0	31.0	41.5	54.0	50.0	55.0	60.0
22	62.0	61.0	50.0	52.0	48:0	34.0	41.0	46.0	51.0	55.5	54.0	60.0
23	65.0	67.0	46.0	53.5	48.5	37.0	48.5	44.0	56.0	56.5	56.5	62.0
24	68.0	68.0	48.0	55.5	55.0	39.5	50.0	43.0	46.0	54.5	59.0	62.5
25	72.0	68.8	50.0	63.5	50.0	37.5	49.0	43.0	43.5	52.0	65.0	63.5
26	70.0	67.0	53.0	62.0	49.0	39.0	44.0	47.0	47.0	53.0	70.0	66.0
27	68.5	64.0	55.0	62.0	43.5	38.0	39.0	54.5	53.5	57.0	60.0	70.5
28	65.0	64.0	55.0	55.0	48.5	38.5	38.0	45.0	50.5	53.0	62:0	67.5
29	64.0		52.0	54.0	42.0	38.5	37.0	43.0	56.0	49.0	58.0	68.0
30	64.5		58.0	55.5	43.0	45.0	33.5	46.0	58.5	53.0	61.0	66.5
31	59:0		54.0		38.5		38.5	51.5	•••	53.0		67.5
Mean of each Month	62.2	64:3	56.7	55.2	49.6	42.7	41.6	42.9	49.1	52.4	57.4	61.6

The lowest reading, 31°, was on the morning of July 21st; the highest, 72°, on January 25th, and February 9th,

Table No. XIII.

RANGE of TEMPERATURE (in Shade), at BRISBANE, for each Day in the Year 1871.

Day of Month.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November	December
1	28.5	20.0	11.0	19.0	23.0	27.0	22:0	31.5	29.0	24.5	18.5	21.0
2	29.0	18.0	5.5	22.0	28.0	25.0	27.0	32.0	29.0	15.0	29.0	19.5
3	19.0	20.0	22.0	28.0	29.5	18.0	31.0	31.5	25.5	36.5	22.5	21.5
4	17.0	14.5	25.0	27.0	29.5	18.5	33.0	19.0	30.5	24.5	15.0	20.5
5	14.0	16.5	15.0	28.0	26.0	13.0	21.0	18.0	27.0	14.0	16.5	20.0
6	17.0	24.0	14.0	26.0	28.5	9.5	14:0	18.0	22.0	5.5	11.5	22.5
7	5.5	23.5	19.0	29.5	14.5	16.5	19.5	15.0	16.0	29.0	22.0	22.5
8	20.0	21.0	20.0	29.0	13.0	26.0	27.5	24.0	18.0	19.0	17.0	21.5
9	21.0	15.0	24.0	31.5	12.0	29.5	30.0	25.5	22.5	21.5	23.0	17.5
10	25.0	13.5	19.0	29.0	21.5	30.0	31.0	22.0	29.5	24.5	22.5	20.0
11	21.0	13.0	23.0	24.5	18.5	23.5	27.0	27.5	22.5	19.0	21.0	17.5
12	19.0	18.5	23.0	22.0	30.5	18.0	11.0	30.5	26.0	24.4	16.5	20.0
13	18.0	19.0	23.0	21.0	24.5	30.0	13.0	26.5	27.0	27.0	21.0	15.0
14	17.5	9.0	27.0	23.5	29.0	28.0	26.5	31.0	26.5	27.0	16:0	11.0
15	22.0	26.0	29.0	23.0	27.5	33.2	32.0	34.5	26.5	20.5	16.5	12.0
16	22.5	19.0	31.0	18.0	28.5	26.0	33.0	31.5	25.5	19.5	24.0	22.0
17	12.5	19.5	15.0	20.0	26.5	15.5	23.0	19.5	19.0	18.0	19.5	22.0
18	17.0	22.5	22.0	21.0	25.5	17.0	19.0	18.0	20.5	28.5	21.0	19.0
19	20.0	15.0	22.0	21.0	22.5	23.5	24.5	25.5	21.5	14.0	27.0	19.5
20	19.5	22.0	27.0	24.5	23.5	29.5	29.0	40.5	14.0	20.0	17.0	19.5
21	11.5	23.0	27.0	18.5	28.5	24.5	31.5	31.0	15.5	20.0	15.0	21.5
22	12.5	24.0	28.0	19.0	29.0	28:0	24.0	33.5	18.5	17.0	18.5	22.5
23	5.5	18.0	25.5	20.0	30.0	25.5	12.5	26.5	16.0	8.0	20.0	20.5
24	14.0	14.0	26.0	19.5	19.0	27.0	5.5	25.5	29.5	13.5	20.5	20.0
25	20.0	20.0	28.0	10.0	29.0	25.5	12.5	28.0	33.5	19.0	21.5	20.5
26	16.5	10.5	27.0	7.0	29.0	24.5	17.0	26.0	29.5	21.0	13.0	23.0
27	15.0	11.0	26.5	8.0	31.0	27.0	22.5	30.0	23.5	21.0	22.0	17.0
28	20.0	12.0	26.5	14.0	19.5	26.5	36.5	30.5	22.0	10.0	21.5	19.0
29	20.5		20.5	22.5	26.5	32.0	33.5	32.5	20.5	21.0	16.5	14.0
30	19.5		18.0	20.0	28.0	23.0	33.5	27.5	17.0	27.0	17.0	13.0
31	19.0		24.0		29.5		29.0	24.5		15.0		13.5
Mean of each Month	14.8	17.9	22.4	21.5	24.9	24.0	24.3	27.0	23.6	20.2	19.4	19.0

The greatest range of temperature during one day, 40.5°, was on August 20th, the least, 5.5°, on several occasions.

Table No. XIV.

READINGS of the BAROMETER, at BRISBANE, at 9 a.m., for each Day during the Year 1871.

Day of Month.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December
1	29.740	29.987	29.809	30.110	29.942	30.348	30.175	30.464	30.038	29.970	30.132	30.104
2	.945	30.040	.800	.064	.922	.322	.185	.384	.042	.807	.006	.102
3	30.105	068	.896	.058	.956	.274	.246	.376	.168	.954	29.934	·112
4	.053	29.997	30.006	.037	30.026	.182	.313	.411	.320	30.103	.880	.154
5	.000	.878	.096	.035	.088	.124	.297	.344	.286	29.976	.800	·128
6	29.968	.942	.052	.191	.006	29.894	.110	.242	·276	.662	.965	.090
7	.778	.969	.002	.184	.130	.797	.182	.162	.188	.729	30.214	.152
8	.635	.915	.072	.174	.095	.968	.248	.050	.090	.914	.225	.128
9	.764	.941	.105	.208	.022	30.060	273	29.996	.033	30.226	.182	.052
10	.794	30.037	.100	.287	29.989	.168	.332	30.162	·299	.312	.175	29.948
11	30.016	.004	.000	.198	.968	.159	.264	.259	.368	.235	.160	30.030
12	.059	29.980	.119	.036	.978	.300	.152	.297	316	.104	.112	29.954
13	29.968	.980	.177	29.996	30.030	.330	.127	.248	.246	.124	.116	*820
14	.808	.898	.045	30.128	.051	.290	.191	.307	·218	.202	114	0.210
15	.883	.853	.002	.294	.130	.294	.062	.358	.160	.194	.016	.170
16	30.014	.936	.038	.343	.225	.256	.098	.362	.288	.030	29.922	.120
17	.108	.928	29.968	.326	.296	.058	.094	.282	.298	29.878	.918	.058
18	.180	.928	.828	.312	.294	29.789	29.862	.162	-288	30.365	30.068	.066
19	.102	.946	.831	.304	.293	.946	.292	.048	.292	.292	130	.165
20	.044	.846	.930	.287	.226	30:018	30.202	.144	.320	.260	200	.116
21	.038	.881	.890	*346	.148	29.924	.348	.058	.276	.314	.188	.164
22	29.882	.701	.865	.211	.228	.990	.431	.274	.139	.278	·111	.176
23	.487	.646	.978	.244	.262	.988	.224	-329	.000	.274	29.952	.076
24	.532	.670	30.102	.212	.158	.995	29.908	.311	29.956	.202	.803	29.922
25	.806	.686	.159	.129	.075	30.066	.862	.306	.932	.160	.838	.868
26	.978	.838	290	.093	.067	.163	.984	.240	30.088	.047	.902	.920
27	.966	.871	.342	.043	29.985	.184	30.092	.150	.200	29.972	.980	*832
28	.996	.890	312	29.904	.970	.224	.018	.071	.112	.974	30.036	30.038
29	30.062		.237	.806	30.C64	.374	.162	·113	.135	30.054	.010	.064
30	.054		.060	.842	29.976	.283	.256	29.921	.042	.085	.085	.080
31	.030		.052		30.203		.450	.979		.138		.078
Mean of each Month	29.929	29.902	30.038	30.147	30.090	30.125	30.163	30.219	30.180	30.092	30.039	30.061

The highest reading, 30.464 inches, was on August 1st, and the lowest, 29.487 inches, on January 23rd,
The readings are corrected to 32° Fahrenheit, and reduced to mean sea level.

Table No. XV.

RAINFALL at BRISBANE, for each day during the Year 1871

Day of Month.	January.	February.	March.	April,	May.	June.	July.	August.	September,	October.	November.	Decembe
1			-00									
$\frac{1}{2}$.20							.45	.05	.06
			.22									.02
3						•04						.02
4		.03				.01						
5		.13	.45			.06		.07		.06	-74	.01
6	.15	.80	.03			.17	1.97	.06		.95	.42	
7	1.33		1.42						.02		.14	
8	.42											
9	.23							.26				.03
10	.70	0.04			.58						19	
11							.03		4 495000		.25	
12				•••	•••		.04	•••			.10	
13			.05								10	.76
14				•55			.13					
15		•••										.10
					.05							.01
16		.06		.03								
17		.31	.10	.03	.13	.48				·12	.02	
18	·11	.02	.01			.55		.04			.20	
19	.03	.28									.06	
20	·10	.02		.06	05				.10			
21	.08			.07					.06			
22	.54		.01	.03	.01				1.31	.33	.62	
23	4.59	-20		.03			.41		.03	.12		
24	.49	.01		2.18			.69			.04		
25		2.79		1.70	.01		.05			.25	1.48	
26		.06		32							.03	
27	.02			.11		***				.47	.03	
28			.13								00	0.00
29										15		6.60
30			01							.01		1.10
31			2.64							.05		.12
91			.09	•••						.17		.36
Total in ach Month }	8.79	4:71	2.64	5.11	0.83	1:31	3.32	0.43	1.52	3.17	4.39	9.23
o. of Days on which rain fell	13	14	12	11	6	6	7	4	5	14	14	13

Total Rainfall of the year, 45:45 inches. Rain fell on 119 days. The maximum fall during 24 hours, 6:60 inches, was on December 28th.

For further information as to the rainfall of Queensland see the general table No. VIII.

Table No. XVI.

SUMMARY of DIRECTION of the WIND at BRISBANE, during each Month in the Year 1871.

Direction	1.		January.			February.			March.			April.			May.			June.			July.			August.			September.			October.			November.			December.		each divection
		9 a.m.	3 p.m.	9 p.m.	9 a.m.	3 p.m.	9 p.m.	9 a.m.	3 p.m.	9 p.m.	9 a.m.	3 p.m.	9 p.m.	9 a.m	3 p.m.	9 p.m.	9 и.ш.	3 p.m.	9 p,m.	9 a.m.	3 p.m.	9 p.m.	9 a.m.	3 p.m.	9 p.m.	9 a.m.	3 pm.	9 p.m.	9 a.m.	3 p.m.	9 p.m.	9 a.m.	3 p.m.	9 p.m.	9 a.m.	3 p.m.	9 p.m.	Total in
North North-west West South-west South-east East North-east		 2 3 6 6 8 3 3	2 1 1 7 2 17	7 2 1 3 11 3 4	2 2 9 12 	2 1 10 7 8	 1 6 11 3 7	 11 7 12 	1 7 1 12 3 6	3 1 4 2 13 2 6	1 4 23 2	 4 4 12 8 2	5	13 14 1	1 2 6 6 5 2 4 5		9 4	17 11 4 3 2 2	3 6 12 7 1	6 7 16 1	2 1 9 5 3 6 3 2	1 2 8 9 4 4 1 2	5 21 2	3 1 2 3 2 4 16	2 1 2 5 2 2 3 14	2 4 15 4 2 3	3 2 1 4 5 15	3 2 2 2 4 6 3 8	2357815	1 4 1 2 8 2 13	$ \begin{array}{c} 1 \\ 1 \\ 6 \\ 5 \\ 4 \\ 1 \\ 12 \end{array} $	8 9 3		2 1 1 2 4 4 7 9	1 2 1 2 3 6 4 9	· 1 5 2 23	1 7 5	49 39 76 159 208 218 94 232

EDMUND MAC DONNELL,
Government Meteorological Observer.

APPENDIX C.

RETURN of the Registration Districts, with the names of the Persons holding the Office of District Registrar in 1871.

METROPOLITAN DISTRICT.*

HENRY SCOTT, REGISTRAR-GENERAL.

COUNTRY DISTRICTS.

BANANA						 	 	 WM. CAVE
								succeeded by
								E. MOREY
BOWEN						 	 	 HENRY BRAMSTON
BROADSOUND	(ST. I	AWREN	CE)			 	 	 HORACE BURKITT
CAPE RIVER						 	 	 W. S. E. M. CHARTERS
CARDWELL						 	 	 BRINSLEY G. SHERIDAN
CARPENTARIA						 	 	 GEORGE F. SANDROCK
CLEVELAND B	BAY (To	OWNSVI				 	 	 JAMES GORDON
CONDAMINE						 	 	 ROBT. VINCENT
DALBY						 	 	 F. W. ROCHE
DRAYTON AND						 	 	 WILLIAM MURPHY
DHAITON AND	10011							succeeded by
								T. P. HASLAM
GAYNDAH						 	 	 BENJAMIN CRIBB
OAINDAN								succeeded by
								ALFRED COMPIGNE
GILBERT GOL	D FIEL	Det				 	 	 FRANCIS GILL
Goondiwindi						 	 	 W. R. GOODALL
GOORDIWINDI								succeeded by
								R. P. MARSHALL
Ipswich						 	 	 WILLIAM HENDREN
ISAACS EAST					•••	 		 G. F. PRICE
LEYBURN	,					 	 	 LEWIS PHILIPS
MACKAY						 		 FREDERICK NANTES
MAURAI								succeeded by
								W. R. GOODALL
Nanango							 	 RALPH ST. GEORGE GORE
ITANANGO								succeeded by
					,			ARCHIBALD LEE
NORTH COOK	(SOME	(тчача				 	 	 FRANK L. JARDINE
PEAR DOWNS						 	 	 WILLIAM CAVE
PORT CURTIS							 	 JOHN S. POWE
PRINCHESTER)SIONE,				 	 	 THOMAS ILLIDGE
ROCKHAMPTO						 	 	 FRANK N. BEDDEK
ROMA		1	•••				 	 W. O. NORRIS
						 	 	 CHARLES SHORT DICKEN
SPRINGSURE							 	 R. C. H. UHR
ST. GEORGE						 		 RICHARD T. TAYLOR
SURAT (Management)						 		ALFRED HENRY
TAMBO (MITO						 	 	 THOMAS J. SADLIER
TAROOM						 	 	 POLLET CARDEW
WARREGO (C		VILLE)		•••		 	 	 ALFRED S. HEATHCOTE
WARWICK				•••		 	 	 succeeded by
								ARCHIBALD STEWART
			10					STANLEY G. HILL
WIDE BAY (MARYE	BOROUG	H)3			 	 	 G. W. BARRYMORE
Woogaroo				• • • •		 	 	 succeeded by
								J. LARKIN.
								J. LIAILAIN.

*Sub-Districts—Logan and Cleveland,
† Ditto Ravenswood Gold Fields,
‡ Ditto Western Creek,
§ Ditto Gympie,

[Price, 2s. 1d.

APPENUIX C.

RETURNS of the Resistantian Linearity, with the names of the Present holding the Office of District

METEOPOLITAN DISTRICE.

COUNTRY DISTRICTS.

WAL CAVE						
						Water the state of
You you know						
					20.7	EPOSIT COPY
					וע	EFOSTE COL
						MAY NOT
					TP.	E BORROWED
SEANUIS CHILD MANAGEMENT					D.	pagament grand name
W. B. GOODALL COMMEN					And the Owner, where the Person of	AND THE RESERVE OF THE PARTY OF
auchaded by a land below we						
R. P. MARISHAMA						
Leuris en mai						
EALPH ST. GLONGER GORGE						
will be be seen and be be seen as a						
		_				
-THOMAS TRAINER TO THE						
						ALC: UNIVERSITY OF THE PARTY OF

first and blatefel - Locat and Claveland and Links.
Links - Links - Links and Claveland and Links.
Links - Western Links.

The Additionality James (1 direct Consermation France, William agreet, Bristian